



THE ASSAM GAZETTE

অসাধাৰণ

EXTRAORDINARY

প্ৰাপ্ত কৰ্তৃত্বৰ দ্বাৰা প্ৰকাশিত

PUBLISHED BY THE AUTHORITY

নং 750 দিশপুৰ, শুক্ৰবাৰ, 21 নবেম্বৰ, 2025, 30 কাৰ্ত্তিক, 1947 (শক)

No. 750 Dispur, Friday, 21st November, 2025, 30th Kartika, 1947 (S. E.)

GOVERNMENT OF ASSAM
ORDERS BY THE GOVERNOR
WATER RESOURCES DEPARTMENT
(GENERAL BRANCH)

NOTIFICATION

The 6th August, 2025

No. E-609781/20.-In pursuance of the approval accorded by the Hon'ble Cabinet in its meeting held on 05.05.2025, the Governor of Assam is pleased to notify the implementation of a Convergence Model between the Water Resources Department (WRD) and the Panchayat & Rural Development (P&RD) Department for construction of embankments and flood protection structures along the tributaries of the Brahmaputra and Barak rivers, to strengthen flood protection efforts in the tributary areas of Assam through a coordinated approach, optimizing resource utilization, enhancing community participation, and expediting implementation under decentralized mechanisms.

The convergence initiative will cover:

- Planning, design, and execution of small to medium-scale embankments and riverbank reinforcement works.
- Focus areas include flood-prone regions in the upper and middle reaches of Brahmaputra and Barak tributaries.

1. Division of Responsibilities

A. Panchayat & Rural Development (P&RD) Department

- Execution of labour-intensive earthwork components under MGNREGA and other rural schemes.
- Fund management, labour wage disbursement, and field-level project administration.
- Scheme identification shall be initiated by the P&RD Department and subsequently taken up with WRD for implementation under the convergence framework.

B. Water Resources Department (WRD)

- Preparation of technical designs and detailed specifications.
- Supply of essential flood protection materials (e.g., geobags, geotubes, PSC porcupines).
- Provision of technical supervision to ensure structural integrity.
- Operation and maintenance of completed structures during flood seasons.

C. Joint Working Group

- A state-level committee comprising officials from both WRD and P&RD to:
 - Identify priority sites.
 - Finalize implementation plans.
 - Coordinate field execution.
- Deputy Commissioners to facilitate district-level coordination and monitoring.

2. Financial Implications

- Labour and earthwork costs will be met from existing schemes of the P&RD Department.
- Material and technical support costs will be borne by the WRD.
- Joint cost estimates to be prepared on a project-specific basis.

3. Implementation Strategy

- A few schemes may be taken up on a pilot basis this year in selected flood-prone districts to assess feasibility and scalability.
- Standard guidelines on planning, execution, quality assurance, coordination, and monitoring will be issued separately.
- P&RD and WRD shall jointly convene a workshop to sensitize field-level officers on the concept and modalities of convergence.

4. Additional Implementation Guidelines under Mahatma Gandhi NREGA**i. Permissibility Under NREGA:**

The *Construction of Embankment for Community* (Sl. No. 198 of the List of Permissible Work) is an eligible activity under the Disaster Preparedness/Restoration category within Natural Resource Management (NRM) under MGNREGA. However, stand-alone components like boulders, bamboo, and items listed in the negative list are not permitted. Additionally, raised platforms (as mentioned in Section D.4 of the Memorandum) are not permissible works under MGNREGA. Integration with other permissible infrastructure works must comply with prescribed expenditure norms (e.g., 60:40 Wage-Material Ratio, 60% allocation for Agriculture & Allied Activities, 65% for NRM).

ii. Planning & Approval of Works:

All works proposed by WRD must be approved by the final Gaon Sabha for inclusion in the Gaon Panchayat Development Plan (GPDP). If not presented during regular planning, a Special Gaon Sabha may be convened for approval.

iii. **Dual Estimation Approach:**

- o Part 1: Wage-intensive earthwork for embankments (under MGNREGA), to be prepared using the SECURE software.
- o Part 2: Material-intensive components (e.g., geotubes, reinforcements) to be executed by WRD ensuring durability and quality.

iv. **Technical Vetting of Works:**

WRD will initially prepare and technically vet estimates. The P&RD Department will extract the MGNREGA-permissible portion from the vetted estimate and seek Technical Sanction and Administrative Approval through SECURE, in line with Paragraph 7.1.5 of the Annual Master Circular 2024–25.

v. **Operation and Maintenance:**

As per Section E of the Memorandum and Paragraph 7.12.3 of the Master Circular 2024–25, regular O&M is not permissible under MGNREGA. One-time repair/maintenance is allowed only for assets created under MGNREGA, after 5–10 years, or earlier in cases of natural calamities with proof of damage.

vi. **Work Completion Period:**

The MGNREGA portion of the work should be planned so that willing job card holders can complete it within one year, thereby minimizing the number of incomplete projects and enhancing the scheme's performance indicators.

This Notification shall come into effect from the date of its publication in the Official Gazette of Assam.

SYEDAIN ABBASI,

Special Chief Secretary to the Govt. of Assam,
Water Resources Department.

অসম চৰকাৰ
ৰাজ্যপালৰ আদেশ মৰ্মে
জল সম্পদ বিভাগ (সাধাৰণ শাখা)
জনতা ভৱন, দিছপুৰ, গুৱাহাটী-৬
অধিসূচনা
দিনাংক ৬ আগষ্ট, ২০২৫

নং ই-৬০৯৭৮১/২০.- তাৰিখে অনুষ্ঠিত মাননীয় মন্ত্ৰিসভাৰ বৈঠকত দিয়া অনুমোদনৰ অনুসৰি, অসমৰ ৰাজ্যপাল মহোদয়ে জলসম্পদ বিভাগ (WRD) আৰু পঞ্চায়ত আৰু গ্ৰাম্য উন্নয়ন বিভাগ (P&RD)-ৰ মাজত এখন সংমিশ্ৰণ মডেল (Convergence Model) ৰূপায়ণৰ বাবে অনুমোদন জনাইছে, যাৰ অধীনত ব্ৰহ্মপুত্ৰ আৰু বৰাক নৈৰ উপনদীসমূহৰ কাষে কাষে মথাউৰি আৰু বাননিয়ন্ত্ৰণ কাঠামো নিৰ্মাণ কৰা। এই মডেলৰ জৰিয়তে উপনদী অঞ্চলসমূহত বান নিয়ন্ত্ৰণৰ ব্যৱস্থা অধিক শক্তিশালী কৰা হ'ব, যি সমন্বিত পদ্ধতিৰ জৰিয়তে সম্পদৰ অধিক ফলপ্ৰসূ ব্যৱহাৰ, জনগণৰ অংশগ্ৰহণ বৃদ্ধিৰ লগতে বিকেন্দ্ৰীকৃত ব্যৱস্থাৰ অধীনত কাৰ্যসাধনৰ গতি বঢ়াবলৈ সহায় কৰিব।

সংমিলনৰ অন্তৰ্গত ক্ষেত্ৰসমূহ:

- সৰু আৰু মধ্যম পৰিসৰৰ মথাউৰি আৰু নদীৰ পাৰত *প্ৰবলীকৰণ* কামৰ পৰিকল্পনা, নক্সা আৰু নিৰ্মাণ।
- প্ৰাধান্য দিয়া হ'ব ব্ৰহ্মপুত্ৰ আৰু বৰাক নৈৰ ওপৰ আৰু মধ্য উপনদী বানপ্ৰৱণ অঞ্চল সমূহত।

১. দায়িত্বৰ বিভাজন:

A. পঞ্চায়ত আৰু গ্ৰাম্য উন্নয়ন বিভাগ (P&RD):

- MGNREGA আৰু অন্যান্য গ্ৰাম্য আঁচনিৰ অধীনত শ্ৰম-কেন্দ্ৰিক মাটিৰ কাম।
- ধনৰ ব্যৱস্থাপনা, দৰমহা বিতৰণ আৰু ক্ষেত্ৰীয় পৰ্য্যায়ত কামৰ প্ৰশাসনিক দায়িত্ব।
- আঁচনি চিনাক্তকৰণ P&RD বিভাগে আৰম্ভ কৰি WRD-ৰ সৈতে সংমিলিতভাৱে ৰূপায়ণ কৰিব।

B. জলসম্পদ বিভাগ (WRD):

- প্ৰযুক্তিগত নক্সা আৰু বিৱৰণ প্ৰস্তুতকৰণ।
- জিঅ'বেগ, জিঅ'টিউব, পিএছচি পৰ্কপাইন আদি প্ৰয়োজনীয় সামগ্ৰী যোগান।
- গঠনসামূহৰ গুণগত মান ৰক্ষা কৰাৰ বাবে প্ৰযুক্তিগত পৰ্যবেক্ষণ।
- বানৰ সময়ত নিৰ্মিত কাঠামোৰ চালনা আৰু ৰক্ষণাবেক্ষণ।

C. যৌথ কৰ্মগোট (Joint Working Group):

- WRD আৰু P&RD-ৰ বিষয়া-কৰ্মচাৰীৰে ৰাজ্যিক পৰ্যায়ৰ সমিতিখনক:
 - অগ্ৰাধিকাৰভিত্তিক স্থান নিৰ্বাচন,
 - কাৰ্যপদ্ধতি চূড়ান্তকৰণ,
 - কাৰ্যৰয় সমন্বয়।
- জিলা উপায়ুক্তসকলক জিলা স্তৰত সমন্বয় আৰু পৰ্যবেক্ষণত দায়িত্ব দিয়া হ'ব।

২. আর্থিক দিশ:

- P&RD বিভাগৰ বিদ্যমান আঁচনিৰ পৰা শ্রম আৰু মাটিৰ কামৰ ব্যয় বহন কৰা হ'ব।
- সামগ্ৰী আৰু প্ৰযুক্তিগত সহায় WRD বিভাগে প্ৰদান কৰিব।
- প্ৰতিটো আঁচনিৰ বাবে যৌথভাৱে ব্যয়ৰ প্ৰাক্কলন কৰা হ'ব।

৩. কাৰ্যনিৰাহী কৌশল:

- এই বৰ্ষত নিৰ্বাচিত বানপ্ৰবণ জিলাসমূহত কিছু আঁচনি পাইলট হিচাপে আৰম্ভ কৰা হ'ব।
- পৰিকল্পনা, কাৰ্যনিৰাহ, গুণমান নিৰীক্ষণ, সমন্বয় আৰু পৰ্যবেক্ষণৰ বাবে মানদণ্ড অচিৰেই জাৰি কৰা হ'ব।
- পঞ্চায়ত আৰু গ্ৰামোন্নয়ন বিভাগ (P&RD) আৰু জলসম্পদ বিভাগ (WRD) এ একেলগে এটা কাৰ্যশালা আয়োজন কৰিব, য'ত ক্ষেত্ৰীয় পৰ্যায়ৰ বিষয়া-কৰ্মচাৰীক সমন্বয়ৰ ধাৰণা আৰু কাৰ্যপদ্ধতি সম্পৰ্কে সচেতন কৰা হ'ব।

৪. মহাত্মা গান্ধী নৰেগাৰ অধীনত অতিৰিক্ত ৰূপায়ণৰ নিৰ্দেশনা**i. এনৰেগাৰ অধীনত অনুমোদিততা:**

এম জি এনৰেগাৰ অধীনত প্ৰাকৃতিক সম্পদ ব্যৱস্থাপনা (এন আৰ এম)ৰ ভিতৰত দুৰ্যোগ প্ৰস্তুতি/পুনৰুদ্ধাৰ শ্ৰেণীৰ অধীনত সম্প্ৰদায়ৰ বাবে মথাউৰি নিৰ্মাণ (অনুমোদিত কামৰ তালিকাৰ নং ১৯৮) এটা যোগ্য কাৰ্যকলাপ। কিন্তু বোন্ডাৰ, বাঁহ, ঋণাত্মক তালিকাত তালিকাভুক্ত বস্তুৰ দৰে স্বতন্ত্ৰ উপাদানৰ অনুমতি দিয়া হোৱা নাই। ইয়াৰ উপৰিও উত্থাপিত মঞ্চ (স্মাৰকপত্ৰৰ ধাৰা D.4 ত উল্লেখ কৰা অনুসৰি) এমজিএনৰেগাৰ অধীনত অনুমোদিত কাম নহয়। অন্যান্য অনুমোদিত আন্তঃগাঁথনিৰ কামৰ সৈতে একত্ৰীকৰণে নিৰ্ধাৰিত ব্যয়ৰ নিয়ম মানি চলিব লাগিব (যেনে, ৬০:৪০ মজুৰি-উপাদান অনুপাত, কৃষি আৰু সংশ্লিষ্ট কাৰ্যকলাপৰ বাবে ৬০% আৱণ্টন, এন আৰ এমৰ বাবে ৬৫%)।

ii. কামৰ পৰিকল্পনা আৰু অনুমোদন:

জলসম্পদ বিভাগ দ্বাৰা প্ৰস্তাৱিত সকলো কাম গাঁও পঞ্চায়ত উন্নয়ন পৰিকল্পনা (জি পি ডি পি)ত অন্তৰ্ভুক্ত কৰিবলৈ চূড়ান্ত গাঁওসভাৰ অনুমোদন লাভ কৰিব লাগিব। নিয়মীয়া পৰিকল্পনাৰ সময়ত উপস্থাপন নকৰিলে অনুমোদনৰ বাবে বিশেষ গাঁও সভা আহ্বান কৰিব পাৰিব।

iii. দ্বৈত আনুমানিক পদ্ধতি:

০ অংশ ১: মথাউৰিৰ বাবে মজুৰি-নিবিড় মাটিৰ কাম (এমজিএনৰেগাৰ অধীনত), SECURE চফট্ৱেৰ ব্যৱহাৰ কৰি প্ৰস্তুত কৰা হ'ব।

০ অংশ ২: স্থায়িত্ব আৰু গুণগত মান নিশ্চিত কৰি জলসম্পদ বিভাগ দ্বাৰা নিষ্পাদন কৰিবলগীয়া সামগ্ৰী-নিবিড় উপাদান (যেনে, জিঅ'টিউব, শক্তিবৰ্ধক)।

iv. কামৰ কাৰিকৰী পৰীক্ষণ:

জলসম্পদ বিভাগ প্ৰথম অৱস্থাত অনুমান প্ৰস্তুত কৰিব আৰু কাৰিকৰীভাৱে পুৰ্ণানুপুৰ্ণ পৰীক্ষা কৰিব। পি এণ্ড আৰ ডি বিভাগে পৰীক্ষা কৰা অনুমানৰ পৰা এম জি এনৰেগা-অনুমোদিত অংশ উলিয়াব আৰু বাৰ্ষিক মাষ্টাৰ চাৰ্কুলাৰ ২০২৪-২৫ৰ অনুচ্ছেদ ৭.১.৫ৰ সৈতে সংগতি ৰাখি SECUREৰ জৰিয়তে কাৰিকৰী অনুমোদন আৰু প্ৰশাসনিক অনুমোদন বিচাৰিব।

v. পৰিচালনা আৰু ৰক্ষণাবেক্ষণ:

স্মাৰকপত্ৰৰ ধাৰা ই আৰু মাষ্টাৰ চাৰ্কুলাৰ ২০২৪-২৫ৰ অনুচ্ছেদ ৭.১২.৩ অনুসৰি এমজিএনৰেগাৰ অধীনত নিয়মীয়া অ' এণ্ড এম অনুমোদিত নহয়। এম জি এনৰেগাৰ অধীনত সৃষ্টি কৰা সম্পত্তিৰ বাবেহে এককালীন মেৰামতি/ৰক্ষণাবেক্ষণৰ অনুমতি দিয়া হৈছে, ৫-১০ বছৰৰ পিছত, বা তাৰ আগতে

ক্ষতিৰ প্ৰমাণ থকা প্ৰাকৃতিক দুৰ্যোগৰ ক্ষেত্ৰত।

vi. কাম সম্পূৰ্ণ হোৱাৰ সময়:

কামৰ এমজিএনৰেগা অংশটো এনেদৰে পৰিকল্পনা কৰিব লাগে যাতে ইচ্ছুক জব কাৰ্ডধাৰীয়ে এবছৰৰ ভিতৰত সম্পূৰ্ণ কৰিব পাৰে, যাৰ ফলত অসম্পূৰ্ণ প্ৰকল্পৰ সংখ্যা কম হয় আৰু আঁচনিখনৰ কৰ্মক্ষমতাৰ সূচক বৃদ্ধি পায়।

এই অধিসূচনা অসম চৰকাৰৰ ৰাজপত্ৰত প্ৰকাশ পোৱাৰ তাৰিখৰ পৰা প্ৰযোজ্য হ'ব।

চৈয়াদিন আব্বাচি,
বিশেষ মুখ্য সচিব, অসম চৰকাৰ,
জল সম্পদ বিভাগ।