

compose.kerala.gov.in  
egazette.kerala.gov.in  
printing.kerala.gov.in



Regn.No. KERBIL/2012/45073  
dated 2012-09-05 with RNI  
Reg No.KL/TV(N)/634/2021-2023

കേരള സർക്കാർ  
GOVERNMENT OF KERALA

# കേരള ഗസറ്റ് KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്  
PUBLISHED BY AUTHORITY

ചൊവ്വ, 2024 ഡിസംബർ 10

Tuesday, 10th December 2024

1200 വൃശ്ചികം 25

25th Vrischikam 1200

വാല്യം 13

Vol. XIII

1946 അഗ്രഹായനം 19

19th Agrahayana 1946

നമ്പർ } 50  
No. }

Part III

Store Purchase

©

കേരള സർക്കാർ

GOVERNMENT OF KERALA

2024



ദർഘാസ് പരസ്യം  
[നമ്പർ 12/2024-2025]

നമ്പർ AHD/TVM/HVB/PALD/709/2024-B.

2024 നവംബർ 16

ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ആനിമൽ ഹെൽത്ത് ആൻഡ് വെറ്റിനറി ബയോളജിക്കൽസ് എന്ന സ്ഥാപനത്തിലെ ആവശ്യത്തിലേയ്ക്കായി ചുവടെ പട്ടിക പ്രകാരമുള്ള സാധനങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് താല്പര്യമുള്ള വ്യക്തികളിൽ നിന്നും മുദ്ര വച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ഏകദേശ വില—₹ 1,83,965.

നിരതദ്രവ്യം—എസ്റ്റിമേറ്റ് വിലയുടെ 1%.

ദർഘാസുകൾ ഉള്ളടക്കം ചെയ്തിട്ടുള്ള കവറിനുപുറത്ത് "ദർഘാസ് നമ്പർ 12/2024-2025 ലാബ് വെയർ & ഗ്ലാസ് വെയർ 2024-2025" എന്ന് രേഖപ്പെടുത്തിയിരിക്കണം. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 17-12-2024 ഉച്ചക്ക് 12 മണി ആണ്. ദർഘാസുകൾ "ഡയറക്ടർ ഐ.എ.എച്ച് & വി.ബി, പച്ച പി. ഒ., പാലോട്" എന്ന മേൽവിലാസത്തിൽ നൽകേണ്ടതാണ്. താമസിച്ചു ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ലഭിച്ച ദർഘാസുകൾ 17-12-2024 തീയതി ഉച്ചയ്ക്ക് 3 മണിയ്ക്ക് ബന്ധപ്പെട്ട വ്യക്തിയുടെയോ അവരെ പ്രതിനിധീകരിക്കുന്ന ആളുടെയോ സാന്നിധ്യത്തിൽ തുറന്നു പരിശോധിക്കുന്നതായിരിക്കും. 16-12-2024 തീയതി 3 മണിവരെ ഡയറക്ടർ ഐ.എ. എച്ച് & വി.ബി പച്ച പി.ഒ., പാലോട് എന്ന മേൽവിലാസത്തിൽ നിന്നും ദർഘാസ് ഫോമുകൾ താഴെപറയുന്ന നിരക്കിൽ ലഭിക്കുന്നതാണ്.

ദർഘാസ് ഫോം അസ്സൽ— ₹ 400 + GST @18%.

ദർഘാസ് ഫോം ഡ്യൂപ്ലിക്കേറ്റ് — ₹ 200 + GST 18%.

ദർഘാസ് ഫോമുകൾ VPP ആയി ലഭിക്കുന്നതല്ല. ദർഘാസ് ഫോമിന്റെ വില രൊക്കം പണമായിട്ടോ മണിയോർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ചെക്ക്, ഡ്രാഫ്റ്റ്, സ്റ്റാമ്പ്, പോസ്റ്റൽ ഓർഡർ തുടങ്ങിയവ ദർഘാസ് ഫോമിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. അടച്ച ദർഘാസ് വില ഒരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസ് ഫോമുകൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല. ദർഘാസിൽ പങ്കെടുക്കുന്നതിനായി ₹ 1840 (ആയിരത്തി എണ്ണൂറ്റി നാല്പത് രൂപ മാത്രം) EMD ആയി ഒടുക്കേണ്ടതാണ്. MSME രെജിസ്ട്രേഷൻ ഉണ്ടെങ്കിൽ, EMD ഒടുക്കുന്നതിൽ നിന്നും ഇളവ് നേടുന്നതിനായി, മതിയായ രേഖ ഹാജരാക്കേണ്ടതാണ്. കൂടുതൽ വിവരങ്ങൾ പ്രവർത്തി ദിവസങ്ങളിൽ ഓഫീസുമായി ബന്ധപ്പെട്ടാൽ അറിയാവുന്നതാണ്.

പ്രത്യേക കാരണം ഇല്ലാതെ തന്നെ ദർഘാസുകൾ പൂർണ്ണമായോ ഭാഗികമായോ നിരസിക്കുന്നതിനോ സ്വീകരിക്കുന്നതിനോ ഉള്ള അധികാരം ഡയറക്ടർ, ഐ.എ.എച്ച് & വി.ബിയിൽ നിക്ഷിപ്തമായിരിക്കും.

[NO. 12/2024-2025]

No. AHD/TVM/HVB/PALD/709/2024-B.

16th November 2024.

Sealed competitive tenders are invited for the supply of labware and glassware as per the following specification and requirement.

Estimated Approximate Cost—₹ 1,83,965.

EMD— 1% of the Estimated Cost.



## LIST OF ITEMS

| Sl. No. | Name of Article                                     | Specification                                                                                                                                                    | Make & Product Code Number                                     | Actual Requirement |
|---------|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|--------------------|
| (1)     | (2)                                                 | (3)                                                                                                                                                              | (4)                                                            | (5)                |
| 1       | Beaker, 250 ml                                      | Stainless steel, 250 ml                                                                                                                                          |                                                                | 2                  |
| 2       | Blood Collection tubes                              | Blood collection tubes 2ml capacity , double cap with K3 EDTA 3.6 mg without vacuum, Pack of 100 nos, in packs                                                   |                                                                | 1                  |
| 3       | Cavity slides                                       | One deep cavity per slide, 10 nos in one box, in boxes                                                                                                           | Any Make                                                       | 8                  |
| 4       | Conical Flask with narrow mouth and Rim, 100 ml     | OD x Ht = 64 x 105 mm, Erlenmayer, Graduated Borosilicate                                                                                                        | Borosil Cat No. 4980016                                        | 24                 |
| 5       | Conical flask with screw cap, 100 ml capacity       | With PP Screw Cap, Autoclavable upto 140 degree C with neck specification GL 25                                                                                  | Borosil Cat No. 5021016                                        | 20                 |
| 6       | Culture tube-15ml                                   | Flat bottom with screw cap & rubber liner approx OD X L 25 mm X 57 mm                                                                                            | Borosil Cat No. 9910007                                        | 105                |
| 7       | Flexiloops - Disposable Plastic                     | Sterilized flexible, calibrated loop with a streaker/stabber tip, size 4.4mm diameter, calibrated to 0.01 ml and individually sealed. Packing 1 x 100 in packets | Himedia Stabiflexiloop Plus- 4. Product code: PW053-1 x 100 No | 1                  |
| 8       | Forceps                                             | Stainless steel, Plain, 5 inch length                                                                                                                            |                                                                | 2                  |
| 9       | Forceps Stainless steel                             | Thump type, Pointed, 5 inch length                                                                                                                               |                                                                | 2                  |
| 10      | Full arm gloves                                     | in pairs                                                                                                                                                         |                                                                | 500                |
| 11      | Glass beads without holes                           | 5 mm diameter, in Kg                                                                                                                                             |                                                                | 3                  |
| 12      | Glass beads without holes                           | 3 mm diameter, in Kg                                                                                                                                             |                                                                | 2                  |
| 13      | Glass bottle, 100 ml capacity                       | With PP Screw Cap and PP pouring ring, Autoclavable upto 140 degree C, OD x Ht = 56 x 100 mm                                                                     | Borosil Cat No 1501016                                         | 20                 |
| 14      | Glass bottle, 500 ml capacity                       | With DIN threadgraduated, Clear, with PP Screw Cap and PP pouring ring, Autoclavable upto 140 degree C, Neck ID GL 45 mm                                         | Duran/ Borosil - Catalogue No. 1501024                         | 20                 |
| 15      | Glass bottle, 5000 ml capacity                      | With DIN threadgraduated, Clear, with PP Screw Cap and PP pouring ring, Autoclavable upto 140 degree C, Neck ID GL 45 mm                                         | Duran/ Borosil - Catalogue No. 1501033                         | 1                  |
| 16      | Individually Wrapped Sterile Tips in peel off pouch | Medical grade PP confirming to USP grade class VI, Capacity 1000 microliter, Requirement in numbers                                                              | Tarson make Code 520057                                        | 25                 |



|    |                                                              |                                                                                                                                             |                                    |      |
|----|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|------|
| 17 | Lens cleaning tissue Paper                                   | Book of 100 sheets                                                                                                                          |                                    | 7    |
| 18 | Measuring Cylinder 100 ml                                    | Graduated, Borosilicate Glass                                                                                                               | Borosil Cat No. 3022016            | 12   |
| 19 | Measuring Cylinder 250 ml                                    | Graduated, Borosilicate Glass                                                                                                               | Borosil Cat No. 3022021            | 1    |
| 20 | Measuring cylinder 50 ml                                     | Graduated, Borosilicate glass                                                                                                               | Borosil Cat No. 3022012            | 2    |
| 21 | Metal loops holder                                           | (without loop) Brass rod holder with heat resistant handle where any size of Nichrome wire can be inserted - 1 x 8 numbers                  | Himedia LA 040                     | 4    |
| 22 | Microscope slide 76x26x1mm                                   | One end frosted, 50 numbers in one box, in boxes                                                                                            | Borosil 9100D01                    | 11   |
| 23 | Microtip Box for holding 96 numbers of 1000 micro liter tips | Material - PP Confirming to US FDA 21 CFR Autoclavable - capacity 200-1000µl                                                                | Tarson Cat No 524054 or equivalent | 2    |
| 24 | Needle Hypodermic                                            | Disposable, 18 gauge. 1.5 inch                                                                                                              |                                    | 220  |
| 25 | Needle Hypodermic                                            | Disposable, 16 gauge                                                                                                                        |                                    | 25   |
| 26 | Needle, hypodermic                                           | Disposable, 1/2" length 21 G                                                                                                                |                                    | 10   |
| 27 | Needle, hypodermic                                           | Disposable, 1" length 20 G                                                                                                                  |                                    | 150  |
| 28 | Nichrome Loops assorted                                      | Each pack containing 3 pieces of each nichrome loop having dia meter 4 mm, 2mm, 1.3 mm and 1 no straight wire, 1 no double wound - in packs | Himedia LA 023                     | 2    |
| 29 | Nitrile Examination Gloves 9.5" length - Size Medium         | Material - Blue Nitrile Thickness 4 mils in nos                                                                                             | Tarson Cat No 370110 or equivalent | 1440 |
| 30 | Nitrile Examination Gloves 9.5" length - Size Small          | Material - Blue Nitrile Thickness 4 mils in nos                                                                                             | Tarson Cat No 370100 or equivalent | 200  |
| 31 | Para film M                                                  | 2 inch x 250 feet                                                                                                                           |                                    | 7    |
| 32 | Petri Dish, Glass                                            | Ht x OD = 17 mm x 100 mm Borosilicate Glass                                                                                                 | Borosil Cat No 3160077             | 29   |
| 33 | Petri Dish, Glass                                            | Ht x OD = 17 x 100 mm Amber coloured in numbers                                                                                             | Jain Scientific Cat No: 603/4      | 2    |
| 34 | Pipette, Glass, 10.0 ml                                      | Graduated, 10 x 0.1 ml, etched, white markings, Borosilicate glass                                                                          | Borosil Cat No 7082P06             | 20   |
| 35 | Pipette, Plastic, Disposable                                 | Sterilized, 25 ml capacity                                                                                                                  | Borosil Cat No 6502501018          | 10   |
| 36 | Reservoir for reagents with 75 ml capacity                   | Material - PP Confirming to US FDA 21 CFR Autoclavable                                                                                      | Tarson Cat no 524090 or equivalent | 5    |
| 37 | Round Flat bottom Flask with Beaded Rim, 2000 ml Capacity    | OD x Ht = 167 x 237 mm; neck OD 50 mm, Borosilicate Glass                                                                                   | Borosil Cat No 4060030             | 2    |



|    |                                            |                                                                                                                               |                                                          |     |
|----|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----|
| 38 | Roux Flask                                 | 1000 ml capacity, borosilicate glass. Approximate Breadth x width x height 126 x 56 x 265 mm and neck ID 26 mm                | Borosil Cat No 1290029                                   | 13  |
| 39 | Rubber teat, Red Colour                    | Medium, for use with 10 ml pipette                                                                                            |                                                          | 25  |
| 40 | Sample container                           | Plastic, wide neck, transparent, 50 ml, Material PP/ HDPE confirming to US FDA 21 CFR , Sterile                               | Tarson make Code 510030                                  | 100 |
| 41 | Scalpel Blade B P No 10                    | Stainless steel, sterile, To fit in Scalpel handle No 3                                                                       |                                                          | 25  |
| 42 | Scissors                                   | Stainless steel, Straight 8 "                                                                                                 |                                                          | 3   |
| 43 | Scissors                                   | Stainless steel, straight 5"                                                                                                  |                                                          | 4   |
| 44 | Scissors, Stainless steel                  | Curved, 6 "                                                                                                                   |                                                          | 4   |
| 45 | Scissors, Stainless steel                  | Long straight with plastic handle for cloth cutting (Tailor's Scissors)                                                       |                                                          | 5   |
| 46 | Spirit lamp                                | Glass 150 ml capacity                                                                                                         |                                                          | 2   |
| 47 | Surgical gloves                            | Size Small - Sterile, in pairs                                                                                                |                                                          | 50  |
| 48 | Surgical gloves                            | Size Medium - Sterile, in pairs                                                                                               |                                                          | 500 |
| 49 | Syringe                                    | Glass make, 1 ml capacity                                                                                                     |                                                          | 19  |
| 50 | Syringe with hypodermic needle             | Disposable, 5 ml                                                                                                              |                                                          | 120 |
| 51 | Syringe with hypodermic needle             | Disposable, 10 ml                                                                                                             |                                                          | 200 |
| 52 | Syringe, disposable 1 ml                   | 1ml (Tuberculin, plastic), not insulin syringe needle size 0.45 x 13 mm/ 26 G x 1/2, Sterile EO, in numbers                   | Dispovan make or equivalent                              | 160 |
| 53 | Syringe, disposable with hypodermic needle | 2 ml plastic with hypodermic needle of size 23 guage                                                                          |                                                          | 480 |
| 54 | Syringe, disposable, 50 ml                 | Disposable, 50 ml plastic                                                                                                     |                                                          | 5   |
| 55 | Syringe filters                            | Presterilised, 0.2 µm size, made of Durapore PVDF Membrane, 33 mm, Gama sterilized; Pack of 100                               | Millipore Make Millex-GV - 33 mm Catalogue No: SLGV033RS | 1   |
| 56 | Test tube with Rim                         | 15 x 150 mm Borosilicate Glass                                                                                                | Borosil catalogue no 9800U05                             | 30  |
| 57 | Tuberculine Syringe                        | Glass with metal piston                                                                                                       | Any Make                                                 | 45  |
| 58 | Vacuutainer tubes                          | Blood collection tubes 4ml capacity sterile for plain serum double cap without vacuum 4ml capacity, Pack of 100 nos, in packs |                                                          | 1   |
| 59 | Wash bottle                                | 250 ml capacity, Material - LDPE                                                                                              | TARSON Catalogue No 561110                               | 10  |



The tender should be superscribed "Tender No. 12/2024-2025 - Purchase of Labware and Glassware- 2024-2025" and should be addressed to the "Director, Institute of Animal Health & Veterinary Biologicals, Palode, Pacha P. O., Thiruvananthapuram, Kerala , Pin 695 562". Last date for the receipt of tender is 3-12-2024 12.00 noon. Late tender will not be accepted. The tender will be opened at 03.00 pm on the same day in the presence of the tenderers or their authorised representatives who may present at the time of opening of tender.

Intended tenderers may apply to the "Director, Institute of Animal Health & Veterinary Biologicals, Palode, Pacha P. O., Thiruvananthapuram, Pin. 695 562" for obtaining the prescribed tender form on which the tender should be submitted. Application for the tender form should be accompanied by a cash remittance of ₹ 400 plus GST 18% which is the price fixed for a set of tender form and it is not refundable. The tender forms are not transferable. Sale of tender form will be closed at 3 pm on 2-12-2024. Cheque, postal stamp, Demand Draft etc. will not be accepted towards the cost of tender form. The form will not be sent by V P P. Duplicate forms if required will be available at ₹ 200 plus GST 18 Extra per copy. The participating firm should present EMD of ₹ 1840 (Rupees One Thousand Eight Hundred and Forty Only). If the participating firm is registered as MSME, relevant documents should be submitted for EMD exemption. Further details if any can be sought from this office on all working days during office hours.

Institute of Animal Health and  
Veterinary Biologicals, Palode,  
Thiruvananthapuram.

(Sd.)  
Director.



ദർഘാസ് പരസ്യം  
[നമ്പർ 13/2024-2025]

നമ്പർ AHD/TVM/HVB/PALD/706/2024-B.

2024 നവംബർ 16.

ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ആനിമൽ ഹെൽത്ത് ആൻഡ് വെറ്റിനറി ബയോളജിക്കൽസ് എന്ന സ്ഥാപനത്തിലെ ആവശ്യത്തിലേയ്ക്കായി ചുവടെ പട്ടിക പ്രകാരമുള്ള സാധനങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് താല്പര്യമുള്ള വ്യക്തികളിൽ നിന്നും മുദ്ര വച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ഏകദേശ വില—₹ 1,71,515.

നിരതദ്രവ്യം—എസ്റ്റിമേറ്റ് വിലയുടെ 1%.

ദർഘാസുകൾ ഉള്ളടക്കം ചെയ്തിട്ടുള്ള കവറിനുപുറത്ത് "ദർഘാസ് നമ്പർ 13/2024-2025 കെമിക്കൽസ് 2024-2025" എന്ന് രേഖപ്പെടുത്തിയിരിക്കണം. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 19-12-2024 ഉച്ചക്ക് 12 മണി ആണ്. ദർഘാസുകൾ "ഡയറക്ടർ ഐ.എ.എച്ച് & വി.ബി, പച്ച പി. ഒ., പാലോട്" എന്ന മേൽവിലാസത്തിൽ നൽകേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ലഭിച്ച ദർഘാസുകൾ 19-12-2024 തീയതി ഉച്ചക്ക് 3 മണിയ്ക്ക് ബന്ധപ്പെട്ട വ്യക്തിയുടെയോ അവരെ പ്രതിനിധീകരിക്കുന്ന ആളുടെയോ സാന്നിധ്യത്തിൽ തുറന്നു പരിശോധിക്കുന്നതായിരിക്കും. 18-12-2024 തീയതി 3 മണിവരെ ഡയറക്ടർ ഐ.എ. എച്ച് & വി.ബി പച്ച പി.ഒ., പാലോട് എന്ന മേൽവിലാസത്തിൽ നിന്നും ദർഘാസ് ഫോമുകൾ താഴെപറയുന്ന നിരക്കിൽ ലഭിക്കുന്നതാണ്.

ദർഘാസ് ഫോം അസ്സൽ— ₹ 400 + GST @18%.

ദർഘാസ് ഫോം ഡ്യൂപ്ലിക്കേറ്റ് — ₹ 200 + GST 18%.

ദർഘാസ് ഫോമുകൾ VPP ആയി ലഭിക്കുന്നതല്ല. ദർഘാസ് ഫോമിന്റെ വില രൊക്കം പണമായിട്ടോ മണിയോർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ചെക്ക്, ഡ്രാഫ്റ്റ്, സ്റ്റാമ്പ്, പോസ്റ്റൽ ഓർഡർ തുടങ്ങിയവ ദർഘാസ് ഫോമിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. അടച്ച ദർഘാസ് വില ഒരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസ് ഫോമുകൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല. ദർഘാസിൽ പങ്കെടുക്കുന്നതിനായി ₹ 1715 (ആയിരത്തി എഴുനൂറ്റി പതിനഞ്ചു രൂപ മാത്രം) EMD ആയി ഒടുക്കേണ്ടതാണ്. MSME രെജിസ്ട്രേഷൻ ഉണ്ടെങ്കിൽ, EMD ഒടുക്കുന്നതിൽ നിന്നും ഇളവ് നേടുന്നതിനായി, മതിയായ രേഖ ഹാജരാക്കേണ്ടതാണ്. കൂടുതൽ വിവരങ്ങൾ പ്രവർത്തി ദിവസങ്ങളിൽ ഓഫീസുമായി ബന്ധപ്പെട്ടാൽ അറിയാവുന്നതാണ്.

പ്രത്യേക കാരണം ഇല്ലാതെ തന്നെ ദർഘാസുകൾ പൂർണ്ണമായോ ഭാഗികമായോ നിരസിക്കുന്നതിനോ സ്വീകരിക്കുന്നതിനോ ഉള്ള അധികാരം ഡയറക്ടർ, ഐ.എ.എച്ച് & വി.ബിയിൽ നിക്ഷിപ്തമായിരിക്കും.

[NO. 13/2024-2025]

No. AHD/TVM/HVB/PALD/706/2024-B.

16th November 2024.

Sealed competitive tenders are invited for the supply of Chemicals as per the following specification and requirement.

Estimated Approximate Cost—₹ 1,71,515.

EMD— 1% of the Estimated Cost.



## LIST OF ITEMS

| Sl. No. | Name of article                                                                                                 | Specification                             | Make and product code no   | Packing   | Actual Requirement |
|---------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------|----------------------------|-----------|--------------------|
| (1)     | (2)                                                                                                             | (3)                                       | (4)                        | (5)       | (6)                |
| 1       | Acacia Gum                                                                                                      | in Kg                                     |                            | 1000 g    | 1                  |
| 2       | Acetone                                                                                                         | AR                                        |                            | 500 ml    | 4                  |
| 3       | Agar Powder                                                                                                     | Bacteriological grade                     | Himedia GRM 026            | 500 g     | 1                  |
| 4       | Anaerobic Gas Pack 3.5 L                                                                                        |                                           | Himedia LE002A             | Nos       | 10                 |
| 5       | Buffer Solution PH 7 (Neutral pH Buffer)                                                                        | Standard solution for calibration         | Thermo Scientific ECBU7BT  | 500 ml    | 1                  |
| 6       | Buffer Solution PH 10                                                                                           | Standard solution for calibration         | Thermo Scientific ECBU10BT | 500 ml    | 1                  |
| 7       | Carbol Fuchsin staining solution                                                                                | Strong                                    |                            | 125 ml    | 6                  |
| 8       | Cedar Wood Oil                                                                                                  |                                           | Himedia GRM 9971           | 30 g      | 1                  |
| 9       | Crystal Violet Staining Solution                                                                                |                                           | Himedia S 012              | 125 ml    | 5                  |
| 10      | Dextrose Anhydrous                                                                                              | AR                                        |                            | 500 g     | 4                  |
| 11      | Disodium Hydrogen Ortho Phosphate anhydrous                                                                     | AR                                        |                            | 500 g     | 1                  |
| 12      | Fluid Thioglycolate Medium                                                                                      |                                           | Himedia MAP 009            | 100 g     | 7                  |
| 13      | Formaldehyde                                                                                                    | 40% formaldehyde AR Grade                 | CDH 531140                 | 500 ml    | 5                  |
| 14      | Gram's Iodine Solution                                                                                          |                                           | Himedia S 013              | 125 ml    | 5                  |
| 15      | Hydrochloric acid                                                                                               | 30% ULTRA Pure                            |                            | 500 ml    | 1                  |
| 16      | Immersion oil for Microscopy                                                                                    |                                           | Sigma Life Science 56822   | 50 ml     | 1                  |
| 17      | Isopropyl Alcohol (PROPAN -2 -OL)                                                                               | AR Grade                                  | NICE Chemicals 71537       | 2.5 liter | 1                  |
| 18      | Lactophenol cotton blue                                                                                         |                                           | Himedia S 016              | 100 ml    | 1                  |
| 19      | Lanolin anhydrous (with Melting Point 38-44°C, Saponification value 90-105, Acid value 1, Peroxide value 20) LR | Loss on drying 0.5%, sulphated ash 0.15 % | CDH Product no 033069      | 500 g     | 15                 |



|    |                                                                                                  |                                                 |                                                      |         |     |
|----|--------------------------------------------------------------------------------------------------|-------------------------------------------------|------------------------------------------------------|---------|-----|
| 20 | Leishman's Stain Solution                                                                        |                                                 | Himedia S018S                                        | 250 ml  | 1   |
| 21 | Liquid Paraffin light                                                                            |                                                 | Himedia GRM 1310-<br>2.5Lwhite/semi-transparent cans | 2500 ml | 188 |
| 22 | Mercuric chloride                                                                                | AR Grade                                        | Himedia GRM 1383                                     | 100g    | 1   |
| 23 | Mycological Agar                                                                                 |                                                 | Himedia M 094                                        | 100 g   | 7   |
| 24 | Peptone                                                                                          | Bacteriological                                 | Himedia RM 001                                       | 500 g   | 2   |
| 25 | Potassium Dihydrogen Orthophosphate anhydrous                                                    | AR                                              |                                                      | 500 g   | 1   |
| 26 | Potato Infusion Agar                                                                             |                                                 | Himedia M 174                                        | 500 g   | 1   |
| 27 | Skim Milk Powder                                                                                 |                                                 | Himedia M 530                                        | 500 g   | 1   |
| 28 | Sodium Chloride                                                                                  | AR                                              | Himedia RM 853/<br>Merck/ Qualigens                  | 500 g   | 2   |
| 29 | Sodium chloride                                                                                  | Cell culture grade                              | Himedia TC 046-<br>500G                              | 500 g   | 1   |
| 30 | Sodium Dihydrogen Orthophosphate dihydrate (NaH <sub>2</sub> PO <sub>4</sub> .2H <sub>2</sub> O) | AR Grade                                        |                                                      | 500 g   | 1   |
| 31 | Sodium Hydroxide Pellets                                                                         | AR                                              | Himedia RM 467                                       | 500 g   | 2   |
| 32 | Soyabean Casein Digest medium                                                                    |                                                 | Himedia M011                                         | 100g    | 1   |
| 33 | Standard Nutrient Agar                                                                           |                                                 | Himedia M 877                                        | 500g    | 1   |
| 34 | Standard Nutrient Broth                                                                          |                                                 | Himedia M 116                                        | 500 g   | 3   |
| 35 | Trypsin from Bovine Pancreas                                                                     | Minimum activity<br>0.2 Anson U/g<br>(2000 u/g) | Himedia RM 618                                       | 500g    | 1   |
| 36 | Tween 80 (Polyoxyethylenesorbitan monooleate)                                                    | Polysorbate - 80<br>(1 ml = 1.08 g)             | Himedia GRM 159-<br>550G                             | 500 g   | 2   |
| 37 | Xylene                                                                                           | AR Grade                                        |                                                      | 500 ml  | 1   |
| 38 | Yeast Extract Powder *                                                                           |                                                 | Himedia RM 027                                       | 500 g   | 2   |

The quoted chemicals should have at least two year shelf life at the time of supply; otherwise the chemical shall be rejected at the time of receipt.



The tender should be superscribed "tender No. 13/2024-2025, Supply of Chemicals - 2024-2025" and should be addressed to the "Director, Institute of Animal Health & Veterinary Biologicals, Palode, Pacha P. O, Thiruvananthapuram, Kerala Pin-695 562". Last date for the receipt of tender is 19-12-2024 12.00 noon. Late tender will not be accepted . The tender will be opened at 3 pm on the same day in the presence of the tenderers or their authorised representatives who may present at the time of opening of tender.

Intended tenderers may apply to the "Director, Institute of Animal Health & Veterinary Biologicals, Palode, Pacha P. O., Thiruvananthapuram, Pin- 695 562" for obtaining the prescribed tender form on which the tender should be submitted. Application for the tender form should be accompanied by a cash remittance of ₹ 400 plus GST 18% which is the price fixed for a set of tender form and it is not refundable. The tender forms are not transferable. Sale of tender form will be closed at 3 pm on 18-12-2024. Cheque, postal stamp, Demand Draft etc. will not be accepted towards the cost of tender form. The form will not be sent by V P P. Duplicate forms if required will be available at ₹ 200 plus GST 18% extra per copy. The participating firm should present EMD of ₹ 1715 (Rupees One Thousand Seven Hundred and Fifteen Only). If the participating firm is registered as MSME, relevant documents should be submitted for EMD exemption. Further details if any can be sought from this office on all working days during office hours.

Institute of Animal Health and  
Veterinary Biologicals, Palode,  
Thiruvananthapuram.

(Sd.)  
Director.



ഇ-ടെണ്ടർ പരസ്യം

No. SWTDHO/1707/2024-C5.

2024 നവംബർ 22.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്, ആലപ്പുഴയിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവെച്ച ഇ-ടെണ്ടർ ക്ഷണിച്ചുകൊള്ളുന്നു.

ഇ-ടെണ്ടർ നമ്പർ—88/C5/2024-25.

സപ്ലൈ ചെയ്യേണ്ട വസ്തു—MS Sheet.

അടങ്കൽ തുക—₹ 15,00,000.

നിരതദ്രവ്യം—₹ 15,000.

ഇ-ടെണ്ടർ ഫോമിന്റെ വില—₹ 2,300+414 (ജി. എസ്. ടി. ഉൾപ്പെടെ).

ഇ-ടെണ്ടർ ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—16-12-2024, 6 മണിവരെ.

ഇ-ടെണ്ടർ ഫോറം തുറക്കുന്ന തീയതിയും സമയവും—21-12-2024, 11 മണി.

ഇ-ടെണ്ടർ സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണിവരെ ഈ ഓഫീസിൽ ലഭ്യമാണ്. ടെലഫോൺ നമ്പർ: 0477-2252015.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ് ഡയറക്ടറേറ്റ്,  
ആലപ്പുഴ.

(ഒപ്പ്)  
ഡയറക്ടർ.



ഇ-ദർഘാസ് പരസ്യം

(1)

നമ്പർ ADFW/8308/2024- TG II(2) (1) NS.

2024 നവംബർ 26.

കേരള ഗവർണ്ണർക്കുവേണ്ടി കൃഷി വകുപ്പ് നബാർഡ് RIDF XXIX പദ്ധതിയിൽ താഴെ പറയുന്ന കാർഷിക പമ്പ് സെറ്റുകളും അനുബന്ധ ഘടകങ്ങളും കോട്ടയം ജില്ലയിലെ കോട്ടയം, കടുത്തുരുത്തി, ഉഴവൂർ, ഏറ്റുമാനൂർ ബ്ലോക്കുകളിലെ 8 ഗ്രാമ പഞ്ചായത്തുകളിലെ കുട്ടനാടൻ നെൽവയലുകളിലെ ജലനിർഗമനത്തിനായി സ്ഥാപിച്ച് പ്രവർത്തന സജ്ജമാക്കി കൈമാറുന്നതിന് കാർഷിക പമ്പ് സെറ്റ് നിർമ്മാതാക്കൾ/അംഗീകൃത ഡീലർമാർ/അംഗീകൃത വിതരണക്കാർ എന്നിവരിൽ നിന്നും മത്സര സ്വഭാവമുള്ള ദർഘാസുകൾ (2 കവർ സംവിധാനത്തിൽ) ഇ - ദർഘാസ് മുഖേന ക്ഷണിച്ചു കൊള്ളുന്നു.

ഇ-ദർഘാസ് നമ്പർ— 2024\_AGRI\_707450\_1.

സാധന സാമഗ്രികളുടെ പേരും എണ്ണവും— സബ്മേഴ്സിബിൾ വെർട്ടിക്കൽ ആക്സിയൽ പ്ലോ പമ്പ് സെറ്റ് - 11 എണ്ണം

നിരതദ്രവ്യം— ₹ 2,38,500.

ദർഘാസ് ഫോറത്തിന്റെ വില— ₹ 47,700 + ₹ 8,586 (GST @18%).

ഇ- ദർഘാസ് പ്രസിദ്ധീകരിക്കുന്ന തീയതിയും സമയവും— 26-11-2024, 6 മണി.

ഇ- ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും— 30-12-2024, 3.00 മണി.

ഇ -ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും— 31-12-2024 , 11.00 മണി.

ദർഘാസ് ഡോക്യുമെന്റ് ഫീസും നിരതദ്രവ്യവും SBI-യുടെ NEFT പേയ്മെന്റ് സിസ്റ്റത്തിലൂടെ ഓൺലൈനായി അടയ്ക്കേണ്ടതാണ്. മുകളിൽ പറഞ്ഞിരിക്കുന്ന പമ്പ് സെറ്റിന്റെ സാങ്കേതികവും സാമ്പത്തികവുമായ വിവരങ്ങൾ വെബ്സൈറ്റ് കവറുകളിൽ നൽകേണ്ടതാണ്. പ്രിലിമിനറി എഗ്രിമെന്റ്, ടെണ്ടർ ഫോറങ്ങൾ സമർപ്പിച്ചതിന്റെ രസീത്, KFC-14, ദർഘാസ് ഫോറത്തിൽ ആവശ്യപ്പെട്ടിരിക്കുന്ന മറ്റ് രേഖകളുടെ സാക്ഷ്യപ്പെടുത്തിയ പകർപ്പുകൾ എന്നിവ ടെണ്ടർ തുറക്കുന്നതിന് തീരുമാനിച്ചിരിക്കുന്ന സമയത്തിനു മുമ്പ് ആയി കിട്ടത്തക്കവിധം സ്റ്റേറ്റ് അഗ്രികൾച്ചറൽ എഞ്ചിനീയർ, കാർഷിക വികസന കർഷക ക്ഷേമ വകുപ്പ് ഡയറക്ടറുടെ കാര്യാലയം, വികാസ്ഭവൻ, തിരുവനന്തപുരം- 695 033 എന്ന വിലാസത്തിൽ രജിസ്റ്റേർഡ് / സ്പീഡ് തപാൽ മുഖേന അയയ്ക്കേണ്ടതാണ്. തപാലിൽ ഉണ്ടാകുന്ന കാലതാമസത്തിന് ഈ ഓഫീസ് ഉത്തരവാദി ആയിരിക്കുന്നതല്ല.

**നിബന്ധനകൾ**

- (1) ദർഘാസിനെ സംബന്ധിക്കുന്ന വിശദാംശങ്ങൾ കേരള സർക്കാരിന്റെ ഔദ്യോഗിക ടെണ്ടർ വെബ് സൈറ്റായ <https://etenders.kerala.gov.in> - ൽ നിന്നും ലഭിക്കുന്നതാണ്.
- (2) ടെണ്ടർ ഫോറവും മറ്റ് രേഖകളും സാധുവായ ഡിജിറ്റൽ സിഗ്നേച്ചറിൽ ഒപ്പു വെച്ച് സർക്കാരിന്റെ ഔദ്യോഗിക ടെണ്ടർ വെബ് സൈറ്റായ <https://etenders.kerala.gov.in>-ൽ കൂടി സമർപ്പിക്കേണ്ടതാണ്.
- (3) ഔദ്യോഗിക വെബ് പോർട്ടലിൽ ഈ ദർഘാസിനെപ്പറ്റി പറഞ്ഞിരിക്കുന്ന മാതൃകയിലുള്ള B0Q ഫോം മാത്രമേ ദർഘാസ് നടപടികൾക്കായി ഉപയോഗിക്കുവാൻ പാടുള്ളൂ. അല്ലാത്തപക്ഷം ദർഘാസ് നിരസിക്കുന്നതായിരിക്കും.
- (4) നിരതദ്രവ്യം, ദർഘാസ് ഫീസ് എന്നിവ ഓൺലൈൻ വഴി മാത്രമേ അടയ്ക്കുവാൻ പാടുള്ളൂ.
- (5) ദർഘാസ് സമർപ്പിക്കുന്നവർ ₹ 200-ന്റെ മുദ്രപത്രത്തിൽ കേരള സർക്കാരിന്റെ നിയമാവലി അനുസരിച്ചുള്ള പ്രാഥമിക കരാർ ഉടമ്പടി കൂടി നൽകേണ്ടതാണ്. പ്രാഥമിക കരാർ ഉടമ്പടിയുടെ മാതൃക ദർഘാസ് പരസ്യത്തോടൊപ്പം ലഭ്യമാണ്.



- (6) ദർഘാസിൽ പരസ്യപ്പെടുത്തിയിരിക്കുന്ന തീയതിയിൽ നിശ്ചിത സമയത്ത് ദർഘാസുകൾ ഓൺലൈനായി <https://etenders.kerala.gov.in> എന്ന വെബ്സൈറ്റിൽ തുറക്കുന്നതായിരിക്കും.
- (7) ടെണ്ടർ ലഭിച്ച വ്യക്തി സപ്ലൈ ഓർഡറിൽ പറഞ്ഞിരിക്കുന്ന ദിവസത്തിലോ അതിനുുമുമ്പോ പബ്ലിക്, അനുബന്ധ ഘടകങ്ങളും സപ്ലൈ ചെയ്ത് സ്ഥാപിച്ച് പ്രവർത്തന സജ്ജമാക്കി കൈമാറേണ്ടതാണ്.
- (8) ഓൺലൈൻ വഴി ടെണ്ടർ സമർപ്പിക്കുന്നതിൽ എന്തെങ്കിലും കാലതാമസമോ മറ്റ് പ്രശ്നങ്ങളോ ഉണ്ടെങ്കിൽ ആയതിന് ടെണ്ടർ ക്ഷണിക്കുന്ന സ്ഥാപനം ഉത്തരവാദി ആയിരിക്കുന്നതല്ല.
- (9) ഈ നിബന്ധനകൾക്ക് പുറമെ കേരള സർക്കാരിന്റെ സ്റ്റോർ പർച്ചേസ് മാനുവലിൽ പ്രതിപാദിച്ചിരിക്കുന്ന എല്ലാ നിബന്ധനകളും ഈ ദർഘാസിനും ബാധകമാണ്.

No. ADFW/8308/2024-TG II (2) (1) NS.

26th November 2024.

Notice inviting E-tender for the supply, installation, trial run and commissioning of Submersible Vertical Axial Flow pumpsets under the project NABARD RIDF XXIX - Replacing of petty and para indigenous technology with energy efficient pumpsets for dewatering Kuttanad paddy fields in 8 Grama Panchayaths of Kottayam, Kaduthuruthy, Uzhavoor, Ettumanoor blocks in Kottayam District of Kerala with prime mover, delivery line, panel board and all other accessories.

EMD (online payment) — ₹ 2,38,500.

E-tender ID— 2024\_AGRI\_707450\_1.

On behalf of Governor of Kerala E-tender in two cover system is invited from manufactures or their authorized dealers or authorized distributors or authorized suppliers for the supply, installation, trial run and commissioning of Submersible Axial Flow Pumpsets and all other accessories with the following specifications, by the Director of Agriculture, Thiruvananthapuram.

Supply, installation, testing, trial run and commissioning of Submersible Vertical Axial Flow Pumpset for various Padashekaram of Kottayam District with the specifications listed below:-

Suitable for handling silty, fresh and salty water with rpm 960 (Syn) or less. The material of construction of the casing, suction bell shall be CIFG 260 with 2% NiCl, impeller CF8M (SS) with SS 316 shaft, vertical submerged column pipe should be of SS 304 and horizontal delivery pipe (varies from 4 to 10 m length as per site conditions) of SS 304 with 6 mm minimum thickness. A metallic non-corrosive strainer of mesh size not more than 50 mm x 50 mm should be fitted at mouth of suction column. Any hanging portion of the delivery pipe should be supported with suitable metallic supporting frames or RCC pillars of suitable size as per site requirements. The prime mover for the pump should be 3 phase Totally Enclosed Water-Cooled squirrel cage submersible induction motor of reputed make operating at 415V+/- 10%, 50Hz+/-5%, connection with "F" class insulation, control panel must have dust and vermin proof vertical mounted cubical type panel board with FCMA soft starter of reputed make, MCCB including phase failure protection, surge protection devise, dry run protection, overload over current protection, thermal over load protection relay, earth fault relay, voltmeter, ammeter, fault indication start and stop switches, power factor correction capacitor, LED indicator, selector switch, wiring and earthing should be as per regulations and specifications of KSEB and Electrical Inspectorate.



Separate cubical type energy meter panel with CT metering provision including 4 Pole FN type isolator, HRC fuse carrier, RCCB, HRC fuses and required water proof copper cable for connection from electric post to meter box and meter panel to motor control panel etc. with proper earthing and cable termination should be as per the regulations and specifications of KSEB and Electrical Inspectorate standards.

A screen with 6 mm GI welded mesh with 50 mm x 50 mm opening size, (about 20 sq.m area) framed in GI angles and GI tubes shall be fitted at the opening on top and sides of sump to prevent entry of unwanted materials to the pump through inflow water.

Rate quoted should be inclusive of all the charges for supply, installation including trial run and commissioning, all types of transportation and conveyance, loading and unloading charges, charges for factory testing, but excluding GST etc.

| Sl. No. | Duty point head (m) | Minimum discharge at duty point head (lps) | Working head range (m) | Minimum overall efficiency (%) at duty point head | Available connected load (hp) | Quantity (No.) |
|---------|---------------------|--------------------------------------------|------------------------|---------------------------------------------------|-------------------------------|----------------|
| 1       | 3                   | 750                                        | 1 to 4.5               | 70                                                | 50                            | 4              |
| 2       | 3                   | 800                                        | 1 to 4.5               | 70                                                | 60                            | 1              |
| 3       | 3                   | 400                                        | 1 to 4.5               | 70                                                | 30                            | 3              |
| 4       | 3                   | 250                                        | 1 to 4.5               | 70                                                | 20                            | 2              |
| 5       | 3                   | 550                                        | 1 to 4.5               | 70                                                | 40                            | 1              |

In accordance with respective specification as shown in the tender documents, the tender is to be submitted as e-tenders through <https://etenders.kerala.gov.in>. Since this is an online process only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender. e-tender document and other details can be obtained from the above portal. Details of locations of proposed installation and power availability at sites are appended.

Tender Fee (online payment + GST payment) — ₹ 47,700 + ₹ 8,586 (18% GST paid directly to GST Department)

Document sale start date and time—26-11-2024, 6 p. m.

Bid Submission start date and time— 29-11-2024, 6 p. m.

Last date and time of receipt of e-tender— 30-12-2024, 3 p. m.

Date and time of opening of technical bid— 31-12-2024, 11 a. m.

Date upto which the rate is to remain firm for acceptance— 120 days.

Performance Security— 5% of quoted amount.

Period of completion—12 months.

Bidders shall remit the tender document fee and EMD using the online payment option of e-procurement system. GST for tender fee (₹ 8,586) should be paid separately and the Chelan must be uploaded with the bid document.

Scanned copy of the preliminary agreement in the prescribed format in Kerala Stamp paper worth ₹ 200 should be submitted online and original to the undersigned before the opening of e-tender. The rate should be quoted in Indian Currency only. The rules and regulation



prescribed for e- tenders by the Govt. of Kerala shall be applicable to this e-tender also. Tenders will be opened online in the presence of such bidders or their authorized representatives who have logged in at the prescribed time of opening. If the date fixed for opening happens to be a holiday or due to net failure the tenders will be opened in the next working day at the same time.

In the bid, the following documents should be submitted by online.

- (1) BOQ duly filled uploaded in the e-tender portal.
- (2) Technical data sheet duly filled and signed (Annexure I). Use separate data sheet for each items quoted.
- (3) If any more information to be furnished.
- (4) Scanned copy of performance curve.
- (5) Schedule of rates for spare parts and service charges for seven years after the warranty period.
- (6) Details of AMC for seven years after the warranty period.
- (7) e-payment form duly filled and signed.
- (8) Proof of original manufacturer/authorized dealers/distributor/supplier (copy of authorization letter).
- (9) Scanned copy of preliminary agreement executed in Kerala Stamp Paper worth ₹ 200.
- (10) EMD exemption certificate (if any) should be submitted online.
- (11) Form No.14 duly filled and signed.
- (12) Tender notice and Special condition of tender duly signed.
- (13) Experience Certificates.
- (14) Proof of payment of GST amount of tender fee.

#### GENERAL REQUIREMENTS

- (1) The efficiency of the pumping unit supplied shall be as high as practicable, consistent with the best modern design.
- (2) The pump set shall be capable of operating in open conditions in the range without being overloaded at any point with a margin of at least 10% of power in the motor pump set over entire operating range.
- (3) The pump set characteristics shall be of stable nature such that the efficiency is fairly steady for the water level variations. The maximum efficiency point will be nearer to the duty point and fairly constant for larger range on either side. The pump sets should run smoothly over the entire operating range without cavitations and vibration. The variation in the efficiencies for any point of operation in the entire operating range should be minimum.
- (4) The pump set shall be suitable for pumping of raw/brackish/saline water containing silt, coarse sand and gravel/suspended solids up to 50 mm size.
- (5) The pump set shall be suitable for non-stop continuous 24 hours operation without interruption.
- (6) The pump set shall be Axial Flow type with fixed blade angle according to the type used. The pump sets shall be comprised of suction bell mouth pump casing, impeller and motor on single common shaft, long life anti friction bearing (drive and non driving end) oil chamber with mechanical seals etc.



- (7) The supplier shall furnish the following documents
  - (a) Final constructional drawings of the pump set.
  - (b) Operation, maintenance and spare parts manual for pump set.
  - (c) Weight of pump set and required minimum crane capacity.
  - (d) Material of casting certificate for pump components
- (8) The pump set manufacturer has to declare the performance parameters separately as Guaranteed Performance Parameters. These shall include discharge, pump set efficiency and overall efficiency.
- (9) The manufacturer has to provide technical data as given in Annexure - I, declaration of the product offered, for the product they have quoted.
- (10) Bidders are permitted to submit only one make and model for each item. Quoting more than one make and model for a single item will result in the rejection of the technical bid.

#### SPECIAL CONDITIONS

- (1) The firm must have a minimum of two years of experience in similar types of work.
- (2) The basic rate quoted should be inclusive of all charges for supply, installation, trial run, commissioning, transportation, handling charge, etc., but excluding GST. Prevailing GST rate at the time of procurement will be applicable separately.
- (3) The firm has to supply the items at the location specified or as per direction from the undersigned.
- (4) The successful bidder will be bound to supply the items as per the requirement of the Tender Inviting Authority (TIA).
- (5) The bidders can quote, for all/any/some of the items as per their choice, but the cost of tender form and EMD remains the same.
- (6) Bidder has to pay the GST portion of tender fee directly to GST Department and upload the chelan in the portal and also submit along with the hard copy of tender documents.
- (7) The bidder should specify the Make and Model of pump set quoted.
- (8) The bidder must provide authorization letter (manufacture/dealer/distributor/ supplier) from the manufacturer.
- (9) The supplier should confirm the repair and service facilities, availability of spare parts etc. of the items supplied for a minimum period of 10 years. The selected bidder should attend the pump set and rectify the trouble within 48 hours in case of registration of complaints.
- (10) Schedules of rates for spare parts and services should be submitted along with the bid documents.
- (11) Training programmes in operation and minor repair should be arranged for selected pump operators and Padasekhara samithi members (three times the number of pump sets supplied) and training programme on repair and maintenance should be arranged for selected technical persons (number equal to the number of pump sets supplied) by the supplier at their own cost.
- (12) All pump set shall be subjected to performance test as per IS 9137 at manufacturer's work for different head, discharge and efficiency in presence of tender inviting authority or authorized persons.



- (13) The Tender Inviting Authority reserves the right to order full quantity of supply to any one bidder or distribute the supply to different bidders as per decision of the technical committee constituted for the purpose.
- (14) The successful bidder will have to execute an agreement in Kerala Stamp Paper worth ₹ 200 in prescribed form and manner and to furnish the required security amount @ 5% of total quoted amount within 14 days of the receipt of selection notice. The security deposit will be disbursed within 28 days after the successful completion of the Defect Liability Period of three years.
- (15) Tenders, incomplete in any respect, will be summarily rejected and the decision of the TIA will be final.
- (16) The supply, installation, testing, trial run and commissioning should be completed within 12 months on receipt of the supply order.
- (17) Satisfactory completion certification should submit for each installation from Electrical Inspectorate.
- (18) Bidders should be prepared to do necessary civil construction works associated with the installation, if any required, within the quoted amount.
- (19) Bidders are advised to visit the location of proposed installations, before quoting.
- (20) The payment shall be released only after satisfying the quantity, quality and specifications of the items supplied and successful commissioning and trial run of the item supplied by the bidder and inspection of the technical committee constituted for the same.
- (21) A minimum warranty period of three years is to be assured for all the items supplied and the details of AMC, thereafter, for period of seven year should be mentioned along with the tender documents.
- (22) All Annexure should be duly filled and uploaded with the tender.
- (23) Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

Communications to be addressed to:— Director of Agriculture,  
Agriculture Development and Farmers Welfare Department,  
Vikas Bhavan, Thiruvananthapuram,  
Kerala PIN-695 033.  
[saekerala@gmail.com](mailto:saekerala@gmail.com)

(2)

നമ്പർ ADFW/8308/2024-TG II(2) (2) NS.

2024 നവംബർ 26.

കേരള ഗവർണ്ണർക്കു വേണ്ടി കൃഷി വകുപ്പ് നമ്പാർഡ് RIDF XXIX പദ്ധതിയിൽ താഴെ പറയുന്ന കാർഷിക പമ്പ് സെറ്റുകളും അനുബന്ധ ഘടകങ്ങളും കോട്ടയം ജില്ലയിലെ കോട്ടയം, കടുത്തുരുത്തി, ഉഴവൂർ, ഏറ്റുമാനൂർ ബ്ലോക്കുകളിലെ 8 ഗ്രാമ പഞ്ചായത്തുകളിലെ കുട്ടനാടൻ നെൽവയലുകളിലെ ജലനിർഗമനത്തിനായി സ്ഥാപിച്ച് പ്രവർത്തന സജ്ജമാക്കി കൈമാറുന്നതിന് കാർഷിക പമ്പ് സെറ്റ് നിർമ്മാതാക്കൾ / അംഗീകൃത ഡീലർമാർ/ അംഗീകൃത വിതരണക്കാർ എന്നിവരിൽ നിന്നും മത്സര സ്വഭാവമുള്ള ദർഘാസുകൾ (2 കവർ സംവിധാനത്തിൽ) ഇ - ദർഘാസ് മുഖേന ക്ഷണിച്ചു കൊള്ളുന്നു.

ഇ-ദർഘാസ് നമ്പർ— 2024\_ AGRI\_707451\_1.

സാധന സാമഗ്രികളുടെ പേരും എണ്ണവും— വെർട്ടിക്കൽ ആക്സിയൽ പ്ലോ പമ്പ് സെറ്റ് - 10 എണ്ണം



ദർഘാസ് ഫോറത്തിന്റെ വില— ₹ 35,900+ ₹ 6,462 (GST @18%).

നിരതദ്രവ്യം— ₹ 1,79,500.

ഇ- ദർഘാസ് പ്രസിദ്ധീകരിക്കുന്ന തീയതിയും സമയവും— 26-11-2024, 6 മണി.

ഇ- ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും— 30-12-2024, 3 മണി.

ഇ -ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും— 31-12-2024, 11 മണി.

ദർഘാസ് ഡോക്യുമെന്റ് ഫീസും നിരതദ്രവ്യവും SBI-യുടെ NEFT പേയ്മെന്റ് സിസ്റ്റത്തിലൂടെ ഓൺലൈനായി അടയ്ക്കേണ്ടതാണ്. മുകളിൽ പറഞ്ഞിരിക്കുന്ന പമ്പ് സെറ്റിന്റെ സാങ്കേതികവും സാമ്പത്തികവുമായ വിവരങ്ങൾ വെബ്സൈറ്റ് കവറുകളിൽ നൽകേണ്ടതാണ്. പ്രിലിമിനറി എഗ്രിമെന്റ്, ടെണ്ടർ ഫോറങ്ങൾ സമർപ്പിച്ചതിന്റെ രസീത്, KFC-14, ദർഘാസ് ഫോറത്തിൽ ആവശ്യപ്പെട്ടിരിക്കുന്ന മറ്റ് രേഖകളുടെ സാക്ഷ്യപ്പെടുത്തിയ പകർപ്പുകൾ എന്നിവ ടെണ്ടർ തുറക്കുന്നതിന് തീരുമാനിച്ചിരിക്കുന്ന സമയത്തിന് മുമ്പായി കിട്ടത്തക്കവിധം സ്റ്റേറ്റ് അഗ്രികൾച്ചറൽ എഞ്ചിനീയർ, കാർഷിക വികസന കർഷക ക്ഷേമ വകുപ്പ് ഡയറക്ടറുടെ കാര്യാലയം, വികാസ്ഭവൻ, തിരുവനന്തപുരം- 695 033 എന്ന വിലാസത്തിൽ രജിസ്റ്റേർഡ് / സ്പീഡ് തപാൽ മുഖേന അയയ്ക്കേണ്ടതാണ്. തപാലിൽ ഉണ്ടാകുന്ന കാലതാമസത്തിന് ഈ ഓഫീസ് ഉത്തരവാദി ആയിരിക്കുന്നതല്ല.

#### നിബന്ധനകൾ

- (1) ദർഘാസിനെ സംബന്ധിക്കുന്ന വിശദാംശങ്ങൾ കേരള സർക്കാരിന്റെ ഔദ്യോഗിക ടെണ്ടർ വെബ്സൈറ്റായ <https://etenders.kerala.gov.in>-ൽ നിന്നും ലഭിക്കുന്നതാണ്.
- (2) ടെണ്ടർ ഫോറവും മറ്റ് രേഖകളും സാധുവായ ഡിജിറ്റൽ സിഗ്നച്ചറിൽ ഒപ്പു വെച്ച് സർക്കാരിന്റെ ഔദ്യോഗിക ടെണ്ടർ വെബ്സൈറ്റായ <https://etenders.kerala.gov.in>-ൽ കൂടി സമർപ്പിക്കേണ്ടതാണ്.
- (3) ഔദ്യോഗിക വെബ് പോർട്ടലിൽ ഈ ദർഘാസിനെപ്പറ്റി പറഞ്ഞിരിക്കുന്ന മാതൃകയിലുള്ള B0Q ഫോം മാത്രമേ ദർഘാസ് നടപടികൾക്കായി ഉപയോഗിക്കുവാൻ പാടുള്ളൂ. അല്ലാത്തപക്ഷം ദർഘാസ് നിരസിക്കുന്നതായിരിക്കും.
- (4) നിരതദ്രവ്യം, ദർഘാസ് ഫീസ് എന്നിവ ഓൺലൈൻ വഴി മാത്രമേ അടയ്ക്കുവാൻ പാടുള്ളൂ.
- (5) ദർഘാസ് സമർപ്പിക്കുന്നവർ ₹ 200-ന്റെ മുദ്രപത്രത്തിൽ കേരള സർക്കാരിന്റെ നിയമാവലി അനുസരിച്ചുള്ള പ്രാഥമിക കരാർ ഉടമ്പടി കൂടി നൽകേണ്ടതാണ്. പ്രാഥമിക കരാർ ഉടമ്പടിയുടെ മാതൃക ദർഘാസ് പരസ്യത്തോടൊപ്പം ലഭ്യമാണ്.
- (6) ദർഘാസിൽ പരസ്യപ്പെടുത്തിയിരിക്കുന്ന തീയതിയിൽ നിശ്ചിത സമയത്ത് ദർഘാസുകൾ ഓൺലൈനായി <https://etenders.kerala.gov.in> എന്ന വെബ്സൈറ്റിൽ തുറക്കുന്നതായിരിക്കും.
- (7) ടെണ്ടർ ലഭിച്ച വ്യക്തി സപ്ലൈ ഓർഡറിൽ പറഞ്ഞിരിക്കുന്ന ദിവസത്തിലോ അതിനുമുമ്പോ പമ്പ്സെറ്റും, അനുബന്ധ ഘടകങ്ങളും സപ്ലൈ ചെയ്ത് സ്ഥാപിച്ച് പ്രവർത്തന സജ്ജമാക്കി കൈമാറേണ്ടതാണ്.
- (8) ഓൺലൈൻ വഴി ടെണ്ടർ സമർപ്പിക്കുന്നതിൽ എന്തെങ്കിലും കാലതാമസമോ മറ്റ് പ്രശ്നങ്ങളോ ഉണ്ടെങ്കിൽ ആയതിന് ടെണ്ടർ ക്ഷണിക്കുന്ന സ്ഥാപനം ഉത്തരവാദി ആയിരിക്കുന്നതല്ല.
- (9) ഈ നിബന്ധനകൾക്ക് പുറമെ കേരള സർക്കാരിന്റെ സ്റ്റോർ പർച്ചേസ് മാനുവലിൽ പ്രതിപാദിച്ചിരിക്കുന്ന എല്ലാ നിബന്ധനകളും ഈ ദർഘാസിനും ബാധകമാണ്.

No. ADFW/8308/2024-TG- II (2) (2) NS.

26th November 2024.

Notice inviting e-tender for the supply, installation, trial run and commissioning of Vertical Axial Flow Pump Sets under the project NABARD RIDF XXIX - Replacing of petty and para indigenous technology with energy efficient pumpsets for dewatering Kuttanad paddy fields in 8 Grama Panchayaths of Kottayam, Kaduthuruthy, Uzhavoor, Ettumanoor Blocks in Kottayam District of Kerala with prime mover, delivery line, panel board and all other accessories.

e-tender ID — 2024\_AGRI\_707451\_1.



On behalf of Governor of Kerala e-tender in two cover system is invited from manufacturers or their authorized dealers or authorized distributors or authorized supplier for the supply, installation, trial run and commissioning of submersible axial flow pump sets and all other accessories with the following specification, by the Director of Agriculture, Thiruvananthapuram.

Supply erection, testing and commissioning of Vertical Axial Flow pump set for various padashekaram of Kottayam District with the specifications listed below:

Suitable for handling saline and silty water with rpm 960 (Syn) or less. The material of construction of flange, suction bell, bowl, shroud shall be CI with 2% Nickel, impeller, shaft, shaft sleeve, fastener and suction pipe shall be of SS 304. Delivery pipe should be in SS 304 with minimum thickness 6 mm and of suitable length (varies from 2-10 m) or as per site condition. The prime mover of the pump is to be 3 phase TEFC squirrel cage induction motor of reputed make operating at 415V +/- 10%, 50 Hz +/- 5% connection with F class insulation, control panel must have dust and vermin proof vertical mounted cubical type panel board with FCMA soft starter of reputed make, MCCB including phase failure protection, surge protection devise, dry run protection, overload over current protection, thermal over load protection relay, earth fault relay, voltmeter, ammeter, fault indication start and stop switches, power factor correction capacitor, LED indicator, selector switch, wiring and earthing should be as per regulations and specifications of KSEB and Electrical Inspectorate.

Separate cubical type energy meter panel with CT metering provision including 4 Pole FN type isolator, HRC fuse carrier, RCCB, HRC fuses and required water proof copper cable for connection from electric post to meter box and meter panel to motor control panel etc. with proper earthing and cable termination should be as per the regulations and specifications of KSEB and Electrical Inspectorate standards.

A screen with 6mm GI welded mesh with 50mm x 50mm opening size (about 20 sq.m. area) framed in GI angles and GI tubes fitted at the opening on top and sides of sump to prevent entry of unwanted materials to the pump through inflow water. Proper I-section should be provided for supporting the motor mountings and pedestal. Suitable chain block and tripod facilities to be provided for lifting the motor at least 1.00 m above maximum flood level.

Rate quoted should be inclusive of all the charges for supply, installation including trial run and commissioning, all types of transportation and conveyance, loading and unloading charges, charges for factory testing, but excluding GST etc.

| Sl. No. | Duty Point Head (m) | Minimum Discharge at Duty Point Head (lps) | Working Head Range (m) | Minimum Overall Efficiency (%) at Duty Point Head | Available Connected Load (hp) | Quantity (No.) |
|---------|---------------------|--------------------------------------------|------------------------|---------------------------------------------------|-------------------------------|----------------|
| 1       | 2                   | 300                                        | 0.75 – 3.5             | 70                                                | 30                            | 2              |
| 2       | 2                   | 200                                        | 0.75 – 3.5             | 70                                                | 20                            | 1              |
| 3       | 2                   | 600                                        | 0.75 – 3.5             | 70                                                | 50                            | 5              |
| 4       | 2                   | 150                                        | 0.75 – 3.5             | 70                                                | 15                            | 1              |
| 5       | 2                   | 400                                        | 0.75 – 3.5             | 70                                                | 40                            | 1              |

In accordance with respective specification as shown in the tender documents, the tender is to be submitted as e-tenders through <https://etenders.kerala.gov.in>. Since this is an online process only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender. E tender document and other details can be obtained from the above portal. Details of locations of proposed installation and power availability at sites are appended.



EMD (online payment)— ₹ 1,79,500.

Tender Fee (online payment + GST payment)— ₹ 35,900 + ₹ 6,462 (18% GST paid directly to GST Department)

Document sale start date and time— 26-11-2024, 6 p. m.

Bid Submission start date and time— 29-11-2024, 6 p. m.

Last date and time of receipt of e-tender— 30-12-2024, 3 p. m.

Date and time of opening of technical bid— 31-12-2024, 11 a. m.

Date upto which the rate is to remain firm for acceptance—120 days

Performance Security— 5% of quoted amount.

Period of completion— 12 months.

Bidders shall remit the tender document fee and EMD using the online payment option of e-procurement system. GST for tender fee (₹ 6,462) should be paid separately and the Chelan must be uploaded with the bid document.

Scanned copy of the preliminary agreement in the prescribed format in Kerala Stamp paper worth ₹ 200 should be submitted online and original to the undersigned before the opening of e-tender. The rate should be quoted in Indian Currency only. The rules and regulation prescribed for e- tenders by the Govt. of Kerala shall be applicable to this e-tender also.

Tenders will be opened online in the presence of such bidders or their authorized representatives who have logged in at the prescribed time of opening. If the date fixed for opening happens to be a holiday or due to net failure the tenders will be opened in the next working day at the same time.

In the bid, the following documents should be submitted by online.

- (1) BOQ duly filled uploaded in the e tender portal.
- (2) Technical data sheet duly filled up and signed (Annexure I). Use separate data sheet each item quoted.
- (3) If any more information to be furnished.
- (4) Scanned copy of performance curve.
- (5) Schedule of rates for spare parts and service charges for seven years after the warranty period.
- (6) Details of AMC for seven years after the warranty period.
- (7) E-payment form duly filled and signed.
- (8) Proof of original manufacturer/authorized dealers/distributor/supplier (copy of authorization letter).
- (9) Scanned copy of preliminary agreement executed in Kerala Stamp Paper worth ₹ 200.
- (10) EMD exemption certificate (if any) should be submitted online.
- (11) Form No.14 duly filled and signed.
- (12) Tender Notice and Special condition of tender duly signed.
- (13) Experience Certificates.
- (14) Proof of payment of GST amount of tender fee.

#### GENERAL REQUIREMENTS

- (1) The efficiency of the pumping unit supplied shall be as high as practicable, consistent with the best modern design.



- (2) The pump set shall be capable of operating in open conditions in the range without being overloaded at any point with a margin of at least 10% of power in the motor pump set over entire operating range.
- (3) The pump set characteristics shall be of stable nature such that the efficiency is fairly steady for the water level variations. The maximum efficiency point will be nearer to the duty point and fairly constant for larger range on either side. The pump sets should run smoothly over the entire operating range without cavitations and vibration. The variation in the efficiencies for any point of operation in the entire operating range should be minimum.
- (4) The pump set shall be suitable for pumping of raw/brackish/saline water containing silt, coarse sand and gravel/suspended solids up to 50 mm size.
- (5) The pump set shall be suitable for non-stop continuous 24 hours operation without interruption.
- (6) The pump set shall be Axial Flow type with fixed blade angle according to the type used. The pump sets shall be comprised of suction bell mouth pump casing, impeller and motor on single common shaft, long life anti friction bearing (drive and non driving end) oil chamber with mechanical seals etc.
- (7) The supplier shall furnish the following documents
  - (a) Final constructional drawings of the pump set.
  - (b) Operation, maintenance and spare parts manual for pump set.
  - (c) Weight of pump set and required minimum crane capacity.
  - (d) Material of casting certificate for pump components.
- (8) The pump set manufacturer has to declare the performance parameters separately as Guaranteed Performance Parameters. These shall include discharge, pump set efficiency and overall efficiency.
- (9) The manufacturer has to provide technical data as given in Annexure - I declaration of the product offered for the product they have quoted.
- (10) Bidders are permitted to submit only one make and model for each item. Quoting more than one make and model for a single item will result in the rejection of the technical bid.

#### SPECIAL CONDITIONS

- (1) The firm must have a minimum of two years of experience in similar types of work.
- (2) The basic rate quoted should be inclusive of all charges for supply, installation, trial run, commissioning, transportation, handling charge, etc., but excluding GST. Prevailing GST rate at the time of procurement will be applicable separately.
- (3) The firm has to supply the items at the location specified or as per direction from the undersigned.
- (4) The successful bidder will be bound to supply the items as per the requirement of the Tender Inviting Authority (TIA).
- (5) The bidders can quote, for all / any/some of the items as per their choice, but the cost of tender form and EMD remains the same.
- (6) Bidder has to pay the GST portion of tender fee directly to GST Department and upload the Chelan in the portal and also submit along with the hardcopy of tender documents.
- (7) The bidder should specify the Make and Model of pump set quoted.
- (8) The bidder must provide authorization letter (manufacture/dealer/distributor/supplier) from the manufacturer.



- (9) The supplier should confirm the repair and service facilities, availability of spare parts etc. of the items supplied for a minimum period of 10 years. The selected bidder should attend the pump set and rectify the trouble within 48 hours in case of registration of complaints.
- (10) Schedules of rates for spare parts and services should be submitted along with the bid documents.
- (11) Training programmes in operation and minor repair should be arranged for selected pump operators and Padasekhara Samithi members (three times the number of pump sets supplied) and training programme on repair and maintenance should be arranged for selected technical persons (number equal to the number of pump sets supplied) by the supplier at their own cost.
- (12) All pump set shall be subjected to performance test as per IS 9137 at manufacturer's work for different head, discharge and efficiency in presence of tender inviting authority or authorized persons.
- (13) The Tender Inviting Authority reserves the right to order full quantity of supply to any one bidder or distribute the supply to different bidders as per decision of the technical committee constituted for the purpose.
- (14) The successful bidder will have to execute an agreement in Kerala Stamp Paper worth ₹ 200 in prescribed form and manner and to furnish the required security amount @ 5% of total quoted amount within 14 days of the receipt of selection notice. The security deposit will be disbursed within 28 days after the successful completion of the Defect Liability Period of three years.
- (15) Tenders, incomplete in any respect, will be summarily rejected and the decision of the TIA will be final.
- (16) The supply, installation, testing, trial run and commissioning should be completed within 12 months on receipt of the supply order.
- (17) Satisfactory completion certification should submit for each installation from Electrical Inspectorate.
- (18) Bidders should be prepared to do necessary civil construction works associated with the installation, if any required, within the quoted amount.
- (19) Bidders are advised to visit the location of proposed installations, before quoting.
- (20) The payment shall be released only after satisfying the quantity, quality and specifications of the items supplied and successful commissioning and trail run of the item supplied by the bidder and inspection of the technical committee constituted for the same.
- (21) A minimum warranty period of three years is to be assured for the items supplied and the details of AMC, thereafter, for period of seven year should be mentioned along with the tender documents.
- (22) All Annexure should be duly filled and uploaded with the tender.
- (23) Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

Communications to be addressed to:— Director of Agriculture,  
Agriculture Development and Farmers  
Welfare Department, Vikas Bhavan,  
Thiruvananthapuram, Kerala, PIN-695 033.  
saekerala@gmail.com.

Directorate of Agriculture Development and Farmers'  
Welfare Department, Thiruvananthapuram.

(Sd.)  
Additional Director of Agriculture (CP).



ടെണ്ടർ പരസ്യം

നമ്പർ SWTDHO/1741/2024-C5.

2024 നവംബർ 22.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ് ആലപ്പുഴയിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവെച്ച ടെണ്ടർ ക്ഷണിച്ചുകൊള്ളുന്നു.

ടെണ്ടർ നമ്പർ—90/C5/2023-24.

സപ്ലൈ ചെയ്യേണ്ട വസ്തു—Stern Tube.

അടങ്കൽ തുക—₹ 2,20,000.

നിരതദ്രവ്യം—₹ 2,200.

ടെണ്ടർ ഫോമിന്റെ വില—₹ 400+72 (ജി. എസ്. ടി. ഉൾപ്പെടെ).

ടെണ്ടർ ഫോറം വിൽപനയുടെ അവസാന തീയതിയും സമയവും—26-12-2024, 1 മണി വരെ.

ടെണ്ടർ ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—26-12-2024, 3 മണി വരെ.

ടെണ്ടർ ഫോറം തുറക്കുന്ന തീയതിയും സമയവും—26-12-2024, 3.15 മണി.

ടെണ്ടർ സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണിവരെ ഈ ഓഫീസിൽ ലഭ്യമാണ്. ടെലിഫോൺ നമ്പർ: 0477-2252015.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ് ഡയറക്ടറേറ്റ്,  
ആലപ്പുഴ.

(ഒപ്പ്)  
ഡയറക്ടർ.



പുനർ ദർഘാസ് പരസ്യം

[No. 30/2024-25]

No. PTGD/1978/2024-G4.

2024 ഡിസംബർ 4.

സർക്കാർ അച്ചുകൂടങ്ങളിലേക്ക് ടിൻ ലൂപ്പ് വയർ, നൈലോൺ കോട്ടഡ് ഹാങ്ങർ എന്നിവ വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ 17-12-2024 ഉച്ചയ്ക്ക് 1 മണി വരെ സ്വീകരിക്കുന്നതും അന്നേ ദിവസം 3 മണിക്ക് ദർഘാസുകാരുടെയോ അവർ ചുമതലപ്പെടുത്തിയ ഏജന്റുമാരുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്. ദർഘാസ് അയയ്ക്കുന്ന കവറിനു മുകളിൽ “പുനർ ദർഘാസ് നമ്പർ 30/2024-25 ടിൻലൂപ്പ് വയർ, നൈലോൺ കോട്ടഡ് ഹാങ്ങർ വിതരണം സംബന്ധിച്ച്” എന്ന് ഉപലേഖനം ചെയ്തിരിക്കണം. താമസിച്ചു കിട്ടുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.

ദർഘാസുകൾ നിർദ്ദിഷ്ട ഫോറത്തിൽ സാമ്പിൾ സഹിതം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറങ്ങൾ ഒറിജിനൽ ₹ 500 (+ ജി. എസ്. ടി. 18%) നിരക്കിലും ഡ്യൂപ്ലിക്കേറ്റ് ₹ 250 (+ ജി. എസ്. ടി. 18%) നിരക്കിലും തിരുവനന്തപുരം ഗവൺമെന്റ് സെൻട്രൽ പ്രിന്റിംഗ് നേരിട്ട് വാങ്ങാവുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി ചെക്ക്, ഡിമാന്റ് ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് എന്നിവ സ്വീകരിക്കുകയോ ഫോറം വി.പി.പി. ആയി അയയ്ക്കുകയോ ചെയ്യുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടില്ലാത്തതാണ്. ദർഘാസ് ഫോറങ്ങളുടെ വിൽപന 17-12-2024-ന് ഉച്ചയ്ക്ക് 12 മണിക്ക് അവസാനിക്കുന്നതാണ്. ₹ 200 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ എഗ്രിമെന്റും മൊത്തം തുകയുടെ 1% നിരതദ്രവ്യവും ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. അല്ലാത്തവ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.

സാധന സാമഗ്രികൾ—1. Twin Loop wire 14.3 mm—27 Roll

2. Black Colour Nylon Coated Hanging Stump

[40cm(16") നീളമുള്ളതും മദ്ധ്യത്തിൽ അർദ്ധവൃത്താകൃതിയിലുള്ളതും 7.9 mm ഘനമുള്ളതുമായത്]—4000 Nos.

അടങ്കൽ തുക—₹ 2,15,070

വില നിജമായിരിക്കേണ്ട തീയതി—31-3-2025.

[No. 30/2024-25]

No. PTGD/1978/2024-G4.

4th December 2024.

Sealed tenders superscribed as Re-Tender No. 30/2024-25 for the supply of Twin Loop Wire & Nylon Coated Hanger is invited by the undersigned. The tenders along with samples should reach this office on or before 17-12-2024 at 1 p.m. and the same will be opened at 3 p. m. on the same day in the presence of tenderers or their authorized representatives who may be present at that time. Tenders shall be submitted in the prescribed form which can be had from the office of the undersigned on cash payment of ₹ 500 + GST @ 18% for original form and ₹ 250 + GST @ 18% for duplicate. Cheque, Demand Draft, Postage Stamps, Postal Orders etc. will not be accepted towards the cost of forms nor will the forms be sent by V.P.P. The tender forms are not transferable. Sale of tender forms will be closed at 12 Noon on 17-12-2024. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tenders. Late tenders and tenders not accompanied by Earnest Money Deposit @ 1% of total cost and preliminary agreement in Kerala Stamp Paper worth ₹ 200 will not be accepted on any account.

Item—1. Twin Loop wire 14.3 mm—27 Roll.

2. Black Colour Nylon Coated Hanging Stump

[40 cm(16") നീളമുള്ളതും മദ്ധ്യത്തിൽ അർദ്ധവൃത്താകൃതിയിലുള്ളതും 7.9 mm ഘനമുള്ളതുമായത്]—4000 Nos.



Total PAC—₹ 2,15,070.

Name and Designation of the officer to whom the tenders are to be submitted—  
Janardhanan, K., Director of Printing, Govt. Central Press, Thiruvananthapuram.

Name of Office—Directorate of Printing, Government Central Press, Thiruvananthapuram-1.

### General Conditions

1. The rate quoted should be inclusive of all taxes, transportations, loading and unloading expenses f.o.r. Government Central Press, Thiruvananthapuram-695 001.
2. Samples should be supplied.
3. The item should be supplied within 7 days on the receipt of confirmation.
4. The payment will be made only after satisfactory receipt and survey reports.
5. Bank details should be furnished in the Bill.
6. The rates should be valid up to 31-3-2025.
7. The purchaser has the right to cancel the supply order at any time without assigning any reason.

Office of the Director of Printing,  
Govt. Central Press,  
Thiruvananthapuram.

(Sd.)  
*Superintendent of Govt. Presses.*

