

compose.kerala.gov.in
egazette.kerala.gov.in
printing.kerala.gov.in



Regn.No. KERBIL/2012/45073
dated 2012-09-05 with RNI
Reg No.KL/TV(N)/634/2021-2023

കേരള സർക്കാർ
GOVERNMENT OF KERALA

കേരള ഗസറ്റ് KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്
PUBLISHED BY AUTHORITY

ചൊവ്വ, 2024 ഡിസംബർ 17

Tuesday, 17th December 2024

1200 ധനു 2

2nd Dhanu 1200

വാല്യം 13

Vol. XIII

1946 അഗ്രഹായനം 26

26th Agrahayana 1946

നമ്പർ } 51
No. }

Part III

Store Purchase

©

കേരള സർക്കാർ

GOVERNMENT OF KERALA

2024



ദർഘാസ് പരസ്യം

(1)

നമ്പർ ജിപിസിഎഡിആർ/707/2024-ഡി.

2024 ഡിസംബർ 2.

സർക്കാർ പോളിടെക്നിക്ക് കോളേജ് അടൂർ-ലെ മെക്കാനിക്കൽ എഞ്ചിനീയറിംഗ് വിഭാഗത്തിലേക്ക് ആവശ്യമായ (Fluid Mechanics Lab) ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിലേക്ക് മത്സരസ്വഭാവമുള്ളതും മുദ്രവച്ചതുമായ ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ദർഘാസ് നമ്പർ—01/2024.

അടങ്കൽതുക—₹ 2,99,000.

നിരതദ്രവ്യം—₹ ആകെ വിലയുടെ ഒരു ശതമാനം.

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—₹ 708 (600 + 18% GST).

പകർപ്പ്—₹ 354 (300 + 18% GST).

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും— 14-1-2025, 3 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും— 15-1-2025, 1 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും— 15-1-2025, 2 മണി.

ദർഘാസ് ഫോറം തപാലിൽ ലഭിക്കുവാൻ 50 രൂപ തപാൽ കൂലിയായി അയക്കേണ്ടതാണ്. പ്രിൻസിപ്പാളിന്റെ പേർക്ക് അയക്കാവുന്ന മണിയോർഡറുകളായി മാത്രമേ ദർഘാസ് വില സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസിന്റെ വില നേരിട്ട് ഓഫീസിൽ പണമായും ഒടുക്കാവുന്നതാണ്. പോസ്റ്റൽ ഓർഡർ, ചെക്ക്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് മുതലായവ സ്വീകാര്യമല്ല. ₹ 220 മുദ്രപത്രത്തിൽ തയ്യാറാക്കിയ സമ്മതപത്രവും ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറവും കൂടുതൽ വിശദാംശങ്ങളും പ്രവൃത്തി സമയങ്ങളിൽ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

No. GPCADR/707/2024-D.

2nd December 2024.

Sealed competitive tenders in the prescribed forms are invited for the supply of Experimental Equipments for Mechanical Engineering Department (Fluid Mechanics Lab) Govt. Polytechnic College, Adoor.

Tender No.—01/2024.

Total Estimate Cost—₹ 2,99,000.

EMD—1% of the Total Estimate Value.

Cost of tender form :

Original—₹ 708 (600 + GST 18%).

Duplicate—₹ 354 (300 + GST 18%).

Date upto which tender form will be sold—14-1-2025, 3 p. m.

Last date and time of receipt of sealed tender—15-1-2025, 1 p. m.

Date and time of opening of sealed tender—15-1-2025, 2 p. m.



Mode of remittance of the cost of Tender form—In cash remittance in the college office or by Money Order. Those who want tender form by Post should remittent additional amount of ₹ 50 for each tender as postal charge. Any other made of payments as cost of tender form will not be accepted.

An agreement in Kerala Stamp Paper worth ₹ 220 is to accompany the tender. Tender forms can be had from Principal, Govt. Polytechnic College, Adoor. More details can be obtained from the office on working time.

SPECIFICATION

1. Closed Circuit Notches Tank Apparatus (Combined Unit)

Notch Tank	..	Stainless Steel Notch Tank of Suitable size having arrangement to fix replaceable notches with a set of welded mesh baffles for accommodating "¾/1" crusher stones for steadying the flow of water.
Notches	..	Triangular Notch-1 No. Rectangular Notch-1 No.
Hook Gauge	..	30 cm range with mounting provision.
Measuring Tank	..	Stainless Steel unit of Suitable size with overflow arrangement & provided with a PVC control valve and an elbow.
Sump Tank	..	Stainless Steel unit of Suitable size for storage of water to circulate through experimental unit.
Supply Pumpset	..	0.5 HP single phase to pump water from the sump fitted with a control valve.
Main Switch	..	MCB
Frame Work Mounting	..	Mounted on framework & completely fitted with all the above items as self contained unit suitable for operation without any foundation.
Services Required	..	Single phase power supply 200/220V & water to fill up sump tank.

2. Closed Circuit Bernoulli's Theorem Apparatus

Supply Tank	..	Stainless Steel unit of Suitable size provided with piezometer for the measurement of total potential head.
Duct	..	A Transparent Converging duct with pressure tapping points to note the static pressure at difference locations.
Measuring Tank	..	Stainless Steel unit of Suitable size with an overflow arrangement & provided with a PVC control valve & an elbow.



Sump Tank	..	Stainless Steel unit of suitable size for storage of water to circulate through experimental unit.
Supply Pumpset	..	0.25 HP single phase to pump water from the sump fitted with a control valve.
Main switch	..	MCB
Frame work mounting	..	Mounted on frame work & completely fitted with all the above items as self contained unit suitable for operation without any foundation.
Service required	..	Single phase power supply 200/220V & water to fill up sump tank.

3. Closed circuit calibration rig for Venturimeter-1 Line 25 mm

Piping system	..	One pipeline of size 25 mm fitted with Venturimeter having isolating cocks to facilitate experiment on individual Venturimeter.
Differential Head measurement	..	Differential manometer.
Measuring Tank	..	Stainless Steel unit of Suitable size with an overflow arrangement & provided with a PVC control valve & an elbow.
Sump Tank	..	Stainless Steel unit of suitable size for storage of water to circulate through experimental unit.
Supply Pumpset	..	0.5 HP single phase to pump water from the sump fitted with a control valve.
Main switch	..	MCB
Frame work mounting	..	Mounted on framework & completely fitted with all the above items as self contained unit suitable for operation without any foundation.
Services required	..	Single phase power supply 200/220V & water to fill up sump tank.

*Note:-*Detailed floor space requirement/drawing for each item to be furnished along with the tender quote.



(2)

നമ്പർ ജിപിസിഎഡിആർ/708/2024-ഡി.

2024 ഡിസംബർ 2.

സർക്കാർ പോളിടെക്നിക്ക് കോളേജ് അടുരിലെ മെക്കാനിക്കൽ എഞ്ചിനീയറിംഗ് (Hydraulics Lab) വിഭാഗത്തിലേക്ക് ആവശ്യമായ ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിലേക്ക് മത്സരസ്വഭാവമുള്ളതും മുദ്രവച്ചതുമായ ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ദർഘാസ് നമ്പർ—02/2024.

അടങ്കൽതുക—₹ 4,50,000.

നിരതദ്രവ്യം—ആകെ വിലയുടെ ഒരു ശതമാനം

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—₹ 1,062 (900 + 18% GST).

പകർപ്പ്—₹ 531 (450 + 18% GST).

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—14-1-2025, 3 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—15-1-2025, 1 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—15-1-2025, 2 മണി.

ദർഘാസ് ഫോറം തപാലിൽ ലഭിക്കുവാൻ ₹ 50 തപാൽ കുലിയായി അയയ്ക്കേണ്ടതാണ്. പ്രിൻസിപ്പാളിന്റെ പേർക്ക് അയയ്ക്കാവുന്ന മണിയോർഡറുകളായി മാത്രമേ ദർഘാസ് വില സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസിന്റെ വില നേരിട്ട് ഓഫീസിൽ പണമായും ഒടുക്കാവുന്നതാണ്. പോസ്റ്റൽ ഓർഡർ, ചെക്ക്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് മുതലായവ സ്വീകാര്യമല്ല. ₹ 220 മുദ്രപത്രത്തിൽ തയ്യാറാക്കിയ സമ്മതപത്രവും ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറവും കൂടുതൽ വിശദാംശങ്ങളും പ്രവൃത്തി സമയങ്ങളിൽ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

No. GPCADR/708/2024-D.

2nd December 2024.

Sealed competitive tenders in the prescribed forms are invited for the supply of Experimental Equipments for Mechanical Engineering Department (Hydraulics Lab) of Govt. Polytechnic College, Adoor.

Tender No.—02/2024.

Total Estimated Cost—₹ 4,50,000.

EMD—1% of the Total estimate value.

Cost of tender form :

Original—₹ 1,062 (900 + GST 18%).

Duplicate—₹ 531 (450 + GST 18%).

Date upto which tender form will be sold—14-1-2025, 3 p. m.

Last date and time of receipt of tender—15-1-2025, 1 p. m.

Date and time of opening of tender—15-1-2025, 2 p. m.



Mode of remittance of the cost of tender form— In cash remittance in the college office or by Money Order. Those who want tender form by Post should remittent additional amount of ₹ 50 for each tender as postal charge. Any other mode of payments as cost of tender form will not be accepted.

An agreement in Kerala Stamp Paper worth ₹ 220 is to accompany the tender. Tender forms can be had from Principal, Govt. Polytechnic College, Adoor. More details can be obtained from the office on working time.

SPECIFICATION

1. Closed Circuit Francis Turbine Test Rig-1KW

Technical data:

Francis Turbine:

Type	..	Inward flow reaction turbine capacity: 1 KW
Rated Speed	..	1000 RPM
Discharge Capacity	..	900 LPM
Supply Head	..	10 Meters

Loading	..	Rope Brake
Material	..	Cast Iron
Drum Size	..	200mm Diameter

Supply Pumpset

Motor capacity	..	3.75 KW
----------------	----	---------

Flow Measurement	..	Venturimeter
-------------------------	----	--------------

Material	..	C. I body
----------	----	-----------

Pressure Measurement	..	Pressure guage
-----------------------------	----	----------------

RPM Indicator	..	Digital
----------------------	----	---------

Sump Tank

Material of construction	..	S.S. unit of Suitable Capacity
--------------------------	----	--------------------------------

Service required	..	Electrical supply 3 phase, 440 Volts, 50 Hz,
-------------------------	----	--

2. Closed Circuit Reciprocating Pump Test Rig

Pump	..	Double acting reciprocating pump of size 25x20mm with air vessel to discharge about 20 LPM at 20 metres total head.
------	----	---

Motor	..	IHP, 1400 RPM, Single phase, 200/220V, AC AC supply.
-------	----	--



Electrical Panel	..	MCB with energy meter
Measuring Tank	..	Stainless Steel of suitable capacity provided with overflow with gauge glass, scale arrangement and a drain valve.
Sump Tank	..	Stainless Steel of Suitable capacity store sufficient water for independent circulation through the unit.
Others	..	Piping system consisting of Pipes, valve and fitting with pressure gauge.

3. Closed Circuit Hydraulic RAM Test Rig

Hydraulic RAM	..	Hydraulic Ram of size 50x15mm with suitable piping System and pressure gauge.
Supply Pump Set	..	0.5 HP Monoblock.
Measuring Arrangements	..	50 mm Venturimeter, Mercury Manometer.
Measuring Tank	..	Stainless Steel of suitable capacity for measuring useful water.
Sump Tank	..	Stainless Steel of suitable capacity store sufficient water for independent circulation through the unit.
Supply Tank	..	Stainless Steel of suitable capacity with overflow arrangement for supply of water at constant head.
Supply and Delivery Pippings	..	Supply pipe of suitable.
Notch Tank	..	S.S, V Notch tank for measurement of waste water.
Main Switch	..	MCB
Frame Work Mounting	..	Mounted on frame work & completely fitted with all the above items as self contained unit suitable for operation without any foundation.
Services required	..	Single phase power supply 200/220V & water to fill up sump tank.

Note—Detailed floor space requirement/drawing for each item to be furnished along with the tender quote.

Govt. Polytechnic College,
Manakkala, Adoor.

(Sd.)
Principal.



No. A4(a)-187430/2022/PHQ**Dated 01.11.2024****NOTIFICATION**

The Ad-hoc Departmental Promotion Committee (Lower) held on 20.09.2024 decided to include the following Sub Inspectors of Police in Select List of SIs of Police fit for promotion as Inspectors of Police, for the vacancies in the year indicated against each.

1. Sri. Antony Joseph Netto (PEN 372917) - 2023
2. Sri.Shemeerkhan. P.A (PEN 395495) - 2024

02. The above decision of the Committee was approved by the Government, vide letter No. A3/316/2024/Home 29/10/2024. As such their position in the Select Lists are notified as follows;

Select list of SIs of Police fit for promotion as Inspectors for the vacancies in the year 2023.

<u>Sl. No</u>	<u>PEN</u>	<u>Name of the SI</u>
6	677295	Premlal. S.L
<u>6(a)</u>	<u>372917</u>	<u>Antony Joseph Netto</u>
7	112741	Noufal. K

Select list of SIs of Police fit for promotion as Inspectors for the vacancies in the year 2024.

<u>SI No</u>	<u>Name of the SI</u>
52.	Deepak. K
<u>52(a)</u>	<u>Shemeerkhan. P.A</u>
53.	Anish. S

03. The Select Lists of Sub Inspectors of Police fit for promotion as Inspectors of Police for the vacancies in the years 2023 and 2024 already published vide Notifications Number A4(a)-205779/2022/PHQ Dated 08.07.2023 and A4(a)-162483/2023/PHQ Dated 27.01.2024 respectively, stand modified to this extent.

Sd/-

Thiruvananthapuram

State Police Chief



പുനർ ദർഘാസ് പരസ്യം

(നമ്പർ 9/2024)

നമ്പർ ITI/DVPM/39/2024-B2.

2024 ഡിസംബർ 9.

വ്യാവസായിക പരിശീലന വകുപ്പിലെ ധനുവച്ചപുരം ഗവ. ഐ.ടി.ഐ.-ലെ വയർമാൻ ട്രേഡിലേക്ക് ലൈറ്റ് മെഷീൻ ആൻഡ് എക്യൂപ്പ്മെന്റ്സ് സംഭരിക്കുന്നതിന് താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ഇനം—Light Machines & Equipments.

നിരതദ്രവ്യം—₹ 1,534.

ദർഘാസിന്റെ വില :

ഒറിജിനൽ—₹ 400 + 18% GST.

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 200 + 18% GST.

ദർഘാസ് വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും— 27-12-2024, 3 മണി.

ദർഘാസ് സ്വീകരിക്കുന്നതിനുള്ള അവസാന തീയതിയും സമയവും— 13-1-2025, 4 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും— 14-1-2025, 11 മണി.

ദർഘാസ് വില പണമായിട്ടോ മണിയോർഡറായിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തി മുദ്രവച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, വ്യാവസായിക പരിശീലന കേന്ദ്രം, ധനുവച്ചപുരം, തിരുവനന്തപുരം-695 503 എന്ന വിലാസത്തിലേക്ക് അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം മേൽ പറഞ്ഞ തുക നിരതദ്രവ്യമായും ₹ 200 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ മൂന്ന് മാസം വരെ വിലനിരക്ക് പ്രാബല്യത്തിൽ ഉണ്ടായിരിക്കണം. അല്ലാത്ത ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. കേരളത്തിന് പുറത്തുള്ള കമ്പനികൾക്ക് മുദ്രപത്രം ആവശ്യമുണ്ടെങ്കിൽ ₹ 230 മണിയോർഡറായി അയച്ചുതന്നാൽ ഈ ആഫീസിൽ നിന്നും മുദ്രപത്രം വാങ്ങി അയച്ചുതരുന്നതാണ് (മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ). ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. വിശദവിവരങ്ങൾ www.det.kerala.gov.in എന്ന വെബ്സൈറ്റിൽ ലഭ്യമാണ്.

[No. 9/2024]

No. ITI/DVPM/39/2024-B2.

9th December 2024.

Sealed competitive tenders are invited from approved firms/companies/traders for the Procurement of Light Machines & Equipments at Industrial Training Institute, Dhanuvachapuram, Thiruvananthapuram.

Items—Light Machines & Equipments.

Earnest Money Deposit—₹ 1,534.



Cost of tender form:

Original—₹ 400 + 18% GST.

Duplicate—₹ 200 + 18% GST.

Last date and time of sale of tender form—27-12-2024, 3 p. m.

Last date and time of receipt of sealed tender form—13-1-2025, 4 p. m.

Date and time of opening of sealed tender—14-1-2025, 11 a. m.

The cost of tender forms will be accepted only by cash or money order. The tender should be superscribed with Tender number and date addressed to The Principal, Government ITI, Dhanuvachapuram, Thiruvananthapuram. Late tenders will not be accepted. The above mentioned amount should be enclosed as Earnest Money Deposit. There must be a validity period of three months from the date of opening the tenders. Otherwise the tenders will be summarily rejected. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp Paper worth ₹ 200 (Two hundred only). Otherwise the tender will not be considered. The Stamp Paper will be forwarded to the firms outside Kerala if required by remitting ₹ 230 (Rupees Two Hundred and Thirty only) separate by money order (₹ 30 is intended to cover postage and incidental expenses). Detailed specification of items required can be obtained from the office of the undersigned during office hours. The details are available in the website www.det.kerala.gov.in.

LIST OF ITEMS

<i>Sl. No.</i>	<i>Item</i>	<i>Specification</i>	<i>Quantity</i>
(1)	(2)	(3)	(4)
1	Solar Panels 250 Wp	Application class as per Cl.3 of IS/IEC61730-1:2004 CLASS A PV Module rating (in Wp): 250 Efficiency of PV Module : > 14% BIS CRS as per IS:IS 14286 [for Crystalline Silicone Terrestrial Photovoltaic (PV) modules] Corrosion resistant frame structure shall be provided to hold the SPV module: Yes . PV Module Construction, Testing and Safety requirements as per IEC 61730 (Part 1) and (Part 2) latest PV Modules shall comply Salt Mist Corrosion testing as per IEC-61701/IS:61701 latest.	1 No.
2	Solar Panels 15 Wp	Application class as per Cl.3 of IS/IEC61730-1:2004	1 No.



(1)	(2)	(3)	(4)
		CLASS A PV Module rating (in Wp): 15 Efficiency of PV Module : > 14% BIS CRS as per IS:IS 14286 [for Crystalline Silicone Terrestrial Photovoltaic (PV) modules] Corrosion resistant frame structure shall be provided to hold the SPV module: Yes. PV Modules Construction, Testing and Safety requirements as per IEC 61730(Part 1) and (Part 2) latest PV Modules shall comply Salt Mist Corrosion testing as per IEC-61701/IS:61701 latest	
3	Solar Charge Controller with Manual Switch (Day Lighting)	MPPT Solar Charge Controller 12V 10A Manual Switching Maximum Current = 10Amps Maximum VOC of the to be connected=22Volts Panel Maximum power =200 Wp Type : MMPT Standard Application : Home Lighting System, DC Application of Lead acid/SMF Battery Voltage of 12V./Lithium Ion 11.1Volts/ Lithium Ferro Phosphate 12.8 Volts	2 Nos.
4	Transformer Single Phase	Transformer Single Phase, 1KVA,250/100 V, closed type, Copper wound, ISI & BIS marked	2 Nos.
5	Immersion Heater	Type : Immersion Heater Insulation Material: High Pure MgO Material of tube: shealth SS201 Shape: U Shape Working Temperature (max) : 350 Degree Celsius Voltage : 240 Volt Power : 1.5 kilo Watt Features : Excellent Thermal conductivity, Corrosion resistant. Less power Certification CE. ROHS	2 Nos.
6	Table Fan	Type of Fan mounting : Table Fan power : 68 Watt Fan size: 400 millimeter	2 Nos.



(1)	(2)	(3)	(4)
		Ingress Protection for Motors and Regulators:IP22 Conformity to Indian Standard IS:555 latest Rated Voltage : 220V AC Speed Control Mechanism Rotary Switch RPM at Maximum Speed: 2400, Number of Blades : 3 Angular Movement : 65 degree Length of cord with suitable Plug top (inclusive in the scope of supply) : 1.5 meter Material of Blade : ABS	
7	Mixture and Grinder	Voltage and Frequency :240 V AC, 50Hz Motor: 750 Watt motor No Load Speed: 22000 rpm approx. Class of motor insulation winding wire : F class Rating: 30 minutes rating 5 min ON and 2 min OFF (Maximum 6 ON Cycles) Material of body : ABS Material of jars : Stainless steel Blade Assembly : Stainless steel Speed Control : 3 speeds with pulse Main cord PVC flexible : 2-core cord	2 Nos.
8	DMX Controller	DMX Controller DMX512 Input voltage : AC200-240,50-60 Hz Total Channel number : 192 groups Max Controlled Channels : 16 CHs Mas Procedure steps : 40 steps Scene pause time: 1-25.5 seconds/steps Scene Graduation speed : 0.1-25.5 second Display Monitor : LED DMX512 output interface 3 core XLR needle	2 Nos.



(1)	(2)	(3)	(4)
9	Rewinding Machine	Stator Length: 190 mm max. Voltage : 240 V Stator Width : 9 to 45 mm (can be adjusted) Winding Motor Power : 1/8 Hp230 V AC, 50 Hz Winding speed : 1440 Rpm Counter Type : 4 Digit Automatic Magnetic Break Facility Wire Size Range : 27swg to 38 swg 230V, 50 Hz Brake: Automatic Magnetic Break Counter Meter : 4 Digit Automatic Magnetic Break Facility	2 Nos.

Govt. Industrial Training Institute,
Dhanuvachapuram.

(Sd.)
Principal.



ഇ-ദർഘാസ് പരസ്യം

നമ്പർ SWTDHO/1755/2024-C2.

2024 ഡിസംബർ 5.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്, ആലപ്പുഴയിലേക്ക് താഴെപ്പറയുന്ന പ്രവർത്തി ചെയ്യുന്നതിന് മുദ്രവെച്ച ഇ-ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ഇ-ദർഘാസ് നമ്പർ—93/സി2/2024-25.

സപ്ലൈ ചെയ്യേണ്ട ജോലി—S 17-ാം നമ്പർ ബോട്ടിന്റെ ഹൾ റിപ്പയർ വർക്കുകൾ.

അടങ്കൽ തുക—₹ 5,93,000.

നിരതദ്രവ്യം—₹ 5,930.

ഫോറത്തിന്റെ വില—₹ 1,416 (ജി. എസ്. ടി. ഉൾപ്പെടെ).

ഇ-ദർഘാസ് ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—14-1-2025, 6 മണി വരെ.

ഇ-ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—18-1-2025, 11 മണി.

ദർഘാസ് സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണിവരെ ഈ ഓഫീസിൽ ലഭ്യമാണ്. ടെലിഫോൺ നമ്പർ: 0477-2252015.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ് ഡയറക്ടറേറ്റ്,
ആലപ്പുഴ.

(ഒപ്പ്)
ഡയറക്ടർ.

