

भारत सरकार
GOVERNMENT OF INDIA



लद्दाख का राजपत्र The Ladakh Gazette

एस.जी.-एल.डी.-अ.-19052026-1741
SG-LD-E-19052026-1741

असाधारण
EXTRAORDINARY
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

लद्दाख, 19 मई, 2026
LADAKH, TUESDAY, MAY, 19, 2026

Part II - Section 3

केन्द्र-शासित प्रदेश लद्दाख प्रशासन
ADMINISTRATION OF UNION TERRITORY OF LADAKH

File No.:M/720/2026-I&C SECTION
INDUSTRIES AND COMMERCE DEPARTMENT

NOTIFICATION

Ladakh, the 8th day of May, 2026

It is hereby notified that the list of Testing Facilities identified/recommended by the concerned Department(s) in the Union Territory of Ladakh, as annexed to this notification, shall be recognized for the purpose of compliance, evaluation, certification, and implementation, wherever applicable. The notified Testing Facilities shall be treated as the authorized facilities for all official purposes in the Union Territory of Ladakh, until further orders. The notification shall come into force with immediate effect.

BHUPESH
CHAUDHARY

Digitally signed
by BHUPESH
CHAUDHARY
Date: 2026.05.19
11:56:57 +05'30'

(Bhupesh Chaudhary) IAS,
Administrative Secretary,
Industries & Commerce Department.

Copy to the:

1. All Administrative Secretaries, UT of Ladakh.
2. OSD to Chief Secretary for kind information of the Chief Secretary, UT of Ladakh.
3. PMU, Deregulation Cell.

Testing Infrastructure Available												
Name of the Department / Agency / Institution					Ladakh Pollution Control Committee							
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Testing Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification- Range / Size /Accuracy		
1	Leh	Leh	Ladakh Pollution Control Committ ee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Digital pH Meter Model: (Ph 7310)	2	Range: -2.0 to 19.999, Accuracy: +/- 0.005/ +/- 0.01/0.1		
2	Leh	Leh	Ladakh Pollution	Near Skara Yokma,	Water Laboratory	No	Water Lab	TDS Meter / Conductivity Meter	2	Range: 1 µS/cm to 2000		
3	Leh	Leh	Ladakh Pollution	Near Skara Yokma,	Water Laboratory	No	Water Lab	Portable Optical DO Meter Model: (3510)	1	Measuring Range: As per		
4	Leh	Leh	Ladakh Pollution Control Committ ee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Digital Multi Parameter Portable Meter Model: (Multi 3630 IDS)	1	Measuring Range: 300 to 1100 mbar Accuracy: ± 4 mbar		
5	Leh	Leh	Ladakh Pollution Control Committ ee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Turbidimeter Model: (TN 100)	1	Range: 0 to 2000 NTU Accuracy: < 0.1 NTU for 0.02 NTU, standard; ±2 % of reading ±1 digit for 0 to 500 NTU; ±3 % of reading ±1 digit for 501 to 2000 NTU		

5	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Turbidimeter Model: (2100 Q)	1	Range: 0 to 1000 NTU, Accuracy: ± 2 % of reading plus stray light		
6	Leh	Leh	Ladakh Pollution	Near Skara Yokma,	Water Laboratory	No	Water Lab	UV-Vis Photolab Model: (Photolab	1	Wavelength Range: 190-		
7	Leh	Leh	Ladakh	Near Skara	Water	No	Water	Colorimeter Model:	1	Wavelengths		
8	Leh	Leh	Ladakh	Near Skara	Water	No	Water	Thermoreactor	2	Temperature		
9	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Microprocessor Flame Photometer Model: (1385)	2	Na: 0-100 ppm, K: 0-100 ppm, Ca: 0-100 ppm, upto 250 meq/l, 1:100 dil Li: 0-100 ppm, upto 250 meq/l, 1:100 dil Ba: 50-1000		
10	Leh	Leh	Ladakh Pollution	Near Skara Yokma,	Water Laboratory	No	Water Lab	Analytical Balance Model: (AWB- 1MG)	2	Range: 1 mg to 500 mg		
11	Leh	Leh	Ladakh	Near Skara	Water	No	Lab	Mono Pan Analytical	4	to 0.1 mg		
12	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Magnetic Stirrer with Hot Plate Model: (NU-127)	2	NA		
13	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	BOD Incubator Model: (NU-109)	2	Range/Size: + 5 to 50 °C Accuracy: 0.5 °C		

14	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Hot Air Oven Model: (B 296)	2	Range: 0 to 250 °C		
15	Leh	Leh	Ladakh Pollution	Near Skara Yokma,	Water Laboratory	No	Water Lab	Muffle Furnace Model: (NU-126)	2	Range/Size: 100 to 1050 °C		
16	Leh	Leh	Ladakh	Near Skara	Water	No	Lab	Binocular Microscope	1	Objective		
17	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Deep Freezer Model: (CVF500DD)	2	Temperature Range: -8°C (freezer) to 7°C (cooler)		
18	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Bacteriological Incubator Model: (NU- 107)	1	Range/ Size: Ambient to 110 °C Accuracy: 0.5 °C		
19	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	UV Laminar Air Flow Cabinet	2	HEPA Filter Specification Size: 900 × 600 × 150 mm Filter Class: EU-14 Filtration Efficiency: 99.999% @ 0.3 micron		
20	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Water Laboratory	No	Water Lab	Fridge Model: (USS-600)	1	Temperature Range: 1 to 10 °C		

[illegible]

Details of Testing Services Available

Name of the Department / Agency / Institution						Ladakh Pollution Control Committee						
Sl No	District	Taluk	Place	Address	Name of the Service / Testing	Name of the Machinery & Equipment Available	Domain	Sector	Parameters Tested	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs- YES / NO	If YES, whether Booking for the service available- Online / Offline

1	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	pH Testing of Water	Digital pH Meter (Ph 7310)	Chemical Lab	Water Testing	pH, mV, Temperature	Nil	No	NA
2	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Total Dissolved Solids (TDS) & Conductivity Analysis	TDS Meter / Conductivity Meter (Cond 7310)	Chemical Lab	Water Testing	Conductivity, TDS and Salinity	Nil	No	NA
3	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Turbidity Measurement	Turbidimeter (Eutech TN 100) Turbidimeter (HACH 2100 Q)	Chemical Lab	Water Testing	Turbidity	Nil	No	NA
4	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Total Hardness, Calcium & Magnesium Determination	Hardness (Ca, Mg) EDTA Titration	Chemical Lab	Water Testing	Total Hardness (Ca, Mg)	Nil	No	NA
5	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Iron Estimation in Water and Wastewater	Iron (Colorimeter)	Chemical Lab	Water Testing	Iron	Nil	No	NA
6	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Fluoride Estimation in Water and Wastewater	Fluoride (Colorimeter)	Chemical Lab	Water Testing	Fluoride	Nil	No	NA

7	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Chloride Determination in Water and Wastewater	Chloride (Argenometric Titration)	Chemical Lab	Water Testing	Chloride	Nil	No	NA
8	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Calcium Estimation in Water and Wastewater	Calcium (Flame Photometer)	Chemical Lab	Water Testing	Calcium	Nil	No	NA
9	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Magnesium Estimation in Water and Wastewater	Magnesium (Flame Photometer)	Chemical Lab	Water Testing	Magnesium	Nil	No	NA
10	Leh	Leh	Ladakh Pollution Control Committee	Near Skara Yokma, KBR Airport, UT of Ladakh	Nitrate Estimation in Water and Wastewater	Nitrate (UV- Vis Photolab)	Chemical Lab	Water Testing	Nitrate	Nil	No	NA

Domain includes Civil, Mechanical, Metallurgical, Environmental Testing, Food Safety, Legal Metrology, EMI (Electromagnetic Interference) and EMC (Electromagnetic Compatibility), Physical Lab, Chemical Lab, Instrumentation Lab. Electronics Lab. Embedded. VLSI & IOT. Safety Testing. Electrical Product Testing. Pumpset / Motor Testing etc.)

Sector includes- Food Testing, Water Testing, Weights & Measures, Industrial Calibration, Product Certification, BIS Compliance, Chemical Testing, Microbiological Testing etc.

Parameters Tested include-pH, TDS, Turbidity, E. coli, Total coliform, Hardness, Chlorine, Sulphates, Iron, Calcium, Chloride, Fluoride, Magnesium, Nitrate etc

Calibrations Facilities Available												
Name of the Department / Agency / Institution						Ladakh Pollution Control Committee						
SI No	District	Taluk	Place	Address	Name of the Lab / Calibration Facility	NABL-Accredited- Yes / No	Domain	Name of the Calibration Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification-Range / Size /Accuracy		
Nil												
Calibrations Services Available												

Name of the Department / Agency / Institution						Ladakh Pollution Control Committee						
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Service	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs-YES / NO	If YES, whether Booking for the service available- Online / Offline	
Nil												
Testing Infrastructure Available												
Name of the Department / Agency / Institution						PW (R&B) Department UT Ladakh						
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Testing Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification- Range / Size /Accuracy		
1	Leh	Leh	Agling	Ground Floor, PMGSY Office	Quality Control and Materials Testing Lab	No	Civil Works		4			
								2. Sand Replacement Set	2			
								3.Proctor Mould	2			
								4.CBR Machine	1			
								5.Oven IS Sieves Set	2 Set			
								6. LA Abrasion Machine	1			
								7. Impact & Crushing Value Appratus	1			
								8.Flakiness gauge.	3			
								9. Cube Moulds	12			
								10. CTM	1			
								11. Slump Cone	3			
								12. Curing tank	1			
								13. Bitumen extractor	1			
								14. Penetrometer	2			
								15. Ring & Bail	1			
								16. Thermometer	4			
								17. CTM	1			

								18. Water Absorption Tank	1			
NB: Same testing facility is availbale at Kargil (R&B Division Kargil, Ground Floor)												
Details of Testing Services Available												
Name of the Department / Agency / Institution						PW (R&B) Department UT Ladakh						
SI No	District	Taluk	Place	Address	Name of the Service / Testing	Name of the Machinery & Equipment Available	Domain	Sector	Parameters Tested	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs- YES / NO	If YES, whether Booking for the service available- Online / Offline
1	Leh	Leh	Agling	Ground Floor, PMGSY Office	1.Field Density, OMC & MDD, CBR 2. Grading, Abrasion, impact, Crushing, Shape 3.Slump, Compressive Strength 4.Penetration, Ductility, Softeneing Point. 5.Compressiv e Strength, Water Absorption.	1.Core Cutter 2.Sand Replacement Set 3.Protocor Mould 4.CBR Machine 5.Oven IS Sieves Set 6.LA Abrasion Machine 7.Impact & Crushing Value Appratus 8.Flakiness gauge. 9.Cube Moulds 10.CTM 11.Slump Cone 12.Curing tank	Civil Works	Leh	All basic testing being conducted in the lab	Not Fixed Yet	Not Yet	NA

Domain includes Civil, Mechanical, Metallurgical, Environmental Testing, Food Safety, Legal Metrology, EMI (Electromagnetic Interference) and EMC (Electromagnetic Compatibility), Physical Lab, Chemical Lab, Instrumentation Lab, Electronics Lab, Embedded, VLSI & IOT, Safety Testing, Electrical Product Testing, Pumpset / Motor Testing etc.)

Sector includes- Food Testing, Water Testing, Weights & Measures, Industrial Calibration, Product Certification, BIS Compliance, Chemical Testing, Microbiological Testing etc.

Parameters Tested include-pH, TDS, Turbidity, E. coli, Total coliform, Hardness, Chlorine, Sulphates, Iron, Calcium, Chloride, Fluoride, Magnesium, Nitrate etc

Calibrations Facilities Available												
Name of the Department / Agency / Institution						PW (R&B) Department UT Ladakh						
SI No	District	Taluk	Place	Address	Name of the Lab / Calibration Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification- Range / Size /Accuracy		
Nil												
Calibrations Services Available												
Name of the Department / Agency / Institution						PW (R&B) Department UT Ladakh						
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Service	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs-YES / NO	If YES, whether Booking for the service available- Online / Offline	
Nil												
Testing Infrastructure Available												
Name of the Department / Agency / Institution						Department of Sheep Husbandry Leh						
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Testing Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification- Range / Size /Accuracy		

1	Leh	-	Leh	DD Upshi, Leh	Fleece Testing Laboratory	No	Textiles, Nutrition	• Kjeldahl Apparatus • Ether Extract Apparatus • Muffle furnace BOD • Tensile Strength Tester • Wool fineness Tester • Digital Projection Microscope • Twist Tester Machine • Wrap reel (yarn count)	-			
2	Leh		Leh	Changspa, Leh	Disease Diagnostic Laboratory	No	Animal Health	• PCR, • RTPCR, • Microplate-DNA Analyzer • General Staining				
3	Leh		Leh	Pashmina Goat Farm Upshi	Artificial Insemination(A I) Laboratory	No	Reprod c tive Technol ogy	• CASA • AV set, Filling & • Sealing machine • Cold handling Cabinet • Biofreezer				

Details of Testing Services Available

Name of the Department / Agency / Institution						Department of Sheep Husbandry Leh						
SI No	District	Taluk	Place	Address	Name of the Service / Testing	Name of the Machinery & Equipment Available	Domain	Sector	Parameters Tested	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs- YES / NO	If YES, whether Booking for the service available- Online / Offline

1	Leh		Leh	DD Upshi, Leh	> Fibre parameters > Nutrition parameters	>Kjeldahl Apparatus >Ether extract Apparatus ›Muffle furnace >BOD >Tensile Strength Tester > Wool fineness Tester ›Digital Projection Microscope > Twist Tester Machine > Wrap reel	Textiles, Nutrition	Textile, Nutrition	• Fibre Diameter, • Fibre Length • Crude Protein • Ether Extract • Crude Fibre • Ash • Moisture% • Dry Matter% • Yarn count	Nil	Yes	Offline
2	Leh		Leh	DD Upshi, Leh	>Bacteriology Tests >Parasitology Test	>PCR, >RTPCR, ›Micro plate DNA Analyzer >General Staining equipments	Animal Health	Animal Disease diagnostics	• General staining procedures • Molecular testing • Fecal Egg count • Fungal culture	Nil	Yes	Offline
3	Leh		Leh	Pashmin Goat FarmUp	Artificial Insemination (AI) Laboratory	›CASA >AV set, Filling & Sealing machine >Cold handling Cabinet >Biofreezer	No	Reproductive Technology	• Semen analysis	NA	No	NA

Parameters Tested include-pH, TDS, Turbidity, E. coli, Total coliform, Hardness, Chlorine, Sulphates, Iron, Calcium, Chloride, Fluoride, Magnesium, Nitrate etc

Calibrations Facilities Available												
Name of the Department / Agency / Institution						Department of Sheep Husbandry Leh						
SI No	District	Taluk	Place	Address	Name of the Lab / Calibration Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification- Range / Size /Accuracy		
1	Leh		Leh	DD, Upshi, Leh	Fleece Testing Laboratory	No	-	NA	-	-		
2	Leh		Leh	Changspa, Leh	Disease Diagnostic Laboratory	No	-	NA	-	-		
3				PGF, Upshi	Artificial Insemination Laboratory	No	-	NA	-	-		
Calibrations Services Available												
Name of the Department / Agency / Institution						Department of Sheep Husbandry Leh						
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Service	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs-YES / NO	If YES, whether Booking for the service available- Online / Offline	
1	Leh		Leh	DD, Upshi, Leh	Fleece Testing Laboratory	No	-	NA	Nil	Yes	Offline	
2	Leh		Leh	Changspa, Leh	Disease Diagnostic Laboratory	No	-	NA	Nil	Yes	Offline	
3	Leh		Leh	PGF, Upshi	Artificial Insemination Laboratory	No	-	NA	NA	No	NA	
Testing Infrastructure Available												

Name of the Department / Agency / Institution						Sheep Husbandry Department DIL Barro Kargil						
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Testing Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification- Range / Size /Accuracy		
1	Kargil	Kargil	Baroo Kargil	DIL SHD Baroo Kargil	DIL Baroo Kargil	No	Diagnosi s	Biochemistry Analyser	1 No	-		
2	Kargil	Kargil	Baroo Kargil	DIL SHD Baroo Kargil	DIL Baroo Kargil	No	Fecal Sample Analysis	Centrifuges Machine	2 No	12 Tube Hole Rotor 8 Tube Hole		
3								Binocular Microscope	1 No			
4	Kargil	Kargil	Baroo Kargil	DIL SHD Baroo Kargil	DIL Baroo Kargil	No	Fleece Testing	Advance Recharge Trinocular Microscope	1 No			
5	Kargil	Kargil	Baroo Kargil	DIL SHD Baroo Kargil	DIL Baroo Kargil	No	Maintain Controll ed Temper	Incubator	1 No			
6	Kargil	Kargil	Baroo Kargil	DIL SHD Baroo Kargil	DIL Baroo Kargil	No	Distil Water	Double Distilation Apparatus	1 No			
7	Kargil	Kargil	Baroo Kargil	DIL SHD Baroo Kargil	DIL Baroo Kargil	No	Sterile working environ ment	Laminar Flow	1 No			

8	Kargil	Kargil	Baroo Kargil	DIL SHD Baroo Kargil	DIL Baroo Kargil	No	Dry Heat Sterilization	Hot air oven	1 No			
9	Kargil	Kargil	Baroo Kargil	DIL SHD Baroo Kargil	DIL Baroo Kargil	No	Moist heat Sterilization	Autoclave	1 No			

Details of Testing Services Available												
Name of the Department / Agency / Institution						Sheep Husbandry Department DIL Barro Kargil						
SI No	District	Taluk	Place	Address	Name of the Service / Testing	Name of the Machinery & Equipment Available	Domain	Sector	Parameters Tested	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs- YES / NO	If YES, whether Booking for the service available- Online / Offline
1	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	-	-	-	-	-	-	0

Domain includes Civil, Mechanical, Metallurgical, Environmental Testing, Food Safety, Legal Metrology, EMI (Electromagnetic Interference) and EMC (Electromagnetic Compatibility), Physical Lab, Chemical Lab, Instrumentation Lab, Electronics Lab, Embedded, VLSI & IOT, Safety Testing, Electrical Product Testing, Pumpset / Motor Testing etc.)

Sector includes- Food Testing, Water Testing, Weights & Measures, Industrial Calibration, Product Certification, BIS Compliance, Chemical Testing, Microbiological Testing etc.

Parameters Tested include-pH, TDS, Turbidity, E. coli, Total coliform, Hardness, Chlorine, Sulphates, Iron, Calcium, Chloride, Fluoride, Magnesium, Nitrate etc

Calibrations Facilities Available												
Name of the Department / Agency / Institution						Sheep Husbandry Department DIL Barro Kargil						
SI No	District	Taluk	Place	Address	Name of the Lab / Calibration Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification- Range / Size /Accuracy		
1	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	No	Weight ment	Analytical Weighing Balance	2 No	300 gm		
2	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	No	Measure haemogl obin in the blood	Hemoglobino meter	2 No	-		

3	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	No	counting of RBC ,WBC and plateles	Hemocytomet er	1 No	-		
---	--------	--------	--------------	--------------	-----------------------------	----	-----------------------------------	----------------	------	---	--	--

Calibrations Services Available

Name of the Department / Agency / Institution						Sheep Husbandry Department DIL Barro Kargil						
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Service	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs-YES / NO	If YES, whether Booking for the service available- Online / Offline	
1	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	No	-	-	-	-	-	

Testing Infrastructure Available

Name of the Department / Agency / Institution						Food Safety Drugs & Food Control Department, Ladakh,						
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Testing Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification- Range / Size /Accuracy		
1	Kargil	Kargil	Baroo Kargil	DIL SHD Baroo Kargil	DIL Baroo Kargil	No	Diagnosi s	Biochemistry Analyser	1 No	-		

Details of Testing Services Available

Name of the Department / Agency / Institution						Food Safety Drugs & Food Control Department, Ladakh,						
SI No	District	Taluk	Place	Address	Name of the Service / Testing	Name of the Machinery & Equipment Available	Domain	Sector	Parameters Tested	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs- YES / NO	If YES, whether Booking for the service available- Online / Offline
1	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	-	-	-	-	-	-	0

Parameters Tested include-pH, TDS, Turbidity, E. coli, Total coliform, Hardness, Chlorine, Sulphates, Iron, Calcium, Chloride, Fluoride, Magnesium, Nitrate etc

Calibrations Facilities Available												
Name of the Department / Agency / Institution						Food Safety Ladakh						
SI No	District	Taluk	Place	Address	Name of the Lab / Calibration Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Machinery & Equipment Available	No.of Machinery & Equipment Available	Specification- Range / Size /Accuracy		
1	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	No	Weight ment	Analytical Weighing Balance	2 No	300 gm		
2	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	No	Measure haemogl obin in the blood	Hemoglobino meter	2 No	-		
3	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	No	counting of RBC ,WBC and plateles	Hemocytomet er	1 No	-		

Calibrations Services Available												
Name of the Department / Agency / Institution						Food Safety Drugs & Food Control Department, Ladakh,						
SI No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Service	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs-YES / NO	If YES, whether Booking for the service available- Online / Offline	
1	Kargil	Kargil	Baroo Kargil	Baroo Kargil	DIL SHD Baroo Kargil	No	-	-	-	-	-	

Testing Infrastructure Available												
Name of the Department / Agency / Institution						KRISHI VIGYAN KENDRA LEH SKUAST-K						

Sl No	District	Taluk	Place	Address	Name of the Lab / Testing Facility	NABL- Accredited- Yes / No	Domain	Name of the Calibration Service	Cost of the Service (Rs.)	Whether service provided to Private People/ MSMEs- YES / NO	If YES, whether Booking for the service available- Online / Offline	
1	Leh		Stakna, Leh	Stakna, Leh , Ladakh	Nil	No	Nil	Nil	Nil	No		

"No legal responsibility is accepted for the contents of publication of advertisements/publications in this part of The Ladakh Gazette. Persons notifying the advertisements/public notices will remain solely responsible for the legal consequences and also for any other misrepresentation etc."

**P T
RUDRA
GOUD**

Digitally signed
by P T RUDRA
GOUD
Date:
2026.05.19
12:01:30 +05'30'

**BHUPESH
CHAUDH
ARY**

Digitally signed
by BHUPESH
CHAUDHARY
Date:
2026.05.19
11:57:40 +05'30'