



लक्षद्वीप का राजपत्र The Lakshadweep Gazette

PUBLISHED BY AUTHORITY
EXTRAORDINARY

VOL. LXII No. 03 FRIDAY 17th APRIL, 2026 / 27th CHAITRA, 1948 (SAKA)

UNION TERRITORY OF LAKSHADWEEP ADMINISTRATION
DEPARTMENT OF REVENUE
COLLECTORATE
KAVARATTI – 682555

F.No.34/08/2025-LR/403

Dated. 16.04.2026

NOTIFICATION OF THE SOCIAL IMPACT ASSESSMENT
(SUB SECTION 1 of SECTION 4)

Lakshadweep Administration intends to acquire the following land for a public purpose as stated below, as per the relevant provisions of the 'The Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement Act, 2013' for which Social Impact Assessment study has to be undertaken for the affected area as per Section 4 of the said Act read with Sub rule 1 of Rule 3 of the Right to Fair Compensation and Transparency in Land Acquisition Rehabilitation and Resettlement Rules, 2014.

1	Project Developer	Director, Port, Shipping & Aviation, U.T of Lakshadweep, Kavaratti Island		
2	Brief Description about purpose of proposed acquisition of land	Land Acquisition for the construction of Western Slipway Facilities at Kadmat Island.		
3	Extend of Land to be acquired	Sl. No	Sy. No	Area
		1	116/12A2	247
		Total		247
4	Project Area to be covered under S.I.A.	Measuring 247 Sq. m		
5	Affected Area to be covered under S.I.A.	Yes		
6	Requirement of consent of Gram Sabhas and /or land owners	Not mandatory		

Social Impact Assessment Activities:

1	Consultations	With all the concerned stakeholders of the proposed area including the Gram Sabha.
2	Survey (Organization undertake the study)	Social Impact Assessment & Consent Society, UT of Lakshadweep will complete survey of the proposed area under acquisition within 2 (Two) months from the date of publication of this Notification.
3	Public hearing/s	S.I.A. Unit will decide the time and place for public hearing before submitting the S.I.A. report.
4	Timeline	S.I.A. report and Social Impact Management Plan should be completed within 2 (Two) months from the date of issuance of this notification and to be published on the notice board of Collectorate, Lakshadweep and the concerned Gram Panchayat.

If any attempt to coercion or threat is noticed/ brought to notice, the same will render this exercise null and void.

As per Section 4(2) of the RFCTLARR Act, 2013, the Social Impact Assessment (SIA) must be completed within six months from the date of its notification. The SIA notification issued vide F. No. 34/08/2025-LR, dated 13.08.2025 has exceeded the six-month period, however, the Social Impact Assessment Report has not yet been submitted by the SIACS.

Accordingly, with the approval of the Appropriate Government, a fresh Social Impact Assessment notification is hereby issued. The Social Impact Assessment (SIA) notification issued vide F. No. 34/08/2025-LR, dated 13.08.2025 is hereby cancelled.

The contact information of the Social Impact Assessment Unit:

Office of the S.I.A. Unit,
SIACS (Environment & Forest),
Kavaratti, Lakshadweep – 682555.
Phone No; 04896262592.

Sd/-
(Avinash Singh, DANICS)
Collector (LA)

UNION TERRITORY OF LAKSHADWEEP ADMINISTRATION
DEPARTMENT OF REVENUE
COLLECTORATE
KAVARATTI – 682 555

F.No.34/60/2025-LR /404

Dated. 16 .04.2026

NOTIFICATION OF THE SOCIAL IMPACT ASSESSMENT
(SUB SECTION 1 of SECTION 4)

Lakshadweep Administration intends to acquire the following land for a public purpose as stated below, as per the relevant provisions of the 'The Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement Act, 2013' for which Social Impact Assessment study has to be undertaken for the affected area as per Section 4 of the said Act read with Sub rule 1 of Rule 3 of the Right to Fair Compensation and Transparency in Land Acquisition Rehabilitation and Resettlement Rules, 2014.

1	Project Developer	Executive Engineer, Department of Electricity, Kavaratti Island, U.T of Lakshadweep							
2	Brief Description about purpose of proposed acquisition of land	Land Acquisition for the Construction/ Implementation of the Solar Energy Project at Amini Island							
3	Extend of Land to be acquired	<u>Sl. No</u>	<u>SY NO</u>	<u>SD. NO</u>	<u>Area in Sqm</u>	<u>Sl.No</u>	<u>SY NO</u>	<u>SD. NO</u>	<u>Area in Sqm</u>
		1	139	1	300	253	201	5B	80
		2	139	2	90	254	201	5C	60
		3	139	3	50	255	201	5D	60
		4	139	4A	110	256	201	5E	110
		5	139	4B	120	257	201	5F	150
		6	139	5A	60	258	201	6	350
		7	139	5B	180	259	201	7	460
		8	139	6	360	260	201	8	40
		9	139	7	140	261	201	9	20
		10	139	8	120	262	201	10	90
		11	139	9	80	263	201	11	120
		12	139	10	320	264	201	12	440
		13	139	11	550	265	201	13	80
		14	139	12	70	266	201	14	260
		15	139	13	180	267	201	15A	20
		16	139	14	60	268	201	15B	60
		17	139	15	30	269	201	16A	20
		18	139	16	50	270	201	16B	30
		19	139	17	70	271	201	17	150
		20	139	18	80	272	201	18	430

21	139	19A	90	273	202	1A	140
22	139	19B	50	274	202	1B	150
23	139	19C	20	275	202	2	400
24	139	20	140	276	202	3	50
25	139	21A	30	277	202	4	140
26	139	21B	1.60	278	202	5	70
27	139	22	80	279	202	6	80
28	139	23	240	280	202	7	210
29	139	24	140	281	202	8	180
30	139	25A	190	282	202	9	90
31	139	25B	190	283	202	10	40
32	139	25C	200	284	202	11	140
33	142	1	620	285	202	12	510
34	142	2A	110	286	202	13	280
35	142	2B	100	287	202	14	130
36	142	3	190	288	202	15	180
37	142	4	170	289	202	16	90
38	142	5	100	290	202	17	110
39	142	6	70	291	202	18	100
40	142	7	80	292	202	19	130
41	142	8	50	293	202	20	50
42	142	9A	70	294	203	1A	400
43	142	9B	150	295	203	1B	410
44	142	9C	90	296	203	2	260
45	142	9D	70	297	203	3	60
46	142	10	510	298	203	4	70
47	142	11	130	299	203	5	60
48	142	12	80	300	203	6	140
49	142	13	30	301	203	7	160
50	142	14	90	302	203	8	260
51	142	15	100	303	203	9	70
52	142	16	100	304	203	10A	150
53	142	17	200	305	203	10B	150
54	142	18	100	306	203	11	940
55	142	19	140	307	203	12	580
56	142	20	60	308	203	13	140
57	142	21	350	309	203	14	250
58	142	22	220	310	203	15	90
59	142	23	240	311	203	16	40
60	142	24A	390	312	203	17	40
61	142	24B	250	313	203	18	120
62	142	25	290	314	203	19	240
63	142	26	700	315	204	1	380
64	142	27A	70	316	204	2A	200
65	142	27B	80	317	204	2B	490
66	142	27C	80	318	204	3	30

67	142	28	50	319	204	4	40
68	142	29	80	320	204	5	30
69	142	30	160	321	204	6	40
70	143	1	160	322	204	7	80
71	143	2	110	323	204	8	40
72	143	3	840	324	204	9	40
73	143	4A	180	325	204	10	140
74	143	4B	410	326	204	11	100
75	143	5	100	327	204	12	30
76	143	6	220	328	204	13	170
77	143	7	110	329	204	14	260
78	143	8	120	330	204	15	80
79	143	9	250	331	204	16	80
80	143	10	240	332	204	17	40
81	143	11	140	333	204	18	30
82	143	12	50	334	204	19	460
83	143	13	240	335	205	1	170
84	143	14	400	336	205	2	90
85	143	15	120	337	205	3	50
86	143	16	40	338	205	4	160
87	143	17A	80	339	205	5	90
88	143	17B	20	340	205	6	200
89	143	17C	20	341	205	7A	150
90	143	17D	30	342	205	7B	50
91	143	18A	110	343	205	8	110
92	143	18B	100	344	205	9	100
93	143	19	110	345	205	10	380
94	143	20	120	346	205	11	50
95	143	21A	90	347	205	12	40
96	143	21B	20	348	205	13	80
97	144	1A	30	349	205	14	90
98	144	1B	120	350	205	15	280
99	144	2	110	351	205	16	210
100	144	3	180	352	205	17	40
101	144	4A	120	353	205	18	20
102	144	4B	110	354	205	19	70
103	144	4C	230	355	205	20	120
104	144	5	330	356	205	21A	40
105	144	6	70	357	205	21B	50
106	144	7A	120	358	206	1	180
107	144	7B	110	359	206	2	110
108	144	7C	110	360	206	3	80
109	144	8	320	361	206	4	220
110	144	9A	140	362	206	5	350
111	144	9B	150	363	206	6	40
112	144	10	80	364	206	7	150

113	144	11	140	365	206	8	70
114	144	12	130	366	206	9	180
115	144	13	170	367	206	10	60
116	144	14	60	368	206	11	180
117	144	15	150	369	206	12	130
118	144	16	230	370	206	13	1030
119	144	17	150	371	206	14	40
120	144	18	130	372	206	15	130
121	144	19	60	373	206	16	140
122	190	1	300	374	206	17A	80
123	190	2	200	375	206	17B	80
124	190	3	1320	376	206	18	80
125	190	4	270	377	206	19	160
126	190	5	90	378	206	20A	90
127	190	6	50	379	206	20B	110
128	190	7	670	380	206	20C	110
129	190	8	20	381	206	20D	50
130	190	9	50	382	206	20E	50
131	190	10	170	383	206	20F	80
132	190	11	220	384	206	21	310
133	190	12	190	385	206	22	90
134	190	13A	50	386	207	1A	270
135	190	13B	110	387	207	1B	140
136	190	14	110	388	207	2	170
137	190	15	130	389	207	3	220
138	190	16	160	390	207	4	260
139	190	17A	30	391	207	5	230
140	190	17B	10	392	207	6	70
141	190	17C	20	393	207	7A	290
142	191	1	120	394	207	8	120
143	191	2	120	395	207	9	70
144	191	3	190	396	207	10	50
145	191	4	80	397	207	11	400
146	191	5	260	398	207	12A	110
147	191	6	230	399	207	12B	110
148	191	7	700	400	207	12C	280
149	191	8	90	401	207	13A	170
150	191	9A	190	402	207	13B	560
151	191	9B	80	403	207	14	220
152	191	10	150	404	207	15A	140
153	191	11A	140	405	207	15B	150
154	191	11B	570	406	207	16	170
155	191	12	520	407	207	17	70
156	191	13	170	408	207	18	120
157	191	14	200	409	207	19	100
158	191	15	230	410	207	20	10

159	191	16	280	411	208	1	210
160	191	17	280	412	208	2	70
161	191	18A	130	413	208	3	10
162	191	18B	790	414	208	4	40
163	191	19	70	415	208	5	310
164	191	20	260	416	208	6	210
165	192	1	90	417	208	7	340
166	192	2	420	418	208	8	120
167	192	3A	100	419	208	9	290
168	192	3B	160	420	208	10	230
169	192	4	240	421	208	11	140
170	192	5	170	422	208	12	70
171	192	6	70	423	208	13	70
172	192	7	60	424	208	14	250
173	192	8	60	425	208	15A	40
174	192	9	140	426	208	15B	60
175	192	10	140	427	208	15C	60
176	192	11A	60	428	208	17	50
177	192	11B	70	429	208	18	180
178	192	12	450	430	208	19	70
179	192	13	230	431	208	20	80
180	192	14	60	432	208	21	70
181	192	15	200	433	209	1	210
182	192	16	300	434	209	2	240
183	192	17	60	435	209	3A	120
184	192	18	100	436	209	3B	180
185	192	19	220	437	209	4	410
186	193	1	60	438	209	5	700
187	193	2	80	439	209	6	510
188	193	3	210	440	209	7	90
189	193	4	80	441	209	8	100
190	193	6A	90	442	209	9	110
191	193	6B	90	443	209	10	910
192	193	7A	540	444	209	11	410
193	193	8	940	445	209	12	350
194	193	10	150	446	209	13	190
195	193	11	60	447	209	14	190
196	193	12	60	448	209	15	100
197	193	13	80	449	209	16	90
198	193	14A	40	450	209	17	150
199	193	14B	70	451	209	18	60
200	193	15	80	452	209	20	140
201	193	16	180	453	209	21	450
202	193	17	170	454	210	1	260
203	193	18	120	455	210	2	270
204	193	19	80	456	210	3A	70

205	193	20	60	457	210	3B	70
206	193	21	150	458	210	4	120
207	193	22	160	459	210	5	490
208	193	23A	90	460	210	6	150
209	193	23B	80	461	210	7	50
210	193	24	70	462	210	8A	80
211	199	1	200	463	210	8B	150
212	199	2	110	464	210	9	210
213	199	3	130	465	210	10	140
214	199	4	90	466	210	11	60
215	199	5	30	467	210	12	190
216	199	6	100	468	210	13	20
217	199	7	120	469	210	14	60
218	199	8	700	470	210	15	60
219	199	9	130	471	210	16A	80
220	199	10	50	472	210	16B	100
221	199	11	140	473	210	17	320
222	199	12	90	474	210	18	110
223	199	13	350	475	210	19A	120
224	199	14	120	476	210	19B	160
225	199	15	210	477	211	1	160
226	199	16	300	478	211	2	210
227	199	17	150	479	211	3	130
228	199	18	150	480	211	4A	100
229	199	19	60	481	211	4B	30
230	199	20	100	482	211	5	50
231	200	1A	100	483	211	6	150
232	200	1B	610	484	211	7	190
233	200	2	70	485	211	8	110
234	200	3	440	486	211	9	80
235	200	4	150	487	211	10	30
236	200	5	80	488	211	11	30
237	200	6	60	489	211	12A	60
238	200	7	160	490	211	12B	80
239	200	8	730	491	211	12C	30
240	200	9	90	492	211	13	190
241	200	10	300	493	211	14	300
242	200	11	80	494	211	15	140
243	200	12	90	495	211	16	40
244	200	13	50	496	211	17	210
245	200	14	440	497	211	18	170
246	200	15	260	498	211	19	250
247	200	16	220	499	211	20	130
248	201	1	580	500	211	21	60
249	201	2	140	501	211	22	50
250	201	3	230	502	211	23	60

		251	201	4	390	503	211	24	330
		252	201	5A	80	Total. 85490 Sqm			
4	Project Area to be covered under S.I.A.	Measuring 85490 Sq. m private land proposed for the Construction/ Implementation of the Solar Energy Project at Amini Island							
5	Affected Area to be covered under S.I.A.	Yes							
6	Requirement of consent of Gram Sabhas and /or land owners	Not mandatory							

Social Impact Assessment Activities:

1	Consultations	With all the concerned stakeholders of the proposed area including the Gram Sabha.
2	Survey (Organization undertake the study)	Social Impact Assessment & Consent Society, UT of Lakshadweep will complete survey of the proposed area under acquisition within 2 (Two) months from the date of publication of this Notification.
3	Public hearing/s	S.I.A. Unit will decide the time and place for public hearing before submitting the S.I.A. report.
4	Timeline	S.I.A. report and Social Impact Management Plan should be completed within 2 (Two) months from the date of issuance of this notification and to be published on the notice board of Collectorate, Lakshadweep and the concerned Gram Panchayat.

If any attempt to coercion or threat is noticed / brought to notice, the same will render this exercise null and void.

As per Section 4(2) of the RFCTLARR Act, 2013, the Social Impact Assessment (SIA) must be completed within six months from the date of its notification. The SIA notification issued vide F. No. 34/60/2025-LR, dated 16.09.2025 has exceeded the six-month period, however, the Social Impact Assessment Report has not yet been submitted by the SIACS.

Accordingly, with the approval of the Appropriate Government, a fresh Social Impact Assessment notification is hereby issued. The Social Impact Assessment (SIA) notification issued vide F. No. 34/60/2025-LR, dated 16.09.2025 is hereby cancelled.

The contact information of the Social Impact Assessment Unit:

Office of the S.I.A. Unit,
SIACS (Environment & Forest),
Kavaratti, Lakshadweep— 682555.
Phone No; 04896262592.

Sd/-
(Avinash Singh, DANICS)
Collector (LA)

4	Project Area to be covered under S.I.A.	Measuring 23720 Sq. m private land proposed for the Construction/ Implementation of the Solar Energy Project at Kiltan Island.
5	Affected Area to be covered under S.I.A.	Yes
6	Requirement of consent of Gram Sabhas and /or land owners	Not mandatory

Social Impact Assessment Activities:

1	Consultations	With all the concerned stakeholders of the proposed area including the Gram Sabha.
2	Survey (Organization undertake the study)	Social Impact Assessment & Consent Society, UT of Lakshadweep will complete survey of the proposed area under acquisition within 2 (Two) months from the date of publication of this Notification.
3	Public hearing/s	S.I.A. Unit will decide the time and place for public hearing before submitting the S.I.A. report.
4	Timeline	S.I.A. report and Social Impact Management Plan should be completed within 2 (Two) months from the date of issuance of this notification and to be published on the notice board of Collectorate, Lakshadweep and the concerned Gram Panchayat.

If any attempt to coercion or threat is noticed / brought to notice, the same will render this exercise null and void.

As per Section 4(2) of the RFCTLARR Act, 2013, the Social Impact Assessment (SIA) must be completed within six months from the date of its notification. The SIA notification issued vide F. No. 34/59/2025-LR, dated 16.09.2025 has exceeded the six-month period, however, the Social Impact Assessment Report has not yet been submitted by the SIACS.

Accordingly, with the approval of the Appropriate Government, a fresh Social Impact Assessment notification is hereby issued. The Social Impact Assessment (SIA) notification issued vide F. No. 34/59/2025-LR, dated 16.09.2025 is hereby cancelled.

The contact information of the Social Impact Assessment Unit:

Office of the S.I.A. Unit,
SIACS (Environment & Forest),
Kavaratti, Lakshadweep– 682555.
Phone No; 04896262592.

Sd/-
(Avinash Singh, DANICS)
Collector (LA)

UNION TERRITORY OF LAKSHADWEEP ADMINISTRATION
DEPARTMENT OF REVENUE
COLLECTORATE
KAVARATTI – 682 555

F.No.34/57/2025-LR /406

Dated. 16 .04.2026

NOTIFICATION OF THE SOCIAL IMPACT ASSESSMENT
(SUB SECTION 1 of SECTION 4)

Lakshadweep Administration intends to acquire the following land for a public purpose as stated below, as per the relevant provisions of the 'The Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement Act, 2013' for which Social Impact Assessment study has to be undertaken for the affected area as per Section 4 of the said Act read with Sub rule 1 of Rule 3 of the Right to Fair Compensation and Transparency in Land Acquisition Rehabilitation and Resettlement Rules, 2014.

1	Project Developer	Executive Engineer, Department of Electricity, Kavaratti Island, U.T of Lakshadweep							
2	Brief Description about purpose of proposed acquisition of land	Land Acquisition for the Construction/ Implementation of the Solar Energy Project at Andrott Island							
3	Extend of Land to be acquired	Sl. No	Sy No	Sd No	Area in Sqm	Sl. No	Sy No	Sd No	Area in Sqm
		1	253	1	270	209	266	10	170
		2	253	2	140	210	266	11	280
		3	253	3	230	211	266	12	280
		4	253	4	170	212	266	13 A	130
		5	253	5	70	213	266	13B	120
		6	253	6	70	214	266	14	160
		7	253	7	80	215	266	15	160
		8	253	8	80	216	266	16	140
		9	253	9	90	217	266	17	100
		10	253	15	370	218	266	18	320
		11	253	16	80	219	266	19	160
		12	253	17	80	220	269	5	110
		13	253	18	80	221	269	6	100
		14	253	19	160	222	269	7	120
		15	255	1	70	223	269	8	40
		16	255	2	90	224	269	9	210
		17	255	3	100	225	269	10	70
		18	255	4A	240	226	269	11	50
		19	255	4B	290	227	269	12	40
		20	255	5	300	228	269	13	120

21	255	6	160	229	269	14	160
22	255	7	70	230	269	15	80
23	255	8	40	231	269	16	120
24	255	9	80	232	269	17	140
25	255	10	210	233	269	18	850
26	255	11	240	234	269	19	110
27	255	12	170	235	269	20	230
28	255	13	210	236	269	21	500
29	255	14	150	237	269	22	320
30	255	15	40	238	369	1	240
31	255	16	70	239	369	2	200
32	255	17A	70	240	369	3	120
33	255	17B	70	241	369	4	80
34	255	18	80	242	369	5	110
35	255	19	110	243	369	6	110
36	256	1	170	244	369	7	100
37	256	2	650	245	369	8	740
38	256	3	150	246	369	9	90
39	256	4	150	247	369	10	70
40	256	5	70	248	369	11	70
41	256	6	140	249	369	12	70
42	256	7	110	250	369	13	220
43	256	8	60	251	369	14	370
44	256	9	230	252	369	15	380
45	256	10	250	253	369	16	320
46	256	11	170	254	369	17	500
47	256	12	110	255	376	1	150
48	256	13	50	256	376	2	180
49	256	14	170	257	376	3	300
50	256	15	110	258	376	14	230
51	256	16	880	259	376	15	300
52	256	17A	140	260	377	1	100
53	256	17B	130	261	377	2	130
54	257	1	110	262	377	3	240
55	257	2	460	263	377	4	150
56	257	3	650	264	377	5	150
57	257	4	160	265	377	6	30
58	257	5	160	266	377	7	30
59	257	6	160	267	377	8	30
60	257	7	30	268	377	9	130
61	257	8	30	269	377	10	300
62	257	9	40	270	377	11	130
63	257	10	40	271	377	12	100
64	257	11	70	272	377	13	60
65	257	12	80	273	377	14	100
66	257	13	90	274	377	15	160
67	257	14	30	275	377	16	160
68	257	15	140	276	377	17	290
69	257	16	70	277	377	18	1000

70	257	17	160	278	377	19	50
71	257	18	80	279	378	2	130
72	257	19	100	280	378	5	320
73	257	20	100	281	378	8	30
74	257	21	910	282	378	10	40
75	258	1	320	283	378	13	100
76	258	2	240	284	378	16	330
77	258	3	240	285	379	2	150
78	258	4	120	286	379	4	30
79	258	5	100	287	379	6	70
80	258	6	140	288	379	9	160
81	258	7	90	289	379	12	80
82	258	8	190	290	379	15A	150
83	258	9	50	291	379	15B	160
84	258	10	80	292	380	1	50
85	258	11	140	293	380	10	470
86	258	12	130	294	380	11	310
87	258	13	220	295	380	17	350
88	258	14	100	296	381	3	90
89	258	15	170	297	381	14	80
90	258	16	60	298	381	15	110
91	258	17	60	299	381	16B	180
92	258	18	110	300	381	17	110
93	259	1	260	301	381	18	370
94	259	2	240	302	381	20	2210
95	259	3	240	303	382	1	2480
96	259	4	270	304	382	2	530
97	259	5	240	305	382	3	1190
98	259	6	310	306	382	5	890
99	259	7	50	307	382	6	1020
100	259	8	70	308	382	7	150
101	259	9	180	309	382	8	50
102	259	10	260	310	382	9	380
103	259	11	130	311	382	10	100
104	259	12	140	312	382	13	280
105	259	13	280	313	382	14	340
106	259	14	390	314	382	16	300
107	259	15	490	315	382	17	230
108	259	16	180	316	383	4	70
109	259	17	220	317	383	5A	50
110	259	18	570	318	383	5B	250
111	259	19	910	319	383	5C	180
112	261	1	160	320	383	7	100
113	261	2	140	321	383	11	130
114	261	3	80	322	383	12	200
115	261	4	70	323	384	2	180
116	261	5	140	324	384	4	380
117	261	6	160	325	384	5	70
118	261	7	1230	326	384	6	150

119	261	8	110	327	384	13	70
120	261	9	130	328	384	18	140
121	261	10	260	329	384	19	120
122	261	11	330	330	385	1	170
123	261	12	70	331	385	2	50
124	261	13	50	332	385	3	70
125	261	14	60	333	385	4	50
126	261	15	100	334	385	5	60
127	261	16	90	335	385	6	90
128	261	17	160	336	385	7	130
129	261	18	190	337	385	8	150
130	262	1	260	338	385	9	250
131	262	2	240	339	385	10	100
132	262	3	80	340	385	11	70
133	262	4	150	341	385	12A	140
134	262	5	110	342	385	12B	330
135	262	6	120	343	385	16	170
136	262	7	340	344	385	18	100
137	262	8	1710	345	386	1	150
138	263	2	130	346	386	2	160
139	263	3	70	347	386	3A	110
140	263	4	60	348	386	3B	120
141	263	5	120	349	386	4A	50
142	263	6	190	350	386	4B	50
143	263	7	130	351	386	8	480
144	263	8	170	352	386	15	240
145	263	9	30	353	387	1	80
146	263	10	20	354	387	2	130
147	263	11	30	355	387	3A	50
148	263	12	40	356	387	3B	50
149	263	13	180	357	387	4	60
150	263	14	120	358	387	5	60
151	263	16	70	359	387	6A	120
152	263	17	40	360	387	6B	360
153	263	18	50	361	387	7	250
154	263	19	40	362	387	8	330
155	263	20	1880	363	387	9	150
156	264	1	820	364	387	10	160
157	264	2	110	365	387	11	470
158	264	3	230	366	387	12	220
159	264	4	210	367	387	13	130
160	264	5	230	368	387	14	110
161	264	6	150	369	387	15	150
162	264	7	130	370	387	16	50
163	264	8	150	371	387	17	130
164	264	9	130	372	387	18	50
165	264	10	160	373	387	19	50
166	264	11	160	374	387	20	130
167	264	12	100	375	390	1	210

Social Impact Assessment Activities:

1	Consultations	With all the concerned stakeholders of the proposed area including the Gram Sabha.
2	Survey (Organization undertake the study)	Social Impact Assessment & Consent Society, UT of Lakshadweep will complete survey of the proposed area under acquisition within 2 (Two) months from the date of publication of this Notification.
3	Public hearing/s	S.I.A. Unit will decide the time and place for public hearing before submitting the S.I.A. report.
4	Timeline	S.I.A. report and Social Impact Management Plan should be completed within 2 (Two) months from the date of issuance of this notification and to be published on the notice board of Collectorate, Lakshadweep and the concerned Gram Panchayat.

If any attempt to coercion or threat is noticed / brought to notice, the same will render this exercise null and void.

As per Section 4(2) of the RFCTLARR Act, 2013, the Social Impact Assessment (SIA) must be completed within six months from the date of its notification. The SIA notification issued vide F. No. 34/57/2025-LR, dated 16.09.2025 has exceeded the six-month period, however, the Social Impact Assessment Report has not yet been submitted by the SIACS.

Accordingly, with the approval of the Appropriate Government, a fresh Social Impact Assessment notification is hereby issued. The Social Impact Assessment (SIA) notification issued vide F. No. 34/57/2025-LR, dated 16.09.2025 is hereby cancelled.

The contact information of the Social Impact Assessment Unit:

Office of the S.I.A. Unit,
SIACS (Environment & Forest),
Kavaratti, Lakshadweep– 682555.
Phone No; 04896262592.

Sd/-
(Avinash Singh, DANICS)
Collector (LA)

UNION TERRITORY OF LAKSHADWEEP ADMINISTRATION
DEPARTMENT OF REVENUE
COLLECTORATE
KAVARATTI – 682 555

F.No.34/58/2025-LR /407

Dated. 16 .04.2026

NOTIFICATION OF THE SOCIAL IMPACT ASSESSMENT
(SUB SECTION 1 of SECTION 4)

Lakshadweep Administration intends to acquire the following land for a public purpose as stated below, as per the relevant provisions of the 'The Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement Act, 2013' for which Social Impact Assessment study has to be undertaken for the affected area as per Section 4 of the said Act read with Sub rule 1 of Rule 3 of the Right to Fair Compensation and Transparency in Land Acquisition Rehabilitation and Resettlement Rules, 2014.

1	Project Developer	Executive Engineer, Department of Electricity, Kavaratti Island, U.T of Lakshadweep																																																																																																																																																																																
2	Brief Description about purpose of proposed acquisition of land	Land Acquisition for the Construction/ Implementation of the Solar Energy Project at Chetlat Island																																																																																																																																																																																
3	Extend of Land to be acquired	<table><tr><th>Sl. No</th><th>Sy. No</th><th>Sd. No</th><th>Area in Sq m</th><th>Sl. No</th><th>Sy. No</th><th>Sd. No</th><th>Area in Sqm</th></tr><tr><td>1</td><td>196</td><td>5</td><td>360</td><td>62</td><td>200</td><td>6</td><td>480</td></tr><tr><td>2</td><td>196</td><td>6</td><td>410</td><td>63</td><td>200</td><td>7B</td><td>1660</td></tr><tr><td>3</td><td>196</td><td>12</td><td>60</td><td>64</td><td>201</td><td>1</td><td>30</td></tr><tr><td>4</td><td>196</td><td>13</td><td>50</td><td>65</td><td>201</td><td>2</td><td>200</td></tr><tr><td>5</td><td>196</td><td>15</td><td>40</td><td>66</td><td>201</td><td>3A</td><td>160</td></tr><tr><td>6</td><td>196</td><td>16</td><td>180</td><td>67</td><td>202</td><td>1</td><td>490</td></tr><tr><td>7</td><td>197</td><td>1</td><td>1070</td><td>68</td><td>202</td><td>10</td><td>480</td></tr><tr><td>8</td><td>197</td><td>10</td><td>110</td><td>69</td><td>202</td><td>11</td><td>170</td></tr><tr><td>9</td><td>197</td><td>11</td><td>110</td><td>70</td><td>202</td><td>5</td><td>230</td></tr><tr><td>10</td><td>197</td><td>12</td><td>110</td><td>71</td><td>202</td><td>6</td><td>200</td></tr><tr><td>11</td><td>197</td><td>13A</td><td>200</td><td>72</td><td>202</td><td>7</td><td>200</td></tr><tr><td>12</td><td>197</td><td>13B</td><td>340</td><td>73</td><td>202</td><td>8</td><td>650</td></tr><tr><td>13</td><td>197</td><td>13C</td><td>140</td><td>74</td><td>202</td><td>9</td><td>160</td></tr><tr><td>14</td><td>197</td><td>2A</td><td>210</td><td>75</td><td>203</td><td>11</td><td>130</td></tr><tr><td>15</td><td>197</td><td>2B</td><td>220</td><td>76</td><td>205</td><td>10</td><td>110</td></tr><tr><td>16</td><td>197</td><td>3</td><td>230</td><td>77</td><td>205</td><td>11</td><td>110</td></tr><tr><td>17</td><td>197</td><td>4A</td><td>130</td><td>78</td><td>205</td><td>12</td><td>510</td></tr><tr><td>18</td><td>197</td><td>4B</td><td>120</td><td>79</td><td>205</td><td>13</td><td>50</td></tr><tr><td>19</td><td>197</td><td>4C</td><td>220</td><td>80</td><td>205</td><td>14</td><td>190</td></tr><tr><td>20</td><td>197</td><td>5</td><td>240</td><td>81</td><td>205</td><td>15</td><td>170</td></tr><tr><td>21</td><td>197</td><td>6</td><td>240</td><td>82</td><td>205</td><td>16</td><td>130</td></tr></table>	Sl. No	Sy. No	Sd. No	Area in Sq m	Sl. No	Sy. No	Sd. No	Area in Sqm	1	196	5	360	62	200	6	480	2	196	6	410	63	200	7B	1660	3	196	12	60	64	201	1	30	4	196	13	50	65	201	2	200	5	196	15	40	66	201	3A	160	6	196	16	180	67	202	1	490	7	197	1	1070	68	202	10	480	8	197	10	110	69	202	11	170	9	197	11	110	70	202	5	230	10	197	12	110	71	202	6	200	11	197	13A	200	72	202	7	200	12	197	13B	340	73	202	8	650	13	197	13C	140	74	202	9	160	14	197	2A	210	75	203	11	130	15	197	2B	220	76	205	10	110	16	197	3	230	77	205	11	110	17	197	4A	130	78	205	12	510	18	197	4B	120	79	205	13	50	19	197	4C	220	80	205	14	190	20	197	5	240	81	205	15	170	21	197	6	240	82	205	16	130
Sl. No	Sy. No	Sd. No	Area in Sq m	Sl. No	Sy. No	Sd. No	Area in Sqm																																																																																																																																																																											
1	196	5	360	62	200	6	480																																																																																																																																																																											
2	196	6	410	63	200	7B	1660																																																																																																																																																																											
3	196	12	60	64	201	1	30																																																																																																																																																																											
4	196	13	50	65	201	2	200																																																																																																																																																																											
5	196	15	40	66	201	3A	160																																																																																																																																																																											
6	196	16	180	67	202	1	490																																																																																																																																																																											
7	197	1	1070	68	202	10	480																																																																																																																																																																											
8	197	10	110	69	202	11	170																																																																																																																																																																											
9	197	11	110	70	202	5	230																																																																																																																																																																											
10	197	12	110	71	202	6	200																																																																																																																																																																											
11	197	13A	200	72	202	7	200																																																																																																																																																																											
12	197	13B	340	73	202	8	650																																																																																																																																																																											
13	197	13C	140	74	202	9	160																																																																																																																																																																											
14	197	2A	210	75	203	11	130																																																																																																																																																																											
15	197	2B	220	76	205	10	110																																																																																																																																																																											
16	197	3	230	77	205	11	110																																																																																																																																																																											
17	197	4A	130	78	205	12	510																																																																																																																																																																											
18	197	4B	120	79	205	13	50																																																																																																																																																																											
19	197	4C	220	80	205	14	190																																																																																																																																																																											
20	197	5	240	81	205	15	170																																																																																																																																																																											
21	197	6	240	82	205	16	130																																																																																																																																																																											

Social Impact Assessment Activities:

1	Consultations	With all the concerned stakeholders of the proposed area including the Gram Sabha.
2	Survey (Organization undertake the study)	Social Impact Assessment & Consent Society, UT of Lakshadweep will complete survey of the proposed area under acquisition within 2 (Two) months from the date of publication of this Notification.
3	Public hearing/s	S.I.A. Unit will decide the time and place for public hearing before submitting the S.I.A. report.
4	Timeline	S.I.A. report and Social Impact Management Plan should be completed within 2 (Two) months from the date of issuance of this notification and to be published on the notice board of Collectorate, Lakshadweep and the concerned Gram Panchayat.

If any attempt to coercion or threat is noticed / brought to notice, the same will render this exercise null and void.

As per Section 4(2) of the RFCTLARR Act, 2013, the Social Impact Assessment (SIA) must be completed within six months from the date of its notification. The SIA notification issued vide F. No. 34/58/2025-LR, dated 16.09.2025 has exceeded the six-month period, however, the Social Impact Assessment Report has not yet been submitted by the SIACS.

Accordingly, with the approval of the Appropriate Government, a fresh Social Impact Assessment notification is hereby issued. The Social Impact Assessment (SIA) notification issued vide F. No. 34/58/2025-LR, dated 16.09.2025 is hereby cancelled.

The contact information of the Social Impact Assessment Unit:

Office of the S.I.A. Unit,
SIACS (Environment & Forest),
Kavaratti, Lakshadweep- 682555.
Phone No; 04896262592.

Sd/-
(Avinash Singh, DANICS)
Collector (LA)