



Punjab Government Gazette

Published by Authority

No. 41] CHANDIGARH, FRIDAY, OCTOBER 9, 2026 (ASVINA 17, 1948 SAKA)

PART III

Notifications by High Court ; Labour Commissioner ; Advertisements ;
Director of Lotteries, Punjab and Notices, etc.



Punjab State Power Corporation Limited

(ਰਜਿਸਟਰਡ ਆਫਿਸ ਪੰ:ਰਾ:ਬਿ:ਬੋ:ਹੈਡ ਆਫਿਸ ਬਿਲਡਿੰਗ ਦੀ ਮਾਲ, ਪਟਿਆਲਾ)

ਦਫਤਰ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ ਟੀ.ਐਸ.,ਬੀ-1, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ

ਕਾਰਪੋਰੇਟ ਆਈਡੈਂਟਿਟੀ ਨੰ: (CIN) U40109PB2010SGC033813

ਨੋਟੀਫਿਕੇਸ਼ਨ

ਮਿਤੀ 25 ਸਤੰਬਰ, 2026

ਨੋਟੀਫਿਕੇਸ਼ਨ ਨੰ:116/ਟੀ.ਐਸ.ਐਨ-207/Vol-XV.-ਇਹ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਪੰਜਾਬ ਰਾਜ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਜਿਸ ਨੂੰ ਹੁਣ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ ਕਿਹਾ ਜਾਵੇਗਾ) ਵਲੋਂ ਨਿਮਨਲਿਖਤ ਸਕੀਮਾਂ/ਟਰਾਂਸਮੀਸ਼ਨ ਦੇ ਕੰਮ ਸ਼ੁਰੂ ਕਰਨ ਦਾ ਪ੍ਰਸਤਾਵ ਹੈ, ਜਿਹੜੀਆਂ ਪੰਜਾਬ ਰਾਜ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਦੇ ਸੰਚਾਲਣ ਅਤੇ ਵੰਡ ਸਿਸਟਮ ਵਿੱਚ ਸੁਧਾਰ ਕਰਨ ਲਈ ਬਿਜਲੀ ਦੀ ਡਿਸਪਰਸਲ /ਵੰਡ ਲਈ ਜ਼ਰੂਰੀ ਹਨ।

66 ਕੇ.ਵੀ. ਲਾਈਨਾਂ ਦੇ ਕੰਮ ਬਾਬਤ ਸਾਲ 2026-27

ਲੜੀ ਨੰ.	ਕੰਮ ਦਾ ਨਾਮ ਸਮੇਤ ਪਿੰਡ/ਬਸਤੀਆਂ ਥਾਵਾਂ ਜਿੱਥੇ ਲਾਈਨ ਨੇ ਲੰਘਣਾ ਹੈ।	ਅੰਦਾਜ਼ਨ ਲਾਈਨ ਦੀ ਲੰਬਾਈ ਕਿ:ਮੀ: ਵਿੱਚ	ਸਾਈਜ਼ ਆਫ ਕੰਡਕਟਰ/ਕੇਬਲ (sq.mm)	ਅੰਦਾਜ਼ਨ ਕੀਮਤ (ਲੱਖਾਂ ਵਿੱਚ)
---------	---	-----------------------------------	------------------------------	---------------------------

- ਫਗਵਾੜਾ-ਹੁਸ਼ਿਆਰਪੁਰ ਰੋਡ ਸਮੇਤ ਫਗਵਾੜਾ ਅਤੇ ਹੁਸ਼ਿਆਰਪੁਰ ਬਾਈਪਾਸ (NH-344B) ਦੇ ਪ੍ਰਸਤਾਵਿਤ ਰਾਈਟ ਆਫ ਵੇ (PROW) ਵਿੱਚ ਆ ਰਹੀਆਂ 06 ਨੰ. 66 ਕੇ.ਵੀ. ਲਾਈਨਾਂ ਦੀ ਸ਼ਿਫਟਿੰਗ/ਰੇਜ਼ਿੰਗ ਲਈ ਸੋਧੇ ਹੋਏ ਰੂਟ ਪਲਾਨ - NHAI ਦਾ ਡਿਪਾਜ਼ਿਟ ਵਰਕ - 66 ਕੇ.ਵੀ. ਹੁਸ਼ਿਆਰਪੁਰ ਤੋਂ ਅਟੋਵਾਲ ਲਾਈਨ, ਪਿੰਡ/ਸ਼ਹਿਰ:- ਅਟੋਵਾਲ।

0.837 Ckt Km	0.2	25
(SC/DC)		

2	ਮੈਸਰਜ਼ ਪੰਜਾਬ ਸਟੀਲ ਦੇ 10 ਮੈਗਾਵਾਟ ਸੋਲਰ ਪਲਾਂਟ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਥੇਹ ਕਲੰਦਰ ਤੱਕ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਲਈ ਪ੍ਰਸਤਾਵਿਤ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ ਥੇਹ ਕਲੰਦਰ, ਸਮਾਣਾ ਖਾਨਿਕ, ਜ਼ਿਲ੍ਹਾ ਫਾਜ਼ਿਲਕਾ	2.745 ckt km	0.2	137
3	ਨਵੇਂ ਪ੍ਰਸਤਾਵਿਤ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਸੈਕਟਰ-82, JLPL, ਮੋਹਾਲੀ ਨੂੰ 66 ਕੇ.ਵੀ. ਕੁਨੈਕਸ਼ਨ ਪ੍ਰਦਾਨ ਕਰਨ ਲਈ ਰੂਟ ਪਲਾਨ - GMADA ਦਾ ਡਿਪਾਜ਼ਿਟ ਵਰਕ, ਪਿੰਡ/ਸ਼ਹਿਰ:- ਮੋਹਾਲੀ।	2092 ckt mtr SC	400 sqmm	67
4	ਨਵੇਂ ਪ੍ਰਸਤਾਵਿਤ ਸਬ-ਸਟੇਸ਼ਨ ਮੈਡੀਸਿਟੀ, ਫਿਰੋਜ਼ਪੁਰ ਨੂੰ ਕੁਨੈਕਸ਼ਨ ਪ੍ਰਦਾਨ ਕਰਨ ਲਈ ਰੂਟ ਪਲਾਨ - GMADA ਦਾ ਡਿਪਾਜ਼ਿਟ ਵਰਕ, ਪਿੰਡ/ਸ਼ਹਿਰ:- ਮੋਹਾਲੀ।	2700 ckt mtr SC	1200 sqmm	75
5	ਮੈਸਰਜ਼ ਵਨੀਰਾ ਇੰਡਸਟ੍ਰੀਜ਼ ਲਿਮਿਟੇਡ ਦੇ 66 ਕੇ.ਵੀ. ਅੰਡਰਗ੍ਰਾਊਂਡ ਕੇਬਲ ਵਰਕ ਲਈ ਸੋਧਿਆ ਹੋਇਆ ਰੂਟ ਪਲਾਨ - ਡਿਪਾਜ਼ਿਟ ਵਰਕ, ਪਿੰਡ/ਸ਼ਹਿਰ:- ਕੱਦੋਂ।	2715 ckt mtr SC	400 sqmm	79
6	220 ਕੇ.ਵੀ. ਕਕਰਾਲਾ ਤੋਂ 66 ਕੇ.ਵੀ. ਦਿਆਲਗੜ੍ਹ ਤੱਕ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਲਈ 0.15 ਵਰਗ ਇੰਚ ਕੰਡਕਟਰ ਵਾਲੀ ਮੌਜੂਦਾ S/C on S/C ਲਾਈਨ ਨੂੰ 0.2 ਵਰਗ ਇੰਚ ACSR ਕੰਡਕਟਰ ਵਾਲੀ S/C on D/C ਲਾਈਨ ਨਾਲ ਬਦਲਣ ਸਬੰਧੀ ਰੂਟ ਪਲਾਨ। (a) 220 ਕੇ.ਵੀ. G/S/S ਕਕਰਾਲਾ ਤੋਂ 66 ਕੇ.ਵੀ. ਕੁਲਰਾਰਾਂ ਦੇ T-off ਪੁਆਇੰਟ ਤੱਕ ਮੌਜੂਦਾ D/C on D/C ਲਾਈਨ ਉੱਤੇ 66 ਕੇ.ਵੀ. ਦਿਆਲਗੜ੍ਹ S/S ਦੇ ਲਗਭਗ 1.5 ਕਿਲੋਮੀਟਰ ਲੰਬੇ 0.15 ਵਰਗ ਇੰਚ ਕੰਡਕਟਰ ਵਾਲੇ 1 ਨੰ. ਸਰਕਿਟ ਨੂੰ 0.2 ਵਰਗ ਇੰਚ ਕੰਡਕਟਰ ਨਾਲ ਬਦਲਣਾ। (b) ਲਗਭਗ 12.75 ਕਿਲੋਮੀਟਰ ਲੰਬੀ ਮੌਜੂਦਾ S/C on S/C ਲਾਈਨ ਦੇ 0.15 ਵਰਗ ਇੰਚ ਕੰਡਕਟਰ ਨੂੰ 0.2 ਵਰਗ ਇੰਚ ACSR ਕੰਡਕਟਰ ਵਾਲੀ S/C on D/C ਲਾਈਨ ਨਾਲ ਬਦਲਣਾ। ਪਿੰਡ/ਸ਼ਹਿਰ:- ਕਕਰਾਲਾ, ਖੇੜੀ ਨਾਗੀਆਂ, ਸਿਹਲ, ਸਫੀਪੁਰ ਕਲਾਂ, ਸਫੀਪੁਰ ਖੁਰਦ, ਸੰਤਪੁਰਾ, ਦਿਆਲਗੜ੍ਹ ਜੇਜੀਆਂ।	12.215 km SC on DC	0.2	595

7	ਸ਼ਾਹਪੁਰ ਕੰਡੀ ਫੇਜ਼-II ਦੇ 1 × 8 ਮੈਗਾਵਾਟ ਯੂਨਿਟ ਤੋਂ 66 ਕੇ.ਵੀ. ਰਣੀਪੁਰ ਤੱਕ ਨਵੀਂ 66 ਕੇ.ਵੀ. S/C on D/C ਲਾਈਨ ਲਈ ਸੋਧਿਆ ਹੋਇਆ ਪਾਰਟ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ/ਸ਼ਹਿਰ:- 1. ਸੰਧੋਰੀ, 2. ਖਾਲਾ, 3. ਕਮਾਵਾਲ, 4. ਜੈਨੀ ਅੱਪਰਲੀ, 5. ਗੁਰੂਹ ਖੁਰਦ 6. ਜੈਨੀ ਖਲਕੀ, 7. ਅਖਵਾਣਾ 8. ਰਾਣੀਪੁਰ।	1. 220 KV RSD- 0.4 Sarna (1.5 Ckt KM DC) 2. 66 KVDhar-Manwal at 66 KV ranipur grid(0.75 Ckt KM SC)	0.2	95
8	M/s SS Steel Industries ਦੀ ਲੋਡ ਐਕਸਟੈਂਸ਼ਨ ਲਈ ਨਵੀਂ 66 kV ਲਾਈਨ ਦਾ ਰੂਟ ਪਲਾਨ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਸਰਹਿੰਦ, ਤਰਖਾਣ ਮਾਜਰਾ	2.986 ckt km	0.2	145
9	66 ਕੇ.ਵੀ. ਭਗਤਾ ਭਾਈ ਤੋਂ ਜਲਾਲ ਲਾਈਨ ਉੱਤੇ ਦੂਜੇ ਸਰਕਿਟ ਦੀ ਸਟ੍ਰਿੰਗਿੰਗ - TWL-91/WZ/2023-24, ਐਨੈਕਸਰ-BI ਪਿੰਡ ਭਗਤਾ ਭਾਈ ਕਾ	0.427 ckt km	0.2	25
10	ਮੈਸਰਜ਼ ਸੋਨ ਸੋਲਰ ਐਨਰਜੀ ਵਨ ਪ੍ਰਾਈਵੇਟ ਲਿਮਿਟੇਡ ਦੇ 30 ਮੈਗਾਵਾਟ ਸੋਲਰ ਪਾਵਰ ਪਲਾਂਟ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਸੰਗਤ ਤੱਕ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਲਈ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ - ਬੰਦੀ, ਜੱਸੀ ਬਾਗਵਾਲੀ, ਅਮਰਪੁਰਾ ਉਰਫ਼ ਗੁਰਬਤੀ, ਸੰਗਤ	1. SC/DC with ASCRPanther (0.2 sq.inch)- 1.739, U/G Cable 916 c- meter and Stringing of 2nd circuit on existing line of M/s Sone Solar Pvt. Ltd. - 4.192	0.2	209
11	ਮੈਸਰਜ਼ ਗਰਗ ਐਕ੍ਰਿਲਿਕਸ ਲਿਮਿਟੇਡ, ਪਿੰਡ ਰਾਮਸਰਾ ਦੇ 11.5 ਮੈਗਾਵਾਟ ਸੋਲਰ ਪਲਾਂਟ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਅਮਰਪੁਰਾ ਤੱਕ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਲਈ ਸੋਧਿਆ ਹੋਇਆ ਪਾਰਟ ਰੂਟ ਪਲਾਨ - ਸੋਲਰ ਕੁਨੈਕਸ਼ਨ। ਪਿੰਡ/ਸ਼ਹਿਰ:- ਮੁਕੰਦ ਸਿੰਘ ਵਾਲਾ, ਜਗਤ ਸਿੰਘ ਵਾਲਾ, ਕੰਨਿਆਵਾਲੀ, ਸ਼ਿਵਪੁਰਾ ਕੁਕਰੀਆ।	170 ckt mtr, SC	630 sqmm	22
12	66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਮਸਤੀਆਂ ਵਿਖੇ 66 ਕੇ.ਵੀ. ਧਰਮਕੋਟ-ਪੰਜਤੂਰ ਲਾਈਨ ਦੀ LILO ਉੱਤੇ ਦੂਜੇ ਸਰਕਿਟ ਦੀ ਸਟ੍ਰਿੰਗਿੰਗ- TWL-69/WZ/2025-26, ਐਨੈਕਸਰ-BI ਪਿੰਡ ਭਗਤਾ ਭਾਈ ਕਾ	0.131 km	0.2	21
13	132 ਕੇ.ਵੀ. IGC ਬਠਿੰਡਾ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ IGC ਬਠਿੰਡਾ ਤੱਕ ਮੌਜੂਦਾ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਦੀ ਟਾਵਰ ਨੰ. 7 ਵਿਖੇ ਸ਼ਿਫਟਿੰਗ/ਰੇਜ਼ਿੰਗ -ਸ਼੍ਰੀ ਵਰੁਣ ਗਰਗ, ਪਿੰਡ IGC ਬਠਿੰਡਾ - ਡਿਪਾਜ਼ਿਟ ਵਰਕ।	0.0136 ckt km	0.2	18

14	ਭਾਰਤਮਾਲਾ ਪਰਿਯੋਜਨਾ ਅਧੀਨ ਮੌਜੂਦਾ ਬਿਆਸ-ਬਾਬਾ ਬਕਾਲਾ-ਬਟਾਲਾ-ਡੇਰਾ ਬਾਬਾ ਨਾਨਕ ਸੈਕਸ਼ਨ (NH-503-D) ਦੀ ਅੱਪਗ੍ਰੇਡੇਸ਼ਨ ਅਤੇ 4-ਲੇਨਿੰਗ ਲਈ ਸੋਧੇ ਹੋਏ ਪਲਾਨ, ਜੋ NH-3 ਉੱਤੇ ਬਿਆਸ (ਕਿ.ਮੀ. 417+700) ਤੋਂ ਸ਼ੁਰੂ ਹੋ ਕੇ ਕਰਤਾਰਪੁਰ ਸਾਹਿਬ ਕੋਰੀਡੋਰ (NH-354B ਦਾ ਕਿ.ਮੀ. 0+00 ਅਤੇ NH-354 ਦਾ ਕਿ.ਮੀ. 153+800), ਡੇਰਾ ਬਾਬਾ ਨਾਨਕ ਤੱਕ ਹੈ - ਪੈਕੇਜ-1 ਅਤੇ 2, ਡਿਪਾਜ਼ਿਟ ਵਰਕ:			
	1. 66 ਕੇ.ਵੀ. ਕੋਟਲੀ ਸੂਰਤ ਮੱਲੀ-ਡੇਰਾ ਬਾਬਾ ਨਾਨਕ ਲਾਈਨ (HRP 12-16), CH 59+750 ਤੋਂ 59+970 ਕਿ.ਮੀ.	0.409 ckt km		
	2. 66 ਕੇ.ਵੀ. ਕੋਟਲੀ ਸੂਰਤ ਮੱਲੀ-ਸ਼ਾਹਪੁਰ ਜੱਜਣ ਲਾਈਨ (TL 5-6), CH 59+930 ਕਿ.ਮੀ.	(SC/DC) 0.216 ckt km		
	3. 66 ਕੇ.ਵੀ. ਕੋਟਲੀ ਸੂਰਤ ਮੱਲੀ-ਸ਼ਾਹਜ਼ਾਦਾ ਕਲਾਂ ਲਾਈਨ (TL 6-7), CH 59+990 ਕਿ.ਮੀ. ਪਿੰਡ/ਸ਼ਹਿਰ: ਕੋਟਲੀ ਸੂਰਤ ਮੱਲੀ	(SC/DC) 0.100 ckt km	0.2, 0.2, 0.2	36
15	ਮੈਸਰਜ਼ ਵਾਇਟਲ ਸਟੀਲ ਬਾਰਜ਼ LLP, ਲੁਧਿਆਣਾ ਦੇ 42 ਮੈਗਾਵਾਟ ਪ੍ਰਸਤਾਵਿਤ ਪਲਾਂਟ, ਜਲ ਠਿਕਰੀਵਾਲਾ ਤੋਂ 220 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਕਾਂਜਲੀ ਤੱਕ ਨਵੀਂ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਲਈ ਪ੍ਰਸਤਾਵਿਤ ਰੂਟ ਪਲਾਨ - ਡਿਪਾਜ਼ਿਟ ਵਰਕ, ਪਿੰਡ/ਸ਼ਹਿਰ:- ਠਿਕਰੀਵਾਲਾ, ਕਾਂਜਲੀ।	1.088 Ckm	0.2	50
16	66 kV S/S ਚੌਂਤਾ ਅਤੇ 66 kV S/S ਗਹਿਲੇਵਾਲ ਦਾ ਲੋਡ 220 kV ਕੋਹਾੜਾ ਤੋਂ 220 kV ਧਨਾਨਸੂ ਵਿਖੇ ਸ਼ਿਫਟ ਕਰਨਾ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਧਨਾਨਸੂ, ਬੁੱਢੇਵਾਲ, ਪਹਾੜੂਵਾਲ, ਮੇਹਲੋਂ, ਕੋਹਾੜਾ	6.192 Ckt kM	0.2 for O/H line and 400 sq mm SC	295
17	66 ਕੇ.ਵੀ. ਲਾਈਨ 20+23 (43) ਮੈਗਾਵਾਟ ਸੋਲਰ ਪ੍ਰੋਜੈਕਟ, ਮੈਸਰਜ਼ VSB Steel India (P) Ltd., ਪਿੰਡ ਸਲੀਨਾ (ਮੋਗਾ) ਤੋਂ 66 ਕੇ.ਵੀ. ਸ/ਸ ਦਾਗਰੂ ਤੱਕ। ਪਿੰਡ: ਸਲੀਨਾ, ਸੱਦਾ ਸਿੰਘ ਵਾਲਾ, ਨਿਧਾਨਵਾਲਾ, ਦਾਗਰੂ.	3.070 ckt km	0.2	155
18	66 ਕੇਵੀ ਐਸ/ਐਸ ਚੱਕ ਜਨੇਸਰ ਤੋਂ M/s Joginder Casting (P) Ltd., ਮੰਡੀ ਗੋਬਿੰਦਗੜ੍ਹ ਵੱਲੋਂ 44 ਮੈਗਾਵਾਟ ਦੀ ਅਰਜ਼ੀ (ਸਟੇਜ-I ਵਿੱਚ 28 ਮੈਗਾਵਾਟ ਅਤੇ ਸਟੇਜ-II ਵਿੱਚ 16 ਮੈਗਾਵਾਟ) ਦੇ ਮੁਕਾਬਲੇ 43.4 ਮੈਗਾਵਾਟ Solar ਦੀ ਇਵੈਕੂਏਸ਼ਨ ਲਈ 66 ਕੇਵੀ ਲਾਈਨ। । ਪਿੰਡ ਚੱਕ ਜਨੇਸਰ	1.991 ckt km	0.2	97
19	ਯੂਨੀਵਰਸਿਟੀ ਕਾਲਜ, ਬੇਨੜਾ ਦੀ ਜ਼ਮੀਨ ਵਿੱਚ 220 ਕੇ.ਵੀ. S/S BBMB ਸੰਗਰੂਰ ਤੋਂ 66 ਕੇ.ਵੀ. S/S ਸਮੁੰਦਗੜ੍ਹ ਤੱਕ ਮੌਜੂਦਾ 66 ਕੇ.ਵੀ. S/C on S/C ਲਾਈਨ ਦੀ ਰੇਜ਼ਿੰਗ ਲਈ ਸੋਧਿਆ ਹੋਇਆ ਪਾਰਟ ਰੂਟ ਪਲਾਨ - ਡਿਪਾਜ਼ਿਟ ਵਰਕ (ਸ਼ਿਫਟਿੰਗ), ਪਿੰਡ/ਸ਼ਹਿਰ - ਬੈਣੜਾ (ਧੂਰੀ)।			

20	66 kV S/S ਦੋਸਾਂਝ ਕਲਾਂ ਤੋਂ ਨਵੇਂ ਪ੍ਰਸਤਾਵਿਤ 66 kV S/S ਵਿਰਕ ਤੱਕ ਨਵੀਂ 66 kV ਲਾਈਨ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਦੋਸਾਂਝ ਕਲਾਂ, ਲਾਡੀਆਂ, ਜਾਜੋ ਮਾਜਰਾ, ਕੋਟਲੀ ਖੱਖੀਆਂ, ਪੱਡੀ ਖਾਲਸਾ, ਵਿਰਕ	5.361 ckt km SC on DC	0.2	265
21	ਨਵੇਂ ਪ੍ਰਸਤਾਵਿਤ ਸ਼੍ਰੀ ਗੁਰੂ ਰਵਿਦਾਸ ਸਟੱਡੀ ਸੈਂਟਰ, ਪਿੰਡ ਫਰੀਦਪੁਰ ਅਤੇ ਨੌਗੱਜਾ ਲਈ 66 kV ਕਰਤਾਰਪੁਰ-ਨੌਗੱਜਾ ਲਾਈਨ ਦੀ ਸ਼ਿਫਟਿੰਗ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਨੌਗੱਜਾ, ਦੁੱਗਰੀ, ਮੰਡੀ ਮੋੜ, ਕਿਸ਼ਨਗੜ੍ਹ, ਕਾਲਾ ਬਾਹੀਆਂ	0.286 Ckt km SC on DC	0.2	17
22	ਨਵੇਂ ਪ੍ਰਸਤਾਵਿਤ 66 ਕੇ.ਵੀ. ਗ੍ਰਿਡ ਭਗਵਾਨਪੁਰਾ ਤੋਂ ਮੈਸਰਜ਼ ਜੈ ਪਾਰਵਤੀ ਫੋਰਜ਼ ਲਿਮਿਟੇਡ, ਯੂਨਿਟ-3, ਪਿੰਡ ਬੇਹੜਾ, ਡੇਰਾਬੱਸੀ, ਜ਼ਿਲ੍ਹਾ ਮੋਹਾਲੀ ਤੱਕ ਨਵੀਂ 66 ਕੇ.ਵੀ. ਅੰਡਰਗ੍ਰਾਊਂਡ ਕੇਬਲ ਵਿਛਾਉਣ ਲਈ ਰੂਟ ਪਲਾਨ - FCC ਕੇਸ, ਪਿੰਡ/ਸ਼ਹਿਰ-ਭਗਵਾਨਪੁਰਾ, ਬੇਹੜਾ।	758 ckt mtr SC	400 sqmm	37
23	220 ਕੇ.ਵੀ. ਅਬੋਹਰ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਿੱਟੋ ਗੁੰਨੋ ਵਾਇਆ ਅਮਰਪੁਰਾ ਲਾਈਨ ਲਈ 66 ਕੇ.ਵੀ. ਅੰਡਰਗ੍ਰਾਊਂਡ ਕੇਬਲ ਸਬੰਧੀ ਸੋਧਿਆ ਹੋਇਆ ਰੂਟ ਪਲਾਨ, ਪਿੰਡ/ਸ਼ਹਿਰ-ਅਬੋਹਰ।	247 ckt mtr SC	630 sqmm	16
24	220 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਛਾਜਲੀ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਲਹਿਰਾਗਾਗਾ ਸਰਕਿਟ-1 ਦੀ ਮੌਜੂਦਾ 66 ਕੇ.ਵੀ. D/C on D/C ਲਾਈਨ ਤੋਂ T-off ਕਰਕੇ ਨਵੇਂ ਪ੍ਰਸਤਾਵਿਤ 66 ਕੇ.ਵੀ. ਖੋਖਰ ਕਲਾਂ ਸਬ-ਸਟੇਸ਼ਨ ਤੱਕ ਨਵੀਂ 66 ਕੇ.ਵੀ. S/C on D/C ਲਾਈਨ ਲਈ ਰੂਟ ਪਲਾਨ, ਪਿੰਡ/ਸ਼ਹਿਰ:-ਗੋਬਿੰਦਗੜ੍ਹ, ਗੋਬਿੰਦਗੜ੍ਹ ਖੋਖਰ, ਖੋਖਰ।	0.135 Ckt Km SC/DC	0.2	15
25	ਨਵੇਂ 220 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਵਜ਼ੀਰਾਬਾਦ ਵਿਖੇ ਲੋਡ ਸ਼ਿਫਟਿੰਗ ਲਈ ਕੇਬਲ ਵਿਛਾਉਣ ਸਬੰਧੀ ਰੂਟ ਪਲਾਨ, ਪਿੰਡ/ਸ਼ਹਿਰ - ਵਜ਼ੀਰਾਬਾਦ.	158 ckt mtr DC	400 sqmm	16
26	ਕਾਰਤੋਲੀ ਪੰਜਾਬ-ਤਲਵਾੜਾ ਨਵੀਂ ਰੇਲਵੇ ਲਾਈਨ ਸੈਕਸ਼ਨ ਦੇ ਕਰਾਸਿੰਗ ਕਾਰਨ 66 kV O/H TL ਪੌਂਗ-ਤਲਵਾੜਾ T-Off for 66 kV S/S ਅਮਰੋਹ ਦੀ ਸੋਧ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਤਲਵਾੜਾ, ਰਾਜਵਾਲ, ਭੁੰਬੁਤਾਰ, ਟੋਹਲੂ, ਦੁਗਰਾਲ, ਧੋਲਾਲਾ, ਬੈਰਿੰਗਲੀ, ਮੰਗੂ ਮੇਰਾ, ਪਲਾਹੜ, ਅਮਰੋਹ	3.217 Ckt km	0.2	162
27	ਭਾਰਤੀ ਰੇਲਵੇ ਵੱਲੋਂ ਕਰਤੋਲੀ ਪੰਜਾਬ-ਤਲਵਾੜਾ ਸੈਕਸ਼ਨ ਦੇ ਰੇਲਵੇ ਟਰੈਕ ਦੇ ਵਿਕਾਸ ਕਾਰਨ ਲੋਕੇਸ਼ਨ ਕਿ.ਮੀ. 82+850 ਵਿਖੇ 66 ਕੇ.ਵੀ. Pong ਤੋਂ 66 ਕੇ.ਵੀ. ਤਲਵਾੜਾ ਰੇਲ ਪੋਲ ਲਾਈਨ ਲਈ ਰੂਟ ਪਲਾਨ, ਪਿੰਡ/ਸ਼ਹਿਰ- ਤਲਵਾੜਾ।	175 ckt mtr, SC	630 sqmm	17
28	66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਕਾਹਨੇਵਾਲਾ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਨੰਗਲਾ ਜੋਕੜੀਆਂ ਤੱਕ ਮੌਜੂਦਾ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਤੋਂ T-off ਕਰਕੇ ਨਵੇਂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਉੱਲਕ ਤੱਕ			

	ਲਾਈਨ ਲਈ ਰੂਟ ਪਲਾਨ - ਪਿੰਡ ਜੋਕੜੀਆਂ, ਜਗਤਗੜ੍ਹ ਬਾਂਦਰਾ, ਚੁਹਾਰੀਆਂ ਅਤੇ ਉੱਲਕ।	2554 m	0.2	125
29	ਮੈਸਰਜ਼ ਜਨਰੇਸ਼ਨ ਨੈਕਸਟ ਟੈਕ APS ਪ੍ਰਾਈਵੇਟ ਲਿਮਿਟਡ ਦੇ 19.5 ਮੈਗਾਵਾਟ ਸੋਲਰ ਪਲਾਂਟ, ਪਿੰਡ ਭਾਈਕੇ ਪਿਸ਼ੌਰ ਘੋਰੇਨਾਬ, ਜ਼ਿਲ੍ਹਾ ਸੰਗਰੂਰ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਸੇਖੂਵਾਸ ਤੱਕ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਲਈ ਰੂਟ ਪਲਾਨ, ਪਿੰਡ/ਸ਼ਹਿਰ-ਭਾਈਕੇ ਪਿਸ਼ੌਰ ਘੋਰੇਨਾਬ (ਜ਼ਿਲ੍ਹਾ ਸੰਗਰੂਰ) - ਡਿਪਾਜ਼ਿਟ ਵਰਕ।	2.205 km, SC	0.2	115
30	ਮੌਜੂਦਾ 66 kV ਲਾਈਨ 220 kV S/S ਜਗਰਾਉਂ ਤੋਂ 66 kV S/S ਸਿੱਧਵਾਂ ਬੇਟ ਨੂੰ LILO ਕਰਕੇ ਨਵੇਂ 66 kV S/S ਬਜ਼ੁਰਗ ਲਈ 66 kV ਲਾਈਨ ਦਾ ਰੂਟ ਪਲਾਨ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਜਗਰਾਉਂ, ਸਵੱਦੀ ਖੁਰਦ, ਟੱਪਰ ਹਰਣੀਆਂ, ਸਦਰਪੁਰਾ, ਸਿੱਧਵਾਂ ਬੇਟ, ਲੀਲ ਮੇਘ ਸਿੰਘ, ਰਾਮਗੜ੍ਹ ਭੁੱਲਰ, ਮਲਸੀਆਂ ਭਾਈ ਕੇ, ਬਜ਼ੁਰਗ	15.397 ckt km DC on DC	0.2	750
31	GMADA ਦੇ EWS ਸਾਈਟ, ਸੈਕਟਰ-74 ਵਿਖੇ 220 kV S/S ਫੇਜ਼-7 ਮੋਹਾਲੀ-ਆਨੰਦ ਲੈਂਪ/ਫੇਜ਼-8B/ICI ਪੇਂਟ ਫੈਕਟਰੀ ਦੀ ਮੌਜੂਦਾ 66 kV DC on DC ਲਾਈਨ ਅਤੇ 220 kV S/S ਫੇਜ਼-7 ਮੋਹਾਲੀ-ਛੱਪੜਛਿੜੀ ਦੀ 66 kV SC on DC ਲਾਈਨ ਦੀ ਸ਼ਿਫਟਿੰਗ।	0.210 ckt kM	0.2	17
32	ਮੌਜੂਦਾ 66 kV ਅਜੀਤਵਾਲ-ਜਗਰਾਉਂ ਲਾਈਨ ਨੂੰ T-Off ਤੋਂ ਗਾਲਿਬ ਕਲਾਂ ਤੱਕ ਬਦਲਣਾ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਗਾਲਿਬ ਕਲਾਂ, ਅਜੀਤਵਾਲ, ਕਿਲੀ ਚਾਹਲ, ਅਮਰਗੜ੍ਹ ਉਰਫ਼ ਕਲੇਰ	13.34 ckt kM SC on DC	0.2	625
33	ਮੌਜੂਦਾ 66 ਕੇਵੀ ਲਾਈਨ, ਜੋ 66 ਕੇਵੀ ਸ/ਸ ਸਰਦੂਲਗੜ੍ਹ ਤੋਂ 66 ਕੇਵੀ ਸ/ਸ ਸੰਗਾ ਤੱਕ ਜਾਂਦੀ ਹੈ, ਤੋਂ ਨਵੇਂ 66 ਕੇਵੀ ਸ/ਸ ਝੰਡਾ ਕਲਾਂ ਲਈ ਟੀ-ਆਫ਼ ਕਰਨ ਵਾਸਤੇ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ ਖੈਰਾ ਕਲਾਂ, ਖੈਰਾ ਖੁਰਦ, ਸਰਦੂਲਗੜ੍ਹ ਅਤੇ ਝੰਡਾ ਕਲਾਂ	4992 m	0.2	225
34	ਸ਼੍ਰੀ ਨਵਦੀਪ ਸਿੰਘ ਘੁੰਮਣ ਦੇ ਪਰਿਸਰ ਅੰਦਰ 66 kV ਸਿੰਗਲ ਸਰਕਟ ਹੰਬੜਾਂ-ਬਲੌਕੀ 66 kV (ਰਿੰਗ ਮੇਨ) ਲਾਈਨ ਦੀ ਸ਼ਿਫਟਿੰਗ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਬਿਰਮੀ	0.682 ckt kM SC on DC	0.4	27
35	66 kV ਸੁਧਾਰ ਤੋਂ 66 kV ਹੇਰਾਂ ਤੱਕ ਮੌਜੂਦਾ 66 kV ਲਾਈਨ ਉੱਤੇ 2nd Ckt ਦੀ ਸਟਰਿੰਗਿੰਗ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਸੁਧਾਰ, ਬੋਪਾਰਾਏ ਕਲਾਂ, ਜੱਸੋਵਾਲ, ਬਰੇਚ, ਹੇਰਾਂ	11.761 ckt kM	0.2	525
36	ਮੈਸਰਜ਼ ਕਨਾਟ ਪਲੇਸ ਡਿਵੈਲਪਰਜ਼ ਦੀ ਜ਼ਮੀਨ ਵਿੱਚੋਂ ਲੰਘਦੀ 66 ਕੇ.ਵੀ. ਪਸਿਆਣਾ-ਸਨੌਰ ਲਾਈਨ (TL ਨੰ. 251) ਦੀ ਸ਼ਿਫਟਿੰਗ ਲਈ ਰੂਟ ਪਲਾਨ, ਪਿੰਡ/ ਸ਼ਹਿਰ- ਪਟਿਆਲਾ - ਡਿਪਾਜ਼ਿਟ ਵਰਕ।	1) 234 Ckt mtr, SC 2) 88 Ckt mtr, DC 3) 35 Ckt mtr, SC	0.2, 0.2, 0.2	27

37	ਮੌਜੂਦਾ 220 ਕੇਵੀ ਸ/ਸ ਮੌਡ ਤੋਂ 66 ਕੇਵੀ ਸ/ਸ ਮੰਡੀ ਨੂੰ ਜਾਂਦੀ 66 ਕੇਵੀ ਲਾਈਨ ਦਾ ਨਵੇਂ ਪ੍ਰਸਤਾਵਿਤ 66 ਕੇਵੀ ਸ/ਸ ਥਮਾਂਗੜੁ ਵਿਖੇ LILO ਪ੍ਰਬੰਧ ਲਈ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ - ਥਮਾਂਗੜੁ, ਕੁਟੀਆਂਵਾਲਾ ਕਲਾਂ	431 mtr	0.2	35
38	220 ਕੇਵੀ ਸ/ਸ ਬਾਜਾਖਾਨਾ ਤੋਂ 66 ਕੇਵੀ ਸ/ਸ ਜੀਦਾ ਨੂੰ ਜਾਂਦੀ ਮੌਜੂਦਾ 66 ਕੇਵੀ ਲਾਈਨ ਤੋਂ ਨਵੇਂ ਪ੍ਰਸਤਾਵਿਤ 66 ਕੇਵੀ ਸ/ਸ ਫਤਿਹਗੜੁ ਲਈ ਟੀ-ਆਫ ਕਰਨ ਵਾਸਤੇ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ - ਵਾਰਾ ਭਾਈ ਕਾ, ਡਾਬੜੀਖਾਨਾ, ਫਤਿਹਗੜੁ	4613 mtr	0.2	195
39	ਪਿੰਡ ਫੁੱਲੇਵਾਲਾ ਵਿਖੇ ਮੈਸਰਜ਼ ਬਿਹਾਰੀ ਲਾਲ ਇੰਜੀਨੀਅਰਿੰਗ ਲਿਮਟਿਡ, ਫਤਿਹਗੜੁ ਸਾਹਿਬ ਵੱਲੋਂ ਸਥਾਪਿਤ 8.75 ਮੈਗਾਵਾਟ ਸੌਰ ਊਰਜਾ ਪ੍ਰੋਜੈਕਟ ਤੋਂ 66 ਕੇਵੀ ਸ/ਸ ਫੁੱਲੇਵਾਲਾ ਤੱਕ 66 ਕੇਵੀ ਲਾਈਨ ਦਾ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ - ਫੁੱਲੇਵਾਲਾ	440 mtr	0.2	26
40	ਮੌਜੂਦਾ 66 ਕੇਵੀ ਬੁਢਲਾਡਾ ਸ/ਸ ਤੋਂ 66 ਕੇਵੀ ਸ/ਸ ਬੋਹਾ ਤੱਕ 66 ਕੇਵੀ ਲਾਈਨ ਦਾ ਰੂਟ ਪਲਾਨ, ਟਾਵਰ ਨੰਬਰ 48 ਤੋਂ 49 (DT-2157) ਤੱਕ ਉਚਾਈ ਵਧਾਉਣ ਲਈ। ਪਿੰਡ - ਬੋਹਾ	2629 mtr	0.2	110
41	ਮੌਜੂਦਾ 220 ਕੇਵੀ ਸ/ਸ ਝੁਨੈਰ ਤੋਂ 66 ਕੇਵੀ ਸ/ਸ ਸਰਦੂਲਗੜੁ ਨੂੰ ਜਾਂਦੀ 66 ਕੇਵੀ ਲਾਈਨ ਦੇ ਟਾਵਰ ਨੰਬਰ 69 ਤੋਂ 70 ਤੱਕ ਉਚਾਈ ਵਧਾਉਣ ਲਈ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ - ਸਰਦੂਲਗੜੁ	1072 mtr	0.2	55
42	ਮਧੂਬਨ ਐਨਕਲੇਵ ਵੈਲਫੇਅਰ ਸੋਸਾਇਟੀ (ਬਰੇਵਾਲ) ਦੇ ਅੰਦਰ ਆਉਂਦੀ 66 ਕੇ.ਵੀ. ਪੁਰਾਣੀ/ਨਿਸ਼ਕ੍ਰਿਆ/ਅਧੂਰੀ ਫਿਰੋਜ਼ਪੁਰ ਰੋਡ ਤੋਂ ਅੱਡਾ ਦਾਖਾ ਰੇਲ ਪੋਲ ਲਾਈਨ ਦੀ ਸ਼ਿਫਟਿੰਗ/ਸੋਧ, ਪਿੰਡ/ਸ਼ਹਿਰ: ਬਰੇਵਾਲ ਰੋਡ, ਏ ਬਲਾਕ ਅਗਰ ਨਗਰ, ਨਗਰ ਨਿਗਮ ਲੁਧਿਆਣਾ	2.043 cKt kM SC	0.1	97
43	ਅੰਮ੍ਰਿਤਸਰ-ਬਠਿੰਡਾ ਗ੍ਰੀਨਫੀਲਡ ਹਾਈਵੇਅ ਦੇ ਰਾਈਟ ਆਫ ਵੇ (RoW) ਵਿੱਚ ਆਉਂਦੀਆਂ 3 ਨੰ. 66 ਕੇ.ਵੀ. ਲਾਈਨਾਂ ਨੂੰ ਉੱਚਾ ਚੁੱਕਣ/ਸ਼ਿਫਟ ਕਰਨ ਸਬੰਧੀ ਸੋਧੇ ਹੋਏ ਰੂਟ ਪਲਾਨ (NHAI ਦਾ ਡਿਪਾਜ਼ਿਟ ਵਰਕ): 66 ਕੇ.ਵੀ.ਲਾਈਨ ਸੁਲਤਾਨਪੁਰ-ਪੰਡੋਰੀ ਜਗੀਰ (CH-7.980 ਕਿਮੀ)ਪਿੰਡ/ਸ਼ਹਿਰ: ਰੰਧੀਰਪੁਰ, ਗਾਜ਼ੀਪੁਰ 66 ਕੇ.ਵੀ. ਡੀ.ਸੀ.ਆਨ ਡੀ.ਸੀ. ਲਾਈਨ ਸੁਲਤਾਨਪੁਰ-ਜਖੋਪੁਰ 1. 0.916 Ckt ਅਤੇ ਸੁਲਤਾਨਪੁਰ-ਸੁਲਤਾਨਪੁਰ 66 ਕੇ.ਵੀ. ਸ/ਸ + ਯੂ/ਜੀ Km (CH-8.800 ਕਿਮੀ)ਪਿੰਡ/ਸ਼ਹਿਰ: ਰੰਧੀਰਪੁਰ, ਸੁਲਤਾਨਪੁਰ ਲੋਧੀ 2. 0.701 Ckt 66 ਕੇ.ਵੀ. ਲਾਈਨ ਸੁਲਤਾਨਪੁਰ-ਲੋਹੀਆਂ ਖਾਸ ਅਤੇ kM			

	ਸੁਲਤਾਨਪੁਰ-ਤਲਵੰਡੀ ਮਾਧੋ (CH-8.850 ਕਿਮੀ)ਪਿੰਡ/ਸ਼ਹਿਰ: 2. 0.761 Ckt			
	ਰੰਧੀਰਪੁਰ, ਸੁਲਤਾਨਪੁਰ ਲੋਧੀ	kM	0.2	58
44	ਪਿੰਡ ਕਾਨੀਆਂਵਾਲੀ ਵਿਖੇ ਮੈਸਰਜ਼ ਐਰੋਸੋਲ ਰਿਨਿਊਏਬਲ ਇੰਡੀਆ ਲਿਮਟਿਡ ਵੱਲੋਂ ਸਥਾਪਿਤ 7 ਮੈਗਾਵਾਟ ਸੌਰ ਊਰਜਾ ਪ੍ਰੋਜੈਕਟ ਤੋਂ 66 ਕੇਵੀ ਸ/ਸ ਮੁਕੰਦ ਸਿੰਘ ਵਾਲਾ ਤੱਕ 66 ਕੇਵੀ ਲਾਈਨ ਦਾ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ - ਕਾਨੀਆਂਵਾਲੀ, ਮੁਕੰਦ ਸਿੰਘ ਵਾਲਾ	2.332 ckt km	0.2	115
45	ਪਿੰਡ ਨੇੜੇ ਕੁਹੀਆਂ ਸਰਵਰ ਵਿਖੇ M/s Arosol Renewable India Ltd., ਲੁਧਿਆਣਾ ਵੱਲੋਂ ਸਥਾਪਿਤ 20 (18+2) ਮੈਗਾਵਾਟ ਸੌਰ ਊਰਜਾ ਪ੍ਰੋਜੈਕਟ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਕੁਹੀਆਂ ਸਰਵਰ ਤੱਕ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਦਾ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ - ਗਿਦਤਾਂਵਾਲੀ, ਕੁਹੀਆਂ ਸਰਵਰ, ਦਲਮੀਰ ਖੇੜਾ ਅਤੇ ਦੌਲਤਪੁਰਾ	4.904 ckt km	0.2	235
46	ਪਿੰਡ ਸ਼ਿਵਪੁਰ ਕੁਕੜੀਆ, ਨੇੜੇ ਲੱਪੋ ਵਿਖੇ M/s Chopra Alloys, ਲੁਧਿਆਣਾ ਵੱਲੋਂ ਸਥਾਪਿਤ 22 ਮੈਗਾਵਾਟ ਸੌਰ ਊਰਜਾ ਪ੍ਰੋਜੈਕਟ ਤੋਂ 66 ਕੇ.ਵੀ. ਸਬ- ਸਟੇਸ਼ਨ ਲੱਪੋ ਤੱਕ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਦਾ ਰੂਟ ਪਲਾਨ। ਪਿੰਡ -ਸ਼ਿਵਪੁਰ ਕੁਕੜੀਆ, ਲੱਪੋ ਅਤੇ ਕਰਨ ਸਿੰਘ ਵਾਲਾ	5.351 ckt km	0.2	245

ਇਹ ਦੱਸਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.ਉਕਤ ਦੱਸੀ ਮੰਨਜ਼ੂਰ ਸਕੀਮ ਦੇ ਅਧੀਨ ਲੋੜੀਂਦੀ ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨ ਅਤੇ ਦੂਰ ਸੰਚਾਰ ਨੈੱਟ ਵਰਕਸ ਦੇ ਕੰਮ ਲਈ ਜਰੂਰੀ ਟਾਵਰਜ਼, ਪੋਲਜ਼, ਵਾਇਰਜ਼, ਸਟੇਅਜ਼ (ਖਿੱਚਾਂ) ਅਤੇ ਹੋਰ ਸਾਜ਼ ਸਮਾਨ ਲਗਾਉਣਾ ਚਾਹੁੰਦਾ ਹੈ ਜਿਹੜਾ ਕਿ ਉਕਤ ਦੱਸੀਆਂ ਥਾਵਾਂ ਤੇ ਬਿਜਲੀ ਦੀ ਟਰਾਂਸਮਿਸ਼ਨ ਅਤੇ ਵੰਡ, ਟੈਲੀਗਰਾਫਿਕ ਜਾਂ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਦੇ ਆਪਸੀ ਤਾਲਮੇਲ ਲਈ ਦੂਰ ਸੰਚਾਰ ਨੈੱਟਵਰਕਸ ਲਈ ਜਰੂਰੀ ਹਨ। ਇਸ ਲਈ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.ਉਨ੍ਹਾਂ ਅਧਿਕਾਰਾਂ ਦੀ ਵਰਤੋਂ ਕਰੇਗਾ, ਜਿਹੜੇ ਟੈਲੀਗਰਾਫਿਕ ਅਥਾਰਟੀਜ਼ ਟੈਲੀਗਰਾਫਿਕ ਐਕਟ-1885 (XIII- ਆਫ 1885) ਦੇ ਪਾਰਟ-3 ਅਧੀਨ ਟੈਲੀਗਰਾਫਜ਼ ਨੂੰ ਸਥਾਪਿਤ ਅਤੇ ਮੇਨਟੇਨ ਰੱਖਣ ਲਈ ਕਰਦੀਆਂ ਹਨ। ਇਸ ਲਈ ਇੰਡੀਅਨ ਇਲੈਕਟ੍ਰੀਸਿਟੀ ਐਕਟ -2003 ਦਾ ਸੈਕਸ਼ਨ 164 ਲਾਗੂ ਨਹੀਂ ਹੁੰਦਾ ਅਤੇ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਦੀ ਸਕੀਮ ਲਈ ਕੋਈ ਵੱਖਰਾ ਨੋਟਿਸ ਦੇਣ ਦੀ ਲੋੜ ਨਹੀਂ।

ਇਹ ਨੋਟੀਫਿਕੇਸ਼ਨ ਬਿਜਲੀ ਐਕਟ-2003 ਦੇ ਸੈਕਸ਼ਨ 164 ਮੁਤਾਬਿਕ ਜਾਰੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਜਾਂ ਓਵਰ ਰਾਈਡਿੰਗ ਇਨੈਕਟਮੈਂਟ ਜੇ ਕੋਈ ਹੋਵੇ ਅਤੇ ਪਾਵਰ ਡਿਪਾਰਟਮੈਂਟ, ਪੰਜਾਬ ਸਰਕਾਰ ਦੇ ਹੁਕਮ ਨੰ: S/O. 46/C.A. 36/2003/S.164/2013 dt 19-6-2013 ਅਨੁਸਾਰ ਇੰਡੀਅਨ ਟੈਲੀਗਰਾਫ ਐਕਟ-1885 (ਸੈਂਟਰਲ ਐਕਟ 13 ਆਫ 1885) ਦੇ ਪਾਰਟ 3 ਅਧੀਨ ਟੈਲੀਗਰਾਫ ਅਥਾਰਟੀ ਦੀਆਂ ਪਾਵਰਜ਼ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.ਨੂੰ ਦਿੱਤੀਆਂ ਗਈਆਂ ਹਨ। ਇਸ ਸਬੰਧੀ ਨੋਟਿਸ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਜੇ ਕਿਸੇ ਵਿਅਕਤੀ ਨੂੰ ਉਪਰੋਕਤ ਸਕੀਮ/ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਦੇ ਕੰਮਾਂ ਸਬੰਧੀ ਕੋਈ ਇਤਰਾਜ਼ ਹੋਵੇ ਤਾਂ ਉਹ ਆਪਣੀ ਪ੍ਰਤੀ ਵੇਦਨਾ ਇਸ ਨੋਟੀਫਿਕੇਸ਼ਨ ਦੇ ਜਾਰੀ ਹੋਣ ਤੋਂ 2 ਮਹੀਨੇ ਦੇ ਅੰਦਰ ਅੰਦਰ ਦੇ ਸਕਦਾ ਹੈ। ਇਸ ਤੋਂ ਬਾਅਦ ਕੋਈ ਇਤਰਾਜ਼ ਜਾਂ ਪ੍ਰਤੀ ਵੇਦਨਾ ਸਵੀਕਾਰ ਨਹੀਂ ਕੀਤੀ ਜਾਵੇਗੀ ਅਤੇ ਸਾਰੀ ਸਕੀਮ/ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਦੇ ਕੰਮ ਬਿਨਾਂ ਕੋਈ ਸੋਧ ਕੀਤੇ ਜਾਂ ਸੋਧ ਕਰਕੇ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਦੀ ਮੰਨਜ਼ੂਰੀ ਮੁਤਾਬਿਕ ਲਾਗੂ ਮੰਨੇ ਜਾਣਗੇ। ਇਸ ਸਿਲਸਿਲੇ ਵਿੱਚ ਲੋੜੀਂਦੇ ਪਲਾਨ ਜਿਨ੍ਹਾਂ ਵਿੱਚ ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਦੇ ਆਰਜ਼ੀ ਰਸਤੇ ਵਿਖਾਏ ਗਏ ਹਨ, ਕਿਸੇ ਵੀ ਕੰਮਕਾਰ ਵਾਲੇ ਦਿਨ ਉਪ ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਟੀ.ਐਲ., ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ., ਜਲੰਧਰ/ਪਟਿਆਲਾ/ਬਠਿੰਡਾ ਦੇ ਦਫਤਰ ਵਿਚ ਵੇਖੇ ਜਾ ਸਕਦੇ ਹਨ। ਉਪਰੋਕਤ ਸਕੀਮਾਂ ਸਬੰਧੀ ਜੇ ਕੋਈ ਇਤਰਾਜ਼ ਅਤੇ ਪ੍ਰਤੀ ਵੇਦਨਾ ਹੋਵੇ ਤਾਂ ਨਿਮਨ ਹਸਤਾਖਰ ਨੂੰ ਭੇਜੇ ਜਾਣ।

ਉਪਰੋਕਤ ਕੰਮ ਪੰਜਾਬ ਰਾਜ ਦੇ 66 ਕੇਵੀ ਟਰਾਂਸਮਿਸ਼ਨ ਨੈਟਵਰਕ ਵਿੱਚ ਵਾਧਾ/ ਸਮਰੱਥਾ ਵਧਾਉਣ ਦੇ ਮੰਤਵ ਕਰਕੇ ਪਲਾਨ ਕੀਤੇ ਗਏ ਹਨ ਤਾਂ ਜੋ ਰਾਜ ਦੇ ਸਾਰੇ ਤਰਾਂ ਦੇ ਮੋਜੂਦਾ/ਸੰਭਾਵੀ ਬਿਜਲੀ ਖਪਤ ਕਾਰਾਂ ਨੂੰ ਨਿਰਵਿਘਨ ਅਤੇ ਵਧੀਆ ਬਿਜਲੀ ਸਪਲਾਈ ਦਿੱਤੀ ਜਾ ਸਕੇ। ਇਹ ਕੰਮ ਬਿਜਲੀ ਖਪਤਕਾਰਾਂ ਨੂੰ ਮਿਆਰੀ ਪਾਵਰ ਸਪਲਾਈ ਯਕੀਨੀ ਬਣਾਉਣ ਲਈ ਅਤਿਅੰਤ ਲੋੜੀਂਦੇ ਹਨ।

ਸਹੀ/-

ਉਪ ਮੁੱਖ ਇੰਜੀ./ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨ(ਡ),
ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.
ਬੀ-1, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ।

ਸਹੀ/-

ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਟੀ.ਐਸ.,
ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.,
ਬੀ-1, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ।

Notifications by High Court ; Labour Commissioner ; Advertisements ;**Director of Lotteries, Punjab and Notices, etc.****Punjab State Power Corporation Limited**

(Regd. Office: PSEB Head Office, The Mall, Patiala)

Office of Chief Engineer/Transmission System,

B-1, Shakti Vihar, Patiala

Corporate Identity Number (CIN)U40109PB2010SGC033813

NOTIFICATION

The 25th September, 2026

NO. 116/TSN-207/Vol-XV.-It is hereby notified that Punjab State Power Corporation Ltd. (here-in-after called the PSPCL) proposes to undertake the following schemes/transmission works necessary for the dispersal/distribution of power for the improvement of the transmission and distribution system of the Punjab State Power Corporation Ltd.

66KV WORKS FOR THE YEAR 2026-27

Sr. No.	Name of Work indicating the villages/localities over which the line is to pass	Approx. Length of line in Kms.	Size of conductor / Cable (sq. mm)	Approx. Cost (Rs in Lacs)
1	Revised Route plans for shifting/raising of 06 nos. 66 KV lines in Proposed Right of Way (PROW) for Phagwara-Hoshiarpur Road including Phagwara & Hoshiarpur Bypass (NH-344B)-Deposit work of NHAI-- 66KV Hoshiarpur to Attowal line, Village/City:- Attowal.	0.837 Ckt Km	0.2 (SC/DC)	25
2	Proposed route plan of 66kV line of 10 MW Solar to 66kV S/S Theh kalndar - M/s Punjab Steel villages THEH KALANDAR, SMANA KHANIK FAZILKA	2.745 ckt km	0.2	137
3	Route plan for 66KV connectivity to Newly proposed 66KV S/stn Sector-82 JLPL Mohali. (Deposit Work of GMADA), Village/City:- Mohali.	2092 ckt mtr SC	400 sqmm	67
4	Route plan for providing connectivity to newly proposed S/stn Medicity (Ferozpur) (GMADA Deposit Work), Village/City:- Mohali.	2700 ckt mtr SC	1200 sqmm	75
5	Revised route plan for 66KV U/G cable Accessories M/s Vaneera Industries Limited. (Deposit Work), Village/City:- Kaddon.	2715 ckt mtr SC	400 sqmm	79
6	Route plan for replacement of SC on SC line of 0.15 Sq" conductor with SC on DC line of 0.2 Sq" ACSR conductor for 66KV line from 220KV Kakarala to 66KV Dyalgarh. a) Replacement of 1 no Ckt of 66 KV Dayalgarh S/S of 0.15 sq" Conductor of approximately length of 1.5			

	KM on existing DC on DC line from 220 KV G/S/S Kakrala upto T-off point of 66 KV Kulraran with 0.2 Sq".			
	b) Replacement of existing SC on SC line of 0.15 sq "Conductor with SC on DC line of 0.2 sq " ACSR conductor of approximately length of 12.75 Km.			
	Village/City:- Kakrala, Kheri Nagaian, Sihal, shafipur kalan, shafipur Khurd, Santpura, Dyalgarh Jejian.	12.215 km	0.2	595
		SC on DC		
7	Revised Part Route plan for new 66KV SC on DC line from 1 x 8 MW unit of Shahpur Kandi Ph-II to 66KV Ranipur. Villages/City:- 1. Sandhori, 2. Khala, 3. Kamwal, 4. Jaini upperly, 5. Gurah khurd 6. Jaini khalki, 7. Akhwana 8. ranipur.	1. 220 KV RSD-Sarna(1.5 Ckt KM DC) 2.66 KV Dhar-Manwal at 66 KV ranipur grid(0.75 Ckt KM SC)	0.4	95
8	Route plan for new 66 kV line for load extension of M/s SS Steel Industries, Village/City: Sirhind, Tarkhan Majra	2.986 ckt km	0.2	145
9	Stringing of 2nd circuit on 66kV line from Bhagta Bhai to Jalal (TWL-91/WZ/2023-24 Annex. B) Villages Bhagta Bhai ka	0.427 ckt km	0.2	25
10	route plan of 66kV line of 30 MW Solar Power Plant to 66kV S/S Sangat - M/s Sone Solar Energy One Pvt. Ltd. Villages Bandi, Jassi Baghwali, Amarpura URF Gurthari and Sangat	1. SC/DC with ACSR Panther (0.2 sq.inch) – 1.739, U/G Cable 916 c-meter and Stringing of 2nd circuit on existing line of M/s Sone Solar Pvt. Ltd. – 4.192	0.2	209
11	Revised Part Route plan for 66KV line from 11.5 MW Solar by M/s Garg Acrylics Ltd Village Ramsara to 66KV S/stn Amarmura (Solar Connection), Village/City:- Mukand singh wala, Jagat sing wala, Kanianwali, Shivpura Kukria.	170 ckt mtr, SC	630 sqmm	22
12	stringing of 2nd circuit on LILO of 66 kV Dharamkot- Panjtoor Line at 66kV s/s Mastian (TWL-69//WZ/2025-26 Annex. B) Village Bhagta Bhai Ka	0.131 km	0.2	21

13	shifting/raising of existing 66kV line from 132 kV IGC, Bathinda to 66 kV s/s IGC Bathinda at tower no. 7 (Deposit work). – Sh. Varun Garg Villages IGC Bathinda	0.0136 ckt km	0.2	18
14	Revised plans for the upgradation and 4-laning of existing Beas-Baba Bakala-Batala - Dear Baba Nanak Section (NH-503-D) starting from Beas at NH-3 (km 417+700) and terminating at Kartarpur Sahib Corridor (km 0+00 of NH 354 B & Km 153+800 of NH 354) at Dera Baba Nanak under Bharat Mala Parivojna (Package-1&2) (Deposit work):- 1. 66 KV Kotli Surat Malhi - Dera Baba Nanak (HRP 12-16) (CH 59+750 to 59+970KM) 2. 66KV Kotli Surat Malhi - Shahpur Jajjan (TL 5-6) (CH 59+930) 3. 66KV Kotli Surat Malhi - Shahjada kalan (TL 6-7)(CH59+990KM) Village/City: Kotli Surat Malhi	0.409 ckt km (SC/DC) 0.216 ckt km(SC/DC) 0.100 ckt km (SC/DC)	0.2, 0.2, 0.2	36
15	Revised route plan for new 66KV line from the proposed site at Jal thikriwala of 42 MW of M/s Vital Steel Bars LLP, Ludhiana to 220KV S/stn Kanjli, Village/City: Thikriwala, Kanjli (Deposit work) Village/City:- Thikriwala, Kanjli.	1.088 Ckm	0.2	50
16	Shifting of load of 66 kV S/S Chaunta and 66 kV S/S Gehlewal from 220 kV Kohara to 220 kV Dhanansu, Village/City: Dhanansu, Budhewal, Paharuwal, Mehlon, Kohara	6.192 Ckt km	0.2 for O/H line and 400 sq mm SC	295
17	66kV line from 20+23 (43) MW Solar by M/s VSB Steel India (P) Ltd. at Village Salina (MOGA) to 66kV S/S Dagru villages SALINA, SADDA SINGH WALA, NIDHANWALA, DAGRU	3.070 ckt km	0.2	155
18	66kV line for evacuation of 43.4 MW Solar (against application of 44 MW, 28 MW as stage-I and 16MW as stage -2) by M/s Joginder Casting (P) Ltd. Mandi Gobindgarh from 66kV S/S Chak Janesar Villages Chak Janesar	1.991 ckt km	0.2	97
19	Revised part route plan for Raising of 66KV SC on SC line from 220KV S/s BBMB Sangrur to 66KV S/s Samundgarh in the land of University			

	College, Benra, Village/City-Benra(Dhuri) (Deposit Work-Shifting).			
20	New 66 kV line from 66 kV S/S Dosanjh Kalan to newly proposed 66 kV S/S Virk, Village/City: Dosanjh Kalan, Ladian, Jajo Mazara, Kotli Khakhian, Paddi Khalsa, Virk	5.361 ckt km SC on DC	0.2	265
21	Shifting of 66 kV Kartarpur- Naugajja line for newly proposed Shri Guru Ravidas Study centre village Faridpur & Naugajja, Village/city: Naugajja, Dugri, Mandi Maur, Kishangarh, Kala Bahian	0.286 Ckt km SC on DC	0.2	17
22	Route plan for laying of New 66KV U/G cable from new proposed 66 KV Grid Bhagwanpura to M/s Jai Parvati forge Ltd., unit 3, Village Behra, DeraBassi, District Mohali, Village/City-Bhagwanpura,Behra (FCC case).	758 ckt mtr SC 400 sqmm		37
23	Revised route plan for 66KV line from 220KV Abohar to 66 KV Sitto Gunno via Amarpura Line for 66 KV U/G cable, Village/City-Abohar.	247 ckt mtr SC 630 sqmm		16
24	Route plan for newly 66 KV SC on DC line, T-off from 66KV DC/DC line from 220 KV S/S Chajjli to 66 KV S/S Lehra Gaga Ckt-1 to newly proposed 66 KV Khokhar Kalan, Village/City:-Gobindgarh, Gobindgarh Khokhar, Khokhar.	0.135 Ckt Km SC/DC	0.2	15
25	Route plan for laying of cable for shifting of load at New 220KV S/S Wazirabad, Village/City-Wazirabad. (Planned Work).	158 ckt mtr DC 400 sqmm		16
26	Modification of 66 kV O/H TL Pong- Talwara T-off for 66 kV S/S Amroh due to crossing in the Kartoli Punjab- Talwara new railway line section, Village/City: Talwara, Rajwal, Bhumbootarr, Tohlu, Dugral, Dholala, Bringli, Mangu Mera, Palahar, Amroh	3.217 Ckt km	0.2	162
27	Route plan of rail pole line from 66 KV Pong to 66 KV Talwara (due to development of railway track of Kartoli Punjab – Talwara section (Location 82+ 850 km) by Indian railway, Village/City- Talwara.	175 ckt mtr, SC 630 sqmm		17
28	Route plan for T-off from the existing 66kV line from 66 kV s/s Kahnewala to 66 kV S/s Nangla Jokarian to new 66 kV S/s Ullak Villages Jorkian, Jagatgarh Bandra, Chuharia and Ullak	2554 m	0.2	125

29	Route plan for 66 KV line from M/S Generation next tech APS Pvt. Ltd. (19.5 MW) Solar Plant , Village-Bhaike pishor ghorenab(Distt. Sangrur) to 66 KV Sekhuwas, Village/City-Bhaike pishor ghorenab(Distt. Sangrur) (Deposit Work).	2.205 km, SC	0.2	115
30	Route plan for 66 kV line to new 66 kV S/S Bazurg by LILO of the existing 66 kV line from 220 kV S/S Jagraon to 66 kV S/S Sidhwan Bet, Village/City: Jagraon, Swadi Khurd, Tappar Harnia, Sadarpura, Sidhwan Bet, Leel Megh Singh, Ramgarh Bhullar, Malsihan Bhai ke, Bazurg	15.397 ckt km DC on DC	0.2	750
31	Shifting of existing 66 kV DC on DC line from 220 kV S/S Phase-7 Mohali- Anand Lamp/Ph-8B/ICI Paint Factoryand 66 kV SC on DC line from 220 kV S/S Phase-7 Mohali- Chapparchiri with in EWS site sector-74 GMADA (Deposit work of GMADA)	0.210 ckt km	0.2	17
32	Replacement of existing 66 kV Ajitwal- Jagraon from T-off to Galib Kalan, Village/City: Galib Kalan, Ajitwal, Kili Chahal, Amargarh Urf Kaler	13.34 ckt km SC on DC	0.2	625
33	Route plan for T-off from the existing 66kV line from 66 kV s/s Sardulgarh to 66 kV S/s Sanga, to new 66 kV S/s Jhanda Kalan Villages Khaira Kalan, Khaira Khurd, Sardulgarh and Jhanda Kalan	4992 m	0.2	225
34	Shifting of 66 kV Single Ckt Humbran- Baloki 66 kV(Ring main) within premises of Mr. Navdeep Singh Ghuman, Village/City: Birmi	0.682 ckt km SC on DC	0.4	27
35	Stringing of 2nd ckt on the existing 66 kV line from 66 kV Sudhar to 66 kV Heran, Village/city: Sudhar, Boparai Kalan, Jassowal, Braich, Heran	11.761 ckt km	0.2	525
36	Route plan for shifting of 66 KV Passiana - Sanour Line (TL no.-251) in the Land of M/s Connaught Place Developers, Village/City- Patiala (Deposit Work).	1) 234 Ckt mtr, SC 2) 88 Ckt mtr, DC 3) 35 Ckt mtr, SC	0.2,0.2,0.2	27
37	Route plan for LILO arrangement of 66 kV Line from the existing 220 kV Maur S/s to 66 kV S/s Mandi at New Proposed 66 kV S/S Thamangarh Villages- Thamangarh, Kutiwala Kalan	431 mtr	0.2	35
38	Route plan for T-off from the existing 66 kV Line from 220 kV S/s Bajakhana to 66 kV S/s Jeeda to the new proposed 66 kV S/S Fatehgarh Villages- Wara Bhai Ka, Dabirkhana, Fatehgarh	4613 mtr	0.2	195

39	Route plan of 66kV line 8.75 MW Solar by M/s Behari Lal Engg. Ltd., Fatehgarh Sahib at Village Fullewala to 66kV S/S Fullewala Villages- Fullewala	440 mtr	0.2	26
40	Route plan of 66kV line from the existing 66 kV Budhlada S/s to 66 kV S/s Boha for raising height from tower no 48 to 49 (DT-2157) Villages- Boha	2629 mtr	0.2	110
41	Route plan for 66 kV Line from the existing 220kV S/s Jhunair to 66 kV S/s Sardulgarh for raising height from tower no. 69 to 70 Villages- Shardulgarh	1072 mtr	0.2	55
42	Shifting/ modification of 66 kV old/idle/ incomplete Ferozpur road to Adda Dakha rail pole line with in Madhuban Enclave Welfare Society (Barewal), Village/City: Barewal Road, A Block Agar Nagar, Municipal Corporation Ludhiana	2.043 cKt km SC	0.1	97
43	Revised route plans for raising/ shifting of 3 No. 66 kV lines falling in the RoW of Amritsar- Bathinda Greenfield highway (Deposit work of NHAI): 1. 66 KV line Sultanpur- Pandori Jagir (CH- 7.980 kM), Village/City: Randhirpur, Gajipur 2. 66KV DC on DC line Sultanpur - Jakhopir and Sultanpur - Sultanpur 66 kV S/S + U/G (CH-8.800KM), Village/City: Randhirpur, Sultanpur Lodhi 3. 66KV line Sultanpur- Lohian Khas and Sultanpur- Talwandi Madho (CH-8.850KM), Village/City: Randhirpur, Sultanpur Lodhi	1.0.916 Ckt km 2. 0.701 Ckt kM 2. 0.761 Ckt kM	0.2	58
44	route plan of 66kV line from 7 MW Solar by M/s Arosol Renewable India Ltd., at Village Kaniawali to 66kV S/S Mukund Singh Wala Villages- Kaniawali, Mukund Singh Wala	2.332 ckt km	0.2	115
45	route plan of 66kV line from 20 (18 +2) MW Solar by M/s Arosol Renewable India Ltd., Ludhiana at Village Near Kuhian Sarvar to 66kV S/S Kuhian Sarvar. villages- Gidranwali, Kuhian Sarvar, Dalmir Khera, Daulatpura	4.904ckt km	0.2	235
46	Route plan of 66kV line 22 MW Solar by M/s Chopra Alloys, Ludhiana at Village Shivpur Kukaria Near Lappo to 66kV S/S Lappo Villages- Shivpur Kukaria, Lappo, Karan Singh Wala	5.351 ckt km	0.2	245

It is hereby notified that the PSPCL is undertaking and executing the sanctioned scheme and shall have the powers for placing of any Towers, Wires, Poles, Stays, Apparatus and Appliances for the Transmission and Distribution of Electricity or for Transmission of telegraphic or telephonic communications necessary for proper coordination of the works of PSPCL for the areas indicated above which the telegraph authority possess under Part-III of the Telegraphs Act. 1885 (XIII of 1885) in respect of telegraphs established or maintained and the

provisions of section 164 of the Indian Electricity Act 2003 shall not apply to the same and therefore no separate notice of the scheme of PSPCL is required to be given.

This notification has been issued in respect of the provisions made under Section 164 of the Indian Electricity Act 2003 or overriding enactment, if any and Govt. of Punjab, Dept. of Power order no. S/O. 46/C.A. 36 /2003/S.164/2013 dt 19-6-2013 where in powers of Telegraph authority under part-III of the Indian Telegraph act, 1885 (Central Act no.13 of 1885) have been decided to be vested and exercised on PSPCL. Notice is hereby given that any person may raise objection if any/and or make any representation against the above scheme/transmission works within two months of issue of this notification. Thereafter no objection and or representation will be entertained and all schemes/transmission works will be deemed to be sanctioned with or without modifications as approved by the PSPCL. Necessary plans showing the tentative route of the Transmission Lines may be seen on any working day in the office of Dy. CE/TL, PSPCL, Jalandhar/Patiala/Bathinda. Objections and/or representations in respect of the above schemes if any should be sent to the undersigned.

The above works have been planned to augment / add 66 KV transmission network in the state of Punjab so as to ensure quality and uninterrupted power supply to all type of existing/prospective electricity consumers of the state. These works are urgently required for ensuring quality power supply to the electricity consumers.

Sd/-

Dy. CE /Trans. Lines (D),
PSPCL, B-1, Shakti Vihar,
Patiala.

Sd/-

Chief Engineer/TS,
PSPCL, B-1, Shakti Vihar,
Patiala.

[298-1]